

JavaScript-Developer-I Dumps

Salesforce Certified JavaScript Developer I

<https://www.certleader.com/JavaScript-Developer-I-dumps.html>



NEW QUESTION 1

A developer is wondering whether to use, Promise.then or Promise.catch, especially when a Promise throws an error? Which two promises are rejected? Which 2 are correct?

- A. Promise.reject('cool error here').then(error => console.error(error));
- B. Promise.reject('cool error here').catch(error => console.error(error));
- C. New Promise((resolve, reject) => (throw 'cool error here')).catch(error => console.error(error)) ;
- D. New Promise(() => (throw 'cool error here')).then(null, error => console.error(error));

Answer: BC

NEW QUESTION 2

A developer at Universal Containers creates a new landing page based on HTML, CSS, and JavaScript TO ensure that visitors have a good experience, a script named personalizeContext needs to be executed when the webpage is fully loaded (HTML content and all related files), in order to do some custom initialization. Which statement should be used to call personalizeWebsiteContent based on the above business requirement?

- A. document.addEventListener('onDOMContextLoaded', personalizeWebsiteContext);
- B. window.addEventListener('load',personalizeWebsiteContext);
- C. window.addEventListener('onload', personalizeWebsiteContext);
- D. Document.addEventListener('DOMContextLoaded' , personalizeWebsiteContext);

Answer: B

NEW QUESTION 3

A team that works on a big project uses npm to deal with projects dependencies. A developer added a dependency does not get downloaded when they execute npm install.

Which two reasons could be possible explanations for this?

Choose 2 answers

- A. The developer missed the option --add when adding the dependency.
- B. The developer added the dependency as a dev dependency, and NODE_ENV is set to production.
- C. The developer missed the option --save when adding the dependency.
- D. The developer added the dependency as a dev dependency, and NODE_ENV is set to production.

Answer: BCD

NEW QUESTION 4

A developer creates an object where its properties should be immutable and prevent properties from being added or modified. Which method should be used to execute this business requirement ?

- A. Object.const()
- B. Object.eval()
- C. Object.lock()
- D. Object.freeze()

Answer: D

NEW QUESTION 5

A developer is creating a simple webpage with a button. When a user clicks this button for the first time, a message is displayed.

The developer wrote the JavaScript code below, but something is missing. The message gets displayed every time a user clicks the button, instead of just the first time.

```
01 function listen(event) {  
02  
03   alert('Hey! I am John Doe');  
04  
05 }  
06 button.addEventListener('click', listen);
```

Which two code lines make this code work as required? Choose 2 answers

- A. On line 02, use event.first to test if it is the first execution.
- B. On line 04, use event.stopPropagation (),
- C. On line 04, use button.removeEventListener(' click" , listen);
- D. On line 06, add an option called once to button.addEventListener().

Answer: CD

NEW QUESTION 6

A developer is trying to convince management that their team will benefit from using

Node.js for a backend server that they are going to create. The server will be a web server that handles API requests from a website that the team has already built using HTML, CSS, and JavaScript.

Which three benefits of Node.js can the developer use to persuade their manager? Choose 3 answers:

- A. Installs with its own package manager to install and manage third-party libraries.
- B. Ensures stability with one major release every few years.
- C. Performs a static analysis on code before execution to look for runtime errors.
- D. Executes server-side JavaScript code to avoid learning a new language.
- E. User non blocking functionality for performant request handling .

Answer: ACE

NEW QUESTION 7

Refer to the code below:

```
const event = new CustomEvent(  
//Missing Code  
);
```

```
obj.dispatchEvent(event);
```

A developer needs to dispatch a custom event called update to send information about recordId.

Which two options could a developer insert at the placeholder in line 02 to achieve this? Choose 2 answers

- A. 'Update' , (recordId : '123abc' (
- B. 'Update' , '123abc'
- C. { type : 'update', recordId : '123abc' }
- D. 'Update' , { Details : { recordId : '123abc'}}

Answer: AD

NEW QUESTION 8

Refer to the code below:

```
Let car1 = new Promise((_ , reject) => setTimeout(reject, 2000, "car 1 crashed in" =>
```

```
Let car2 =new Promise(resolve => setTimeout(resolve, 1500, "car 2 completed") Let car3 =new Promise(resolve => setTimeout(resolve, 3000, "car 3 completed")
```

```
Promise.race(( car1, car2, car3))
```

```
.then (value => (
```

```
Let result = `${value} the race.');
```

```
.catch(arr => {
```

```
console.log("Race is cancelled.", err);
```

```
});
```

What is the value of result when Promise.race executes?

- A. Car 3 completes the race
- B. Car 2 completed the race.
- C. Car 1 crashed in the race.
- D. Race is cancelled.

Answer: B

NEW QUESTION 9

Given the code below: Function myFunction(){ A =5;

```
Var b =1;
```

```
}
```

```
myFunction(); console.log(a); console.log(b);
```

What is the expected output?

- A. Both lines 08 and 09 are executed, and the variables are outputted.
- B. Line 08 outputs the variable, but line 09 throws an error.
- C. Line 08 throws an error, therefore line 09 is never executed.
- D. Both lines 08 and 09 are executed, but values outputted are undefined.

Answer: B

NEW QUESTION 10

Given the following code: Let x =null; console.log(typeof x);

What is the output of the line 02?

- A. "Null"
- B. "X"
- C. "Object"
- D. "undefined"

Answer: C

NEW QUESTION 10

Refer to the code below: Const pi = 3.1415326, What is the data type of pi?

- A. Double
- B. Number
- C. Decimal
- D. Float

Answer: B

NEW QUESTION 14

A developer wants to iterate through an array of objects and count the objects and count the objects whose property value, name, starts with the letter N.

```
Const arrObj = [{"name" : "Zach"} , {"name" : "Kate"}, {"name" : "Alise"}, {"name" : "Bob"}, {"name" : "Natham"}, {"name" : "nathaniel"}]
```

Refer to the code snippet below: 01 arrObj.reduce((acc, curr) => { 02 //missing line 02

2 //missing line 03

04).0);

Which missing lines 02 and 03 return the correct count?

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Explanation

NEW QUESTION 15

Refer to code below:

```
Const objBook = { Title: 'Javascript',
```

```
};
```

```
Object.preventExtensions(objBook); ConstnewObjBook = objBook; newObjectBook.author = 'Robert';
```

What are the values of objBook and newObjBook respectively ?

- A. [title: "javaScript"] [title: "javaScript"]
- B. {author: "Robert", title: "javaScript} Undefined
- C. {author: "Robert", title: "javaScript}{author: "Robert", title: "javaScript}
- D. {author: "Robert"}{author: "Robert", title: "javaScript}

Answer: A

NEW QUESTION 17

Refer to the code below:

```
01 let greeting = 'Goodbye';
02 let salutation = 'Hello, hello, hello';
03 try {
04   greeting = 'Hello';
05   decodeURI('%'); // throws error
06   salutation = 'Goodbye';
07 } catch(err) {
08   salutation = 'I say hello';
09 } finally {
10   salutation = 'Hello, Hello';
11 }
```

Line 05 causes an error.

What are the values of greeting and salutation once code completes?

- A. Greeting is Hello and salutation is Hello, Hello.
- B. Greeting is Goodbye and salutation is Hello, Hello.
- C. Greeting is Goodbye and salutation is I say Hello.
- D. Greeting is Hello and salutation is I say hello.

Answer: A

NEW QUESTION 20

A test has a dependency on database. query. During the test, the dependency is replaced with an object called database with the method,

Calculator query, that returns an array. The developer does not need to verify how many times the method has been called.

Which two test approaches describe the requirement? Choose 2 answers

- A. White box
- B. Stubbing
- C. Black box
- D. Substitution

Answer: AD

NEW QUESTION 25

A developer wants to use a module named universalContainersLib and then call functions from it.

How should a developer import every function from the module and then call the functions foo and bar?

- A. import * from '/path/universalContainersLib.js'; universalContainersLi
- B. foo ()7 universalContainersLib.bar ();
- C. import {foo,bar} from '/path/universalCcontainersLib.js'; foo():bar()?
- D. import all from '/path/universalContainersLib.js'; universalContainersLib.foo(); universalContainersLib.bar ();
- E. import * as lib from '/path/universalContainersLib.js'; lib.foo();li
- F. bar ();

Answer: D

NEW QUESTION 27

developer publishes a new version of a package with new features that do not break backward compatibility. The previous version number was 1.1.3. Following semantic versioning format, what should the new package version number be?

- A. 2.0.0
- B. 1.2.3
- C. 1.1.4
- D. 1.2.0

Answer: D

NEW QUESTION 28

Refer to the code below:

```
01 const exec = (item, delay) =>
02   new Promise(resolve => setTimeout(() => resolve(item), delay));
03
04 async function runParallel() {
05   const [result1, result2, result3] = await Promise.all(
06     [exec('x', '100'), exec('y', '500'), exec('z', '100')]
07   );
08   return 'parallel is done: ${result1}${result2}${result3}';
09 }
```

Which two statements correctly execute the runParallel () function? Choose 2 answers

- A. Async runParallel () .then(data);
- B. runParallel (). done(function(data){ return data;});
- C. runParallel () .then(data);
- D. runParallel () .then(function(data) return data

Answer: BD

NEW QUESTION 33

Universal Containers (UC) notices that its application that allows users to search for accounts makes a network request each time a key is pressed. This results in too many requests for the server to handle.

Address this problem, UCdecides to implement a debounce function on string change handler.

What are three key steps to implement this debounce function? Choose 3 answers:

- A. If there is an existing setTimeout and the search string change, allow the existingsetTimeout to finish,and do not enqueue a new setTimeout.
- B. When the search string changes, enqueue the request within a setTimeout.
- C. Ensure that the network request has the property debounce set to true.
- D. If there is an existing setTimeout and the search string changes,cancel the existing setTimeout using the persisted timerId and replace it with a new setTimeout.
- E. Store the timerId of the setTimeout last enqueued by the search string change handle.

Answer: ABC

NEW QUESTION 38

Given HTML below:

```
<div>
  <div id="row-uc">Universal Containers</div>
  <div id="row-as">Applied Shipping</div>
  <div id="row-bt">Burlington Textiles</div>
</div>
```

Which statement adds the priority = account CSS class to the universal CContainers row ?

- A. Document.querySelector('#row-uc').classes.push('priority-account');
- B. Document .querySelectorById('row-uc').addClass('priority-account');
- C. Document .querySelector('#row-uc').classList.add('priority-account');
- D. Document .querySelectorALL('#row-uc').classList.add('priority-account');

Answer: B

NEW QUESTION 41

Universal Containers recently launched its new landing page to host a crowd-funding

campaign. The page uses an external library to display some third-party ads. Once the page is fully loaded, it creates more than 50 new HTML items placed randomly inside the DOM, like the one in the code below:

```
<!-- This is an ad -->
<div class="ad-library-item ad-hidden" onload="myFunction()"
  
</div>
```

All the elements includes the same ad-library-item class, They are hidden by default, and they are randomly displayed while the user navigates through the page.

- A. Use the DOM inspector to prevent the load event to be fired.

- B. Use the browser to execute a script that removes all the element containing the class ad-library-item.
- C. Use the DOM inspector to remove all the elements containing the class ad-library-item.
- D. Use the browser console to execute a script that prevents the load event to be fired.

Answer: B

NEW QUESTION 45

Universal Container(UC) just launched a new landing page, but users complain that the website is slow. A developer found some functions that cause this problem. To verify this, the developer decides to do everything and log the time each of these three suspicious functions consumes.
console.time('Performance'); maybeAHeavyFunction(); thisCouldTakeTooLong(); orMaybeThisOne(); console.endTime('Performance');
Which function can the developer use to obtain the time spent by every one of the three functions?

- A. console.timeLog()
- B. console.getTime()
- C. console.trace()
- D. console.timeStamp()

Answer: A

NEW QUESTION 49

Refer to the code below:

```
Let foodMenu1 =[ 'pizza', 'burger', 'French fries']; Let finalMenu = foodMenu1; finalMenu.push('Garlic bread');  
What is the value of foodMenu1 after the code executes?
```

- A. ['pizza', 'Burger', 'French fires', 'Garlic bread']
- B. ['pizza', 'Burger', 'French fires']
- C. ['Garlic bread', 'pizza', 'Burger', 'French fires']
- D. ['Garlic bread']

Answer: B

NEW QUESTION 50

Refer to the code snippet below:

```
Let array = [1, 2, 3, 4,4, 5, 4, 4];  
For (let i =0; i < array.length; i++){ if (array[i] === 4) {  
array.splice(i, 1);  
}  
}
```

```
01 let array = [1, 2, 3, 4, 4, 5, 4, 4];  
02 for (let i=0; i < array.length; i++) {  
03     if (array[i] === 4) {  
04         array.splice(i, 1);  
05         i--;  
06     }  
07 }
```

What is the value of the array after the code executes?

- A. [1, 2, 3, 4, 5, 4, 4]
- B. [1, 2, 3, 4, 4, 5, 4]
- C. [1, 2, 3, 4, 5, 4]
- D. [1, 2, 3, 5]

Answer: C

NEW QUESTION 55

Refer to the code below:

```
01 const myFunction = arr => {  
02     return arr.reduce((result, current) => {  
03         return result + current;  
04     }, 10);  
05 }
```

What is the output of this function when called with an empty array?

- A. Returns 0
- B. Throws an error
- C. Returns 10
- D. Returns NaN

Answer: C

NEW QUESTION 60

Refer to code below: console.log(0);
setTimeout(() => (console.log(1);
});
console.log(2); setTimeout(() => { console.log(3);
, 0);
console.log(4);
In which sequence will the numbers be logged?

- A. 01234
- B. 02431
- C. 02413
- D. 13024

Answer: C

NEW QUESTION 62

A developer has a formatName function that takes two arguments, firstName and lastName and returns a string. They want to schedule the function to run once after five seconds.
What is the correct syntax to schedule this function?

- A. setTimeout (formatName(), 5000, "John", "BDoe");
- B. setTimeout (formatName('John', "Doe"), 5000);
- C. setTimout(() => { formatName("John", 'Doe') }, 5000);
- D. setTimeout ('formatName', 5000, 'John', "Doe');

Answer: D

NEW QUESTION 66

Refer to the code below:

```
for(let number =2 ; number <= 5 ; number += 1 ) {  
  // insert code statement here  
}
```

The developer needs to insert a code statement in the location shown. The code statement has these requirements:

- * 1. Does require an import
- * 2. Logs an error when the boolean statement evaluates to false
- * 3. Works in both the browser and Node.js

Which meet the requirements?

- A. assert (number % 2 === 0);
- B. console.error(number % 2 === 0);
- C. console.debug(number % 2 === 0);
- D. console.assert(number % 2 === 0);

Answer: B

NEW QUESTION 70

Refer to code below:

Let productSKU = '8675309' ;

A developer has a requirement to generate SKU numbers that are always 19 characters lon, starting with 'sku', and padded with zeros.

Which statement assigns the values sku0000000008675309 ?

- A. productSKU = productSKU .padStart (19. '0').padstart('sku');
- B. productSKU = productSKU .padEnd (16. '0').padstart('sku');
- C. productSKU = productSKU .padEnd (16. '0').padstart(19, 'sku');
- D. productSKU = productSKU .padStart (16. '0').padstart(19, 'sku');

Answer: D

NEW QUESTION 75

A developer has an ErrorHandler module that contains multiple functions. What kind of export be leverages so that multiple functions can be used?

- A. Named
- B. All
- C. Multi
- D. Default

Answer: A

NEW QUESTION 77

Cloud Kicks has a class to represent items for sale in an online store, as shown below: Class Item{

```
  constructor (name, price){ this.name = name; this.price = price;  
  }
```

```
  formattedPrice(){  
    return 's' + String(this.price);}}
```

A new business requirement comes in that requests a ClothingItem class that should have all of the properties and methods of the Item class but will also have properties that are specific to clothes.

Which line of code properly declares the clothingItem class such that it inherits from Item?

- A. Class ClothingItem implements Item{
- B. Class ClothingItem {
- C. Class ClothingItem super Item {
- D. Class ClothingItem extends Item {

Answer: D

NEW QUESTION 81

Refer to code below:

```
01 let first = 'Who';
02 let second = 'What';
03 try {
04   try {
05     throw new Error('Sad trombone');
06   } catch (err) {
07     first = 'Why';
08   } finally {
09     second = 'When';
10   }
11 } catch (err) {
12   second = 'Where';
13 }
```

What are the values for first and second once the code executes ?

- A. First is Who and second is When
- B. First is why and second is where
- C. First is who and second is where
- D. First is why andsecond is when

Answer: D

NEW QUESTION 83

developer has a web server running with Node.js. The command to start the web server is node server.js. The web server started having latency issues. Instead of a one second turn around for web requests, the developer now sees a five second turnaround,

Which command can the web developer run to see what the module is doing during the latency period?

- A. DEBUG = http, https node server.js
- B. NODE_DEBUG =http, https node server.js
- C. DEBUG =true node server.js
- D. NODE_DEBUG =true node server.js

Answer: C

NEW QUESTION 87

A developer implements and calls the following code when an application state change occurs: Const onStateChange =innerPageState) => { window.history.pushState(newPageState, ' ', null); }

If the back button is clicked after this method is executed, what can a developer expect?

- A. A navigate event is fired with a state property that details the previous application state.
- B. The page is navigated away from and the previous page in the browser's history is loaded.
- C. The page reloads and all Javascript is reinitialized.
- D. A popstate event is fired with a state property that details the application's last state.

Answer: B

NEW QUESTION 88

A developer creates a generic function to log custom messages in the console. To do this, the function below is implemented.

```
01 function logStatus(status){
02   console./*Answer goes here*/('Item status is: %s', status);
03 }
```

Which three console logging methods allow the use of string substitution in line 02?

- A. Assert
- B. Log
- C. Message
- D. Info
- E. Error

Answer: AD

NEW QUESTION 93

Refer to the code below:

```
new Promise((resolve, reject) => { const fraction = Math.random();
if( fraction >0.5) reject("fraction > 0.5, " + fraction); resolve(fraction);
})
.then(() =>console.log("resolved"))
.catch((error) => console.error(error))
.finally(() => console.log(" when am I called?"));
```

```
new Promise((resolve, reject) => {
  const fraction = Math.random();
if( fraction >0.5) reject("fraction > 0.5, " + fraction);
reject(fraction);
})
.then(() =>console.log("resolved"))
.catch((error) => console.error(error))
.finally(() => console.log(" when am I called?"));
0.024493713600408196 VM1560:7
when am I called? VM1560:8
Promise {<fulfilled>: undefined}
```

```
new Promise((resolve, reject) => {
  const fraction = Math.random();
if( fraction >0.5) reject("fraction > 0.5, " + fraction);
resolve(fraction);
})
.then(() =>console.log("resolved"))
.catch((error) => console.error(error))
.finally(() => console.log(" when am I called?"));
resolved VM1349:6
when am I called? VM1349:8
Promise {<fulfilled>: undefined}
```

When does Promise.finally on line 08 get called?

- A. When rejected
- B. When resolved and settled
- C. When resolved
- D. When resolved or rejected

Answer: D

NEW QUESTION 96

Refer to the following code: 01 function Tiger(){
02 this.Type = 'Cat'; 03 this.size = 'large'; 04 }
05
06 let tony = new Tiger(); 07 tony.roar = () =>{
8 console.log('They\'re great1');
9 };
10
11 function Lion(){ 12 this.type = 'Cat'; 13this.size = 'large'; 14 }
15
16 let leo = new Lion(); 17 //Insert code here
18 leo.roar();

Which two statements could be inserted at line 17 to enable the function call on line 18? Choose 2 answers.

- A. Leo.roar = () => { console.log('They\'re pretty good:'); };
- B. Object.assign(leo,Tiger);
- C. Object.assign(leo,tony);
- D. Leo.prototype.roar = () => { console.log('They\'re pretty good:'); };

Answer: AC

NEW QUESTION 100

Why would a developer specify a package.json as a developed forge instead of a dependency ?

- A. It is required by the application in production.
- B. It is only needed for local development and testing.
- C. Other requiredpackages depend on it for development.
- D. It should be bundled when the package is published.

Answer: B

NEW QUESTION 103

A developer creates a simple webpage with an input field. Whena user enters text in the input field and clicks the button, the actual value of the field must be displayed in the console.

Here is the HTML file content:

```
<input type = " text" value="Hello" name ="input">
```

```
<button type ="button" >Display </button> The developer wrote the javascript code below:
```

```
Const button = document.querySelector('button'); button.addEvenListener('click', () => (
```

```
Const input = document.querySelector('input'); console.log(input.getAttribute('value'));
```

When the user clicks the button, the output is always "Hello". What needs to be done make this code work as expected?

- A. Replace line 04 with console.log(input .value);
- B. Replace line 03 with const input = document.getElementById('input');
- C. Replace line 02 with button.addEventListener("onclick", function() {
- D. Replace line 02 with button.addCallback("click", function() {

Answer: A

NEW QUESTION 105

Which three options show valid methods for creating a fat arrowfunction? Choose 3 answers

- A. x => (console.log(' executed ') ;)
- B. [] => (console.log(' executed ') ;)
- C. () => (console.log(' executed ') ;)
- D. X,y,z => (console.log(' executed ') ;)
- E. (x,y,z) => (console.log(' executed ') ;)

Answer: AE

NEW QUESTION 108

Refer to the code below:

```
01 function changeValue(param) {  
02   param = 5;  
03 }  
04 let a = 10;  
05 let b = a;  
06  
07 changeValue(b);  
08 const result = a + ' - ' + b;
```

What is the value of result when the code executes?

- A. 10-10
- B. 5-5
- C. 10-5
- D. 5-10

Answer: A

NEW QUESTION 111

A developer is debugging a web server that uses Node.js The server hits a runtimeerror every third request to an important endpoint on the web server.

The developer added a break point to the start script, that is at index.js at he root of the server's source code. The developer wants to make use of chrome DevTools to debug. Which command can be run to access DevTools and make sure the breakdown is hit ?

- A. node -i index.js
- B. Node --inspect-brk index.js
- C. Node inspect index.js
- D. Node --inspect index.js

Answer: D

NEW QUESTION 114

Given two expressions var1 and var2. What are two valid ways to return the logical AND of the two expressions and ensure it is data typeBoolean ?

Choose 2 answers:

- A. Boolean(var1 && var2)
- B. var1 && var2
- C. var1.toBoolean() && var2.toBoolean()
- D. Boolean(var1) && Boolean(var2)

Answer: AD

NEW QUESTION 119

A developer is leading the creation of a new browser application that will serve a single page application. The teamwants to use a new web framework Minimalsit.js. The Lead developer wants to advocate for a more seasoned web framework that already has a community around it.

Which two frameworks should the lead developer advocate for? Choose 2 answers

- A. Vue
- B. Angular

- C. Koa
- D. Express

Answer: BD

NEW QUESTION 121

Refer to the code below:

```
Async funct on functionUnderTest(isOK) { If (isOK) return 'OK' ;  
Throw new Error('not OK');  
}
```

Which assertion accuretely tests the above code?

- A. Console.assert (await functionUnderTest(true), ' OK ')
- B. Console.assert (await functionUnderTest(true), ' not OK ')
- C. Console.assert (awaitfunctionUnderTest(true), ' not OK ')
- D. Console.assert (await functionUnderTest(true), 'OK')

Answer: D

NEW QUESTION 125

Refer to the code snippet below: Let array = [1, 2, 3, 4, 4, 5, 4, 4];

```
For (let i =0; i < array.length; i++) if (array[i] === 4) {  
array.splice(i, 1);  
}  
}
```

```
let array = [1, 2, 3, 4, 4, 5, 4, 4];  
for (let i =0; i < array.length; i++){  
if (array[i] === 4) {  
array.splice(i, 1);  
}  
}  
console.log(array)
```

▶ (6) [1, 2, 3, 4, 5, 4] VM1963:7

undefined

What is the value of array after the code executes?

- A. [1, 2, 3, 4, 5, 4, 4]
- B. [1, 2, 3, 4, 4, 5, 4]
- C. [1, 2, 3, 5]
- D. [1, 2, 3, 4, 5, 4]

Answer: B

NEW QUESTION 129

Refer to the following array:

Let arr1 = [1, 2, 3, 4, 5];

```
let arr1 = [ 1, 2, 3, 4, 5 ];  
let arr2 = arr1.slice(0, 5);  
  
console.log(arr2)
```

▶ (5) [1, 2, 3, 4, 5] VM1767:4

undefined

```
let arr1 = [ 1, 2, 3, 4, 5 ];  
let arr2 = Array.from(arr1);  
console.log(arr2)
```

▶ (5) [1, 2, 3, 4, 5] VM1827:3

undefined

Which two lines of code result in a second array, arr2 being created such that arr2 is not a reference to arr1?

- A. Let arr2 = arr1.slice(0, 5);

- B. Let arr2 = Array.from(arr1);
- C. Letarr2 = arr1;
- D. Let arr2 = arr1.sort();

Answer: AB

NEW QUESTION 134

A developer has a web server running with Node.js. The command to start the web server is node server.js.

The web server started having

latency issues. Instead of a one second turnaround for web requests, the developer now sees a five second turnaround.

Which command can the web developer run to see what the module is doing during the latency period?

- A. NODE_DEBUG=true node server.js
- B. DEBUG=http, https node server.js
- C. NODE_DEBUG=http,https node server.js
- D. DEBUG=true node server.js

Answer: D

NEW QUESTION 135

.....

Thank You for Trying Our Product

* 100% Pass or Money Back

All our products come with a 90-day Money Back Guarantee.

* One year free update

You can enjoy free update one year. 24x7 online support.

* Trusted by Millions

We currently serve more than 30,000,000 customers.

* Shop Securely

All transactions are protected by VeriSign!

100% Pass Your JavaScript-Developer-I Exam with Our Prep Materials Via below:

<https://www.certleader.com/JavaScript-Developer-I-dumps.html>