

DP-100 Dumps

Designing and Implementing a Data Science Solution on Azure

<https://www.certleader.com/DP-100-dumps.html>



NEW QUESTION 1

- (Exam Topic 3)

You are determining if two sets of data are significantly different from one another by using Azure Machine Learning Studio.

Estimated values in one set of data may be more than or less than reference values in the other set of data. You must produce a distribution that has a constant

Type I error as a function of the correlation.

You need to produce the distribution.

Which type of distribution should you produce?

- A. Paired t-test with a two-tail option
- B. Unpaired t-test with a two tail option
- C. Paired t-test with a one-tail option
- D. Unpaired t-test with a one-tail option

Answer: A

Explanation:

Choose a one-tail or two-tail test. The default is a two-tailed test. This is the most common type of test, in which the expected distribution is symmetric around zero.

Example: Type I error of unpaired and paired two-sample t-tests as a function of the correlation. The simulated random numbers originate from a bivariate normal distribution with a variance of 1.

Reference:

<https://docs.microsoft.com/en-us/azure/machine-learning/studio-module-reference/test-hypothesis-using-t-test> https://en.wikipedia.org/wiki/Student%27s_t-test

NEW QUESTION 2

- (Exam Topic 3)

You use the Two-Class Neural Network module in Azure Machine Learning Studio to build a binary classification model. You use the Tune Model

Hyperparameters module to tune accuracy for the model.

You need to select the hyperparameters that should be tuned using the Tune Model Hyperparameters module. Which two hyperparameters should you use? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Number of hidden nodes
- B. Learning Rate
- C. The type of the normalizer
- D. Number of learning iterations
- E. Hidden layer specification

Answer: DE

Explanation:

D: For Number of learning iterations, specify the maximum number of times the algorithm should process the training cases.

E: For Hidden layer specification, select the type of network architecture to create.

Between the input and output layers you can insert multiple hidden layers. Most predictive tasks can be accomplished easily with only one or a few hidden layers.

References:

<https://docs.microsoft.com/en-us/azure/machine-learning/studio-module-reference/two-class-neural-network>

NEW QUESTION 3

- (Exam Topic 3)

You plan to deliver a hands-on workshop to several students. The workshop will focus on creating data visualizations using Python. Each student will use a device that has internet access.

Student devices are not configured for Python development. Students do not have administrator access to install software on their devices. Azure subscriptions are not available for students.

You need to ensure that students can run Python-based data visualization code. Which Azure tool should you use?

- A. Anaconda Data Science Platform
- B. Azure BatchAI
- C. Azure Notebooks
- D. Azure Machine Learning Service

Answer: C

Explanation:

References: <https://notebooks.azure.com/>

NEW QUESTION 4

- (Exam Topic 3)

You are using the Azure Machine Learning Service to automate hyperparameter exploration of your neural network classification model.

You must define the hyperparameter space to automatically tune hyperparameters using random sampling according to following requirements:

The learning rate must be selected from a normal distribution with a mean value of 10 and a standard deviation of 3.

Batch size must be 16, 32 and 64.

Keep probability must be a value selected from a uniform distribution between the range of 0.05 and 0.1.

You need to use the param_sampling method of the Python API for the Azure Machine Learning Service. How should you complete the code segment? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

In random sampling, hyperparameter values are randomly selected from the defined search space. Random sampling allows the search space to include both discrete and continuous hyperparameters.

Example:

```
from azureml.train.hyperdrive import RandomParameterSampling param_sampling = RandomParameterSampling( { "learning_rate": normal(10, 3),  
"keep_probability": uniform(0.05, 0.1),  
"batch_size": choice(16, 32, 64)  
}
```

Reference:

<https://docs.microsoft.com/en-us/azure/machine-learning/service/how-to-tune-hyperparameters>

NEW QUESTION 5

- (Exam Topic 3)

You are moving a large dataset from Azure Machine Learning Studio to a Weka environment. You need to format the data for the Weka environment.

Which module should you use?

- A. Convert to CSV
- B. Convert to Dataset

- C. Convert to ARFF
- D. Convert to SVMLight

Answer: C

Explanation:

Use the Convert to ARFF module in Azure Machine Learning Studio, to convert datasets and results in Azure Machine Learning to the attribute-relation file format used by the Weka toolset. This format is known as ARFF.

The ARFF data specification for Weka supports multiple machine learning tasks, including data preprocessing, classification, and feature selection. In this format, data is organized by entites and their attributes, and is contained in a single text file.

References:

<https://docs.microsoft.com/en-us/azure/machine-learning/studio-module-reference/convert-to-arff>

NEW QUESTION 6

- (Exam Topic 3)

You are tuning a hyperparameter for an algorithm. The following table shows a data set with different hyperparameter, training error, and validation errors.

Use the drop-down menus to select the answer choice that answers each question based on the information presented in the graphic.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: 4

Choose the one which has lower training and validation error and also the closest match. Minimize variance (difference between validation error and train error).

Box 2: 5

Minimize variance (difference between validation error and train error). Reference:

<https://medium.com/comet-ml/organizing-machine-learning-projects-project-management-guidelines-2d2b8565>

NEW QUESTION 7

- (Exam Topic 3)

You are performing feature scaling by using the scikit-learn Python library for x.1 x2, and x3 features. Original and scaled data is shown in the following image.

Use the drop-down menus to select the answer choice that answers each question based on the information presented in the graphic.

NOTE: Each correct selection is worth one point.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: StandardScaler

The StandardScaler assumes your data is normally distributed within each feature and will scale them such that the distribution is now centred around 0, with a standard deviation of 1.

Example:

All features are now on the same scale relative to one another. Box 2: Min Max Scaler

Notice that the skewness of the distribution is maintained but the 3 distributions are brought into the same scale so that they overlap.

Box 3: Normalizer References:

<http://benalexkeen.com/feature-scaling-with-scikit-learn/>

NEW QUESTION 8

- (Exam Topic 3)

You are creating an experiment by using Azure Machine Learning Studio.

You must divide the data into four subsets for evaluation. There is a high degree of missing values in the data. You must prepare the data for analysis.

You need to select appropriate methods for producing the experiment.

Which three modules should you run in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

NOTE: More than one order of answer choices is correct. You will receive credit for any of the correct orders you select.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

The Clean Missing Data module in Azure Machine Learning Studio, to remove, replace, or infer missing values.

NEW QUESTION 9

- (Exam Topic 3)

You are building a binary classification model by using a supplied training set. The training set is imbalanced between two classes.

You need to resolve the data imbalance.

What are three possible ways to achieve this goal? Each correct answer presents a complete solution NOTE: Each correct selection is worth one point.

- A. Penalize the classification
- B. Resample the data set using under sampling or oversampling
- C. Generate synthetic samples in the minority class.
- D. Use accuracy as the evaluation metric of the model.
- E. Normalize the training feature set.

Answer: BCD

NEW QUESTION 10

- (Exam Topic 3)

You have a dataset that contains over 150 features. You use the dataset to train a Support Vector Machine (SVM) binary classifier.

You need to use the Permutation Feature Importance module in Azure Machine Learning Studio to compute a set of feature importance scores for the dataset.

In which order should you perform the actions? To answer, move all actions from the list of actions to the answer area and arrange them in the correct order.

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Step 1: Add a Two-Class Support Vector Machine module to initialize the SVM classifier. Step 2: Add a dataset to the experiment

Step 3: Add a Split Data module to create training and test dataset.

To generate a set of feature scores requires that you have an already trained model, as well as a test dataset. Step 4: Add a Permutation Feature Importance module and connect to the trained model and test dataset. Step 5: Set the Metric for measuring performance property to Classification - Accuracy and then run the experiment.

Reference:

<https://docs.microsoft.com/en-us/azure/machine-learning/studio-module-reference/two-class-support-vector-mac> <https://docs.microsoft.com/en-us/azure/machine-learning/studio-module-reference/permutation-feature-importan>

NEW QUESTION 10

- (Exam Topic 3)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You are a data scientist using Azure Machine Learning Studio.

You need to normalize values to produce an output column into bins to predict a target column. Solution: Apply a Quantiles normalization with a QuantileIndex normalization.

Does the solution meet the GOAL?

- A. Yes
B. No

Answer: B

Explanation:

Use the Entropy MDL binning mode which has a target column. References:

<https://docs.microsoft.com/en-us/azure/machine-learning/studio-module-reference/group-data-into-bins>

NEW QUESTION 11

- (Exam Topic 3)

You are performing feature engineering on a dataset.

You must add a feature named CityName and populate the column value with the text London.

You need to add the new feature to the dataset.

Which Azure Machine Learning Studio module should you use?

- A. Edit Metadata
B. Preprocess Text
C. Execute Python Script
D. Latent Dirichlet Allocation

Answer: A

Explanation:

Typical metadata changes might include marking columns as features. References:

<https://docs.microsoft.com/en-us/azure/machine-learning/studio-module-reference/edit-metadata>

NEW QUESTION 15

- (Exam Topic 2)

You need to visually identify whether outliers exist in the Age column and quantify the outliers before the outliers are removed.

Which three Azure Machine Learning Studio modules should you use in sequence? To answer, move the appropriate modules from the list of modules to the answer area and arrange them in the correct order.

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Create Scatterplot Summarize Data Clip Values

You can use the Clip Values module in Azure Machine Learning Studio, to identify and optionally replace data values that are above or below a specified threshold. This is useful when you want to remove outliers or replace them with a mean, a constant, or other substitute value.

References:

<https://blogs.msdn.microsoft.com/azuredev/2017/05/27/data-cleansing-tools-in-azure-machine-learning/> <https://docs.microsoft.com/en-us/azure/machine-learning/studio-module-reference/clip-values>

NEW QUESTION 16

- (Exam Topic 2)

You need to identify the methods for dividing the data according to the testing requirements. Which properties should you select? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Scenario: Testing

You must produce multiple partitions of a dataset based on sampling using the Partition and Sample module in Azure Machine Learning Studio.

Box 1: Assign to folds

Use Assign to folds option when you want to divide the dataset into subsets of the data. This option is also useful when you want to create a custom number of folds for cross-validation, or to split rows into several groups.

Not Head: Use Head mode to get only the first n rows. This option is useful if you want to test a pipeline on a small number of rows, and don't need the data to be balanced or sampled in any way.

Not Sampling: The Sampling option supports simple random sampling or stratified random sampling. This is useful if you want to create a smaller representative sample dataset for testing.

Box 2: Partition evenly

Specify the partitioner method: Indicate how you want data to be apportioned to each partition, using these options:

Partition evenly: Use this option to place an equal number of rows in each partition. To specify the number of output partitions, type a whole number in the Specify number of folds to split evenly into text box.

Reference:

<https://docs.microsoft.com/en-us/azure/machine-learning/algorithm-module-reference/partition-and-sample>

NEW QUESTION 17

- (Exam Topic 3)

You use Azure Machine Learning Studio to build a machine learning experiment.

You need to divide data into two distinct datasets. Which module should you use?

- A. Partition and Sample
- B. Assign Data to Clusters
- C. Group Data into Bins
- D. Test Hypothesis Using t-Test

Answer: A

Explanation:

Partition and Sample with the Stratified split option outputs multiple datasets, partitioned using the rules you specified.

References:

<https://docs.microsoft.com/en-us/azure/machine-learning/studio-module-reference/partition-and-sample>

NEW QUESTION 19

- (Exam Topic 2)

You need to produce a visualization for the diagnostic test evaluation according to the data visualization requirements.

Which three modules should you recommend be used in sequence? To answer, move the appropriate modules from the list of modules to the answer area and arrange them in the correct order.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Step 1: Sweep Clustering

Start by using the "Tune Model Hyperparameters" module to select the best sets of parameters for each of the models we're considering.

One of the interesting things about the "Tune Model Hyperparameters" module is that it not only outputs the results from the Tuning, it also outputs the Trained Model.

Step 2: Train Model Step 3: Evaluate Model

Scenario: You need to provide the test results to the Fabrikam Residences team. You create data visualizations to aid in presenting the results.

You must produce a Receiver Operating Characteristic (ROC) curve to conduct a diagnostic test evaluation of the model. You need to select appropriate methods for producing the ROC curve in Azure Machine Learning Studio to compare the Two-Class Decision Forest and the Two-Class Decision Jungle modules with one another.

References:

<http://breaking-bi.blogspot.com/2017/01/azure-machine-learning-model-evaluation.html>

NEW QUESTION 21

- (Exam Topic 2)

You need to identify the methods for dividing the data according, to the testing requirements.

Which properties should you select? To answer, select the appropriate option-, in the answer area. NOTE: Each correct selection is worth one point.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

NEW QUESTION 24

- (Exam Topic 2)

You need to correct the model fit issue.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Step 1: Augment the data

Scenario: Columns in each dataset contain missing and null values. The datasets also contain many outliers.

Step 2: Add the Bayesian Linear Regression module.

Scenario: You produce a regression model to predict property prices by using the Linear Regression and Bayesian Linear Regression modules.

Step 3: Configure the regularization weight.

Regularization typically is used to avoid overfitting. For example, in L2 regularization weight, type the value to use as the weight for L2 regularization. We recommend that you use a non-zero value to avoid overfitting.

Scenario:

Model fit: The model shows signs of overfitting. You need to produce a more refined regression model that reduces the overfitting.

NEW QUESTION 25

- (Exam Topic 1)

You need to resolve the local machine learning pipeline performance issue. What should you do?

- A. Increase Graphic Processing Units (GPUs).
- B. Increase the learning rate.
- C. Increase the training iterations,
- D. Increase Central Processing Units (CPUs).

Answer: A

NEW QUESTION 28

- (Exam Topic 1)

You need to implement a scaling strategy for the local penalty detection data. Which normalization type should you use?

- A. Streaming
- B. Weight
- C. Batch
- D. Cosine

Answer: C

Explanation:

Post batch normalization statistics (PBN) is the Microsoft Cognitive Toolkit (CNTK) version of how to evaluate the population mean and variance of Batch Normalization which could be used in inference Original Paper.

In CNTK, custom networks are defined using the BrainScriptNetworkBuilder and described in the CNTK network description language "BrainScript."

Scenario:

Local penalty detection models must be written by using BrainScript. References:

<https://docs.microsoft.com/en-us/cognitive-toolkit/post-batch-normalization-statistics>

NEW QUESTION 32

- (Exam Topic 1)

You need to define an evaluation strategy for the crowd sentiment models.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Scenario:

Experiments for local crowd sentiment models must combine local penalty detection data.

Crowd sentiment models must identify known sounds such as cheers and known catch phrases. Individual crowd sentiment models will detect similar sounds.

Note: Evaluate the changed in correlation between model error rate and centroid distance

In machine learning, a nearest centroid classifier or nearest prototype classifier is a classification model that assigns to observations the label of the class of training samples whose mean (centroid) is closest to the observation.

References: https://en.wikipedia.org/wiki/Nearest_centroid_classifier

<https://docs.microsoft.com/en-us/azure/machine-learning/studio-module-reference/sweep-clustering>

NEW QUESTION 34

- (Exam Topic 1)

You need to define a process for penalty event detection.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

NEW QUESTION 39

- (Exam Topic 3)

You are working on a classification task. You have a dataset indicating whether a student would like to play soccer and associated attributes. The dataset includes the following columns:

You need to classify variables by type.

Which variable should you add to each category? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

References: <https://www.edureka.co/blog/classification-algorithms/>

NEW QUESTION 42

- (Exam Topic 3)

You plan to create a speech recognition deep learning model. The model must support the latest version of Python.

You need to recommend a deep learning framework for speech recognition to include in the Data Science Virtual Machine (DSVM). What should you recommend?

- A. Apache Drill
- B. Tensorflow
- C. Rattle
- D. Weka

Answer: B

Explanation:

TensorFlow is an open source library for numerical computation and large-scale machine learning. It uses Python to provide a convenient front-end API for building applications with the framework

TensorFlow can train and run deep neural networks for handwritten digit classification, image recognition, word embeddings, recurrent neural networks, sequence-to-sequence models for machine translation, natural language processing, and PDE (partial differential equation) based simulations.

References:

<https://www.infoworld.com/article/3278008/what-is-tensorflow-the-machine-learning-library-explained.html>

NEW QUESTION 47

- (Exam Topic 3)

You are developing a hands-on workshop to introduce Docker for Windows to attendees. You need to ensure that workshop attendees can install Docker on their devices.

Which two prerequisite components should attendees install on the devices? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Microsoft Hardware-Assisted Virtualization Detection Tool
- B. Kitematic
- C. BIOS-enabled virtualization
- D. VirtualBox
- E. Windows 10 64-bit Professional

Answer: E

Explanation:

C: Make sure your Windows system supports Hardware Virtualization Technology and that virtualization is enabled.

Ensure that hardware virtualization support is turned on in the BIOS settings. For example:

E: To run Docker, your machine must have a 64-bit operating system running Windows 7 or higher. References:

https://docs.docker.com/toolbox/toolbox_install_windows/ <https://blogs.technet.microsoft.com/canitpro/2015/09/08/step-by-step-enabling-hyper-v-for-use-on-windows-10/>

NEW QUESTION 51

- (Exam Topic 3)

You are analyzing the asymmetry in a statistical distribution.

The following image contains two density curves that show the probability distribution of two datasets.

Use the drop-down menus to select the answer choice that answers each question based on the information presented in the graphic.

NOTE: Each correct selection is worth one point.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Positive skew

Positive skew values means the distribution is skewed to the right. Box 2: Negative skew

Negative skewness values mean the distribution is skewed to the left. References:

<https://docs.microsoft.com/en-us/azure/machine-learning/studio-module-reference/compute-elementary-statistic>

NEW QUESTION 56

- (Exam Topic 3)

You plan to build a team data science environment. Data for training models in machine learning pipelines will be over 20 GB in size.

You have the following requirements:

Models must be built using Caffe2 or Chainer frameworks.

Data scientists must be able to use a data science environment to build the machine learning pipelines and train models on their personal devices in both connected and disconnected network environments.

Personal devices must support updating machine learning pipelines when connected to a network. You need to select a data science environment.

Which environment should you use?

- A. Azure Machine Learning Service
- B. Azure Machine Learning Studio
- C. Azure Databricks
- D. Azure Kubernetes Service (AKS)

Answer: A

Explanation:

The Data Science Virtual Machine (DSVM) is a customized VM image on Microsoft's Azure cloud built specifically for doing data science. Caffe2 and Chainer are supported by DSVM.

DSVM integrates with Azure Machine Learning.

NEW QUESTION 58

- (Exam Topic 3)

You are developing a data science workspace that uses an Azure Machine Learning service. You need to select a compute target to deploy the workspace.

What should you use?

- A. Azure Data Lake Analytics
- B. Azure Databrick .
- C. Apache Spark for HDInsight.
- D. Azure Container Service

Answer: D

Explanation:

Azure Container Instances can be used as compute target for testing or development. Use for low-scale CPU-based workloads that require less than 48 GB of RAM.

Reference:

<https://docs.microsoft.com/en-us/azure/machine-learning/service/how-to-deploy-and-where>

NEW QUESTION 61

- (Exam Topic 3)

Your team is building a data engineering and data science development environment. The environment must support the following requirements:

support Python and Scala
compose data storage, movement, and processing services into automated data pipelines
the same tool should be used for the orchestration of both data engineering and data science
support workload isolation and interactive workloads
enable scaling across a cluster of machines You need to create the environment.
What should you do?

- A. Build the environment in Apache Hive for HDInsight and use Azure Data Factory for orchestration.
- B. Build the environment in Azure Databricks and use Azure Data Factory for orchestration.
- C. Build the environment in Apache Spark for HDInsight and use Azure Container Instances for orchestration.
- D. Build the environment in Azure Databricks and use Azure Container Instances for orchestration.

Answer: B

Explanation:

In Azure Databricks, we can create two different types of clusters.
Standard, these are the default clusters and can be used with Python, R, Scala and SQL
High-concurrency
Azure Databricks is fully integrated with Azure Data Factory.

NEW QUESTION 65

- (Exam Topic 3)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You are creating a new experiment in Azure Machine Learning Studio.

One class has a much smaller number of observations than tin- other classes in the training set. You need to select an appropriate data sampling strategy to compensate for the class imbalance. Solution: You use the Principal Components Analysis (PCA) sampling mode.

Does the solution meet the goal?

- A. Yes
- B. No

Answer: B

NEW QUESTION 68

- (Exam Topic 3)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You are creating a model to predict the price of a student's artwork depending on the following variables: the student's length of education, degree type, and art form.

You start by creating a linear regression model.

You need to evaluate the linear regression model.

Solution: Use the following metrics: Relative Squared Error, Coefficient of Determination, Accuracy, Precision, Recall, F1 score, and AUC.

Does the solution meet the goal?

A. Yes

B. No

Answer: B

Explanation:

Relative Squared Error, Coefficient of Determination are good metrics to evaluate the linear regression model, but the others are metrics for classification models.

References:

<https://docs.microsoft.com/en-us/azure/machine-learning/studio-module-reference/evaluate-model>

NEW QUESTION 72

- (Exam Topic 3)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You are creating a model to predict the price of a student's artwork depending on the following variables: the student's length of education, degree type, and art form.

You start by creating a linear regression model. You need to evaluate the linear regression model.

Solution: Use the following metrics: Accuracy, Precision, Recall, F1 score and AUC. Does the solution meet the goal?

A. Yes

B. No

Answer: B

Explanation:

Those are metrics for evaluating classification models, instead use: Mean Absolute Error, Root Mean Absolute Error, Relative Absolute Error, Relative Squared Error, and the Coefficient of Determination.

References:

<https://docs.microsoft.com/en-us/azure/machine-learning/studio-module-reference/evaluate-model>

NEW QUESTION 74

- (Exam Topic 3)

You are developing deep learning models to analyze semi-structured, unstructured, and structured data types. You have the following data available for model building:

Video recordings of sporting events

Transcripts of radio commentary about events

Logs from related social media feeds captured during sporting events You need to select an environment for creating the model.

Which environment should you use?

A. Azure Cognitive Services

B. Azure Data Lake Analytics

C. Azure HDInsight with Spark MLlib

D. Azure Machine Learning Studio

Answer: A

Explanation:

Azure Cognitive Services expand on Microsoft's evolving portfolio of machine learning APIs and enable developers to easily add cognitive features – such as emotion and video detection; facial, speech, and vision recognition; and speech and language understanding – into their applications. The goal of Azure Cognitive Services is to help developers create applications that can see, hear, speak, understand, and even begin to reason. The catalog of services within Azure Cognitive Services can be categorized into five main pillars - Vision, Speech, Language, Search, and Knowledge.

References:

<https://docs.microsoft.com/en-us/azure/cognitive-services/welcome>

NEW QUESTION 75

- (Exam Topic 3)

You are analyzing a raw dataset that requires cleaning.

You must perform transformations and manipulations by using Azure Machine Learning Studio. You need to identify the correct modules to perform the transformations.

Which modules should you choose? To answer, drag the appropriate modules to the correct scenarios. Each module may be used once, more than once, or not at all.

You may need to drag the split bar between panes or scroll to view content. NOTE: Each correct selection is worth one point.

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Box 1: Clean Missing Data

Box 2: SMOTE

Use the SMOTE module in Azure Machine Learning Studio to increase the number of underrepresented cases in a dataset used for machine learning. SMOTE is a better way of increasing the number of rare cases than simply duplicating existing cases.

Box 3: Convert to Indicator Values

Use the Convert to Indicator Values module in Azure Machine Learning Studio. The purpose of this module is to convert columns that contain categorical values into a series of binary indicator columns that can more easily be used as features in a machine learning model.

Box 4: Remove Duplicate Rows References:

<https://docs.microsoft.com/en-us/azure/machine-learning/studio-module-reference/smote> <https://docs.microsoft.com/en-us/azure/machine-learning/studio-module-reference/convert-to-indicator-values>

NEW QUESTION 78

- (Exam Topic 3)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You are analyzing a numerical dataset which contain missing values in several columns.

You must clean the missing values using an appropriate operation without affecting the dimensionality of the feature set.

You need to analyze a full dataset to include all values.

Solution: Use the last Observation Carried Forward (IOCF) method to impute the missing data points. Does the solution meet the goal?

- A. Yes
B. No

Answer: B

Explanation:

Instead use the Multiple Imputation by Chained Equations (MICE) method.

Replace using MICE: For each missing value, this option assigns a new value, which is calculated by using a method described in the statistical literature as "Multivariate Imputation using Chained Equations" or "Multiple Imputation by Chained Equations". With a multiple imputation method, each variable with missing data is modeled conditionally using the other variables in the data before filling in the missing values.

Note: Last observation carried forward (LOCF) is a method of imputing missing data in longitudinal studies. If a person drops out of a study before it ends, then his or her last observed score on the dependent variable is used for all subsequent (i.e., missing) observation points. LOCF is used to maintain the sample size and to reduce the bias caused by the attrition of participants in a study.

References:

<https://methods.sagepub.com/reference/encyc-of-research-design/n211.xml> <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3074241/>

NEW QUESTION 81

- (Exam Topic 3) You are solving a classification task. The dataset is imbalanced.

You need to select an Azure Machine Learning Studio module to improve the classification accuracy. Which module should you use?

- A. Fisher Linear Discriminant Analysis.
B. Filter Based Feature Selection
C. Synthetic Minority Oversampling Technique (SMOTE)
D. Permutation Feature Importance

Answer: C

Explanation:

Use the SMOTE module in Azure Machine Learning Studio (classic) to increase the number of underrepresented cases in a dataset used for machine learning. SMOTE is a better way of increasing the number of rare cases than simply duplicating existing cases.

You connect the SMOTE module to a dataset that is imbalanced. There are many reasons why a dataset might be imbalanced: the category you are targeting might be very rare in the population, or the data might simply be difficult to collect. Typically, you use SMOTE when the class you want to analyze is under-represented.

Reference:

<https://docs.microsoft.com/en-us/azure/machine-learning/studio-module-reference/smote>

NEW QUESTION 85

- (Exam Topic 3)

You are developing a linear regression model in Azure Machine Learning Studio. You run an experiment to compare different algorithms.

The following image displays the results dataset output:

Use the drop-down menus to select the answer choice that answers each question based on the information presented in the image.

NOTE: Each correct selection is worth one point.

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Box 1: Boosted Decision Tree Regression

Mean absolute error (MAE) measures how close the predictions are to the actual outcomes; thus, a lower score is better.

Box 2:

Online Gradient Descent: If you want the algorithm to find the best parameters for you, set Create trainer

mode option to Parameter Range. You can then specify multiple values for the algorithm to try. References:

<https://docs.microsoft.com/en-us/azure/machine-learning/studio-module-reference/evaluate-model> <https://docs.microsoft.com/en-us/azure/machine-learning/studio-module-reference/linear-regression>

NEW QUESTION 90

- (Exam Topic 3)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You are using Azure Machine Learning Studio to perform feature engineering on a dataset. You need to normalize values to produce a feature column grouped into bins.

Solution: Apply an Entropy Minimum Description Length (MDL) binning mode.

Does the solution meet the goal?

- A. Yes
B. No

Answer: A

Explanation:

Entropy MDL binning mode: This method requires that you select the column you want to predict and the column or columns that you want to group into bins. It then makes a pass over the data and attempts to determine the number of bins that minimizes the entropy. In other words, it chooses a number of bins that allows the data column to best predict the target column. It then returns the bin number associated with each row of your data in a column named <colname>quantized.

References:

<https://docs.microsoft.com/en-us/azure/machine-learning/studio-module-reference/group-data-into-bins>

NEW QUESTION 91

- (Exam Topic 3)

You are evaluating a Python NumPy array that contains six data points defined as follows: data = [10, 20, 30, 40, 50, 60]

You must generate the following output by using the k-fold algorithm implantation in the Python Scikit-learn machine learning library:

train: [10 40 50 60], test: [20 30]

train: [20 30 40 60], test: [10 50]

train: [10 20 30 50], test: [40 60]

You need to implement a cross-validation to generate the output.

How should you complete the code segment? To answer, select the appropriate code segment in the dialog box in the answer area.

NOTE: Each correct selection is worth one point.

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Box 1: k-fold

Box 2: 3

K-F olds cross-validator provides train/test indices to split data in train/test sets. Split dataset into k consecutive folds (without shuffling by default).

The parameter n_splits (int, default=3) is the number of folds. Must be at least 2. Box 3: data

Example: Example:

```
>>>
```

```
>>> from sklearn.model_selection import KFold
```

```
>>> X = np.array([[1, 2], [3, 4], [1, 2], [3, 4]])
```

```
>>> y = np.array([1, 2, 3, 4])
```

```
>>> kf = KFold(n_splits=2)
```

```
>>> kf.get_n_splits(X) 2
```

```
>>> print(kf)
```

```
KFold(n_splits=2, random_state=None, shuffle=False)
```

```
>>> for train_index, test_index in kf.split(X): print("TRAIN:", train_index, "TEST:", test_index) X_train, X_test = X[train_index], X[test_index] y_train, y_test =
```

```
y[train_index], y[test_index] TRAIN: [2 3] TEST: [0 1]
```

```
TRAIN: [0 1] TEST: [2 3]
```

References:

https://scikit-learn.org/stable/modules/generated/sklearn.model_selection.KFold.html

NEW QUESTION 93

- (Exam Topic 3)

You plan to preprocess text from CSV files. You load the Azure Machine Learning Studio default stop words list.

You need to configure the Preprocess Text module to meet the following requirements:

Ensure that multiple related words from a single canonical form.

Remove pipe characters from text.

Remove words to optimize information retrieval.

Which three options should you select? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Remove stop words

Remove words to optimize information retrieval.

Remove stop words: Select this option if you want to apply a predefined stopword list to the text column. Stop word removal is performed before any other processes.

Box 2: Lemmatization

Ensure that multiple related words from a single canonical form. Lemmatization converts multiple related words to a single canonical form Box 3: Remove special characters

Remove special characters: Use this option to replace any non-alphanumeric special characters with the pipe | character.

References:

<https://docs.microsoft.com/en-us/azure/machine-learning/studio-module-reference/preprocess-text>

NEW QUESTION 97

- (Exam Topic 3)

You need to select a feature extraction method. Which method should you use?

- A. Spearman correlation
- B. Mutual information
- C. Mann-Whitney test
- D. Pearson's correlation

Answer: D

NEW QUESTION 98

- (Exam Topic 3)

You create a binary classification model by using Azure Machine Learning Studio.

You must tune hyperparameters by performing a parameter sweep of the model. The parameter sweep must meet the following requirements:

iterate all possible combinations of hyperparameters
minimize computing resources required to perform the sweep
You need to perform a parameter sweep of the model.
Which parameter sweep mode should you use?

- A. Random sweep
- B. Sweep clustering
- C. Entire grid
- D. Random grid
- E. Random seed

Answer: D

Explanation:

Maximum number of runs on random grid: This option also controls the number of iterations over a random sampling of parameter values, but the values are not generated randomly from the specified range; instead, a matrix is created of all possible combinations of parameter values and a random sampling is taken over the matrix. This method is more efficient and less prone to regional oversampling or undersampling.

If you are training a model that supports an integrated parameter sweep, you can also set a range of seed values to use and iterate over the random seeds as well. This is optional, but can be useful for avoiding bias introduced by seed selection.

NEW QUESTION 101

- (Exam Topic 3)

You are building a machine learning model for translating English language textual content into French language textual content.

You need to build and train the machine learning model to learn the sequence of the textual content. Which type of neural network should you use?

- A. Multilayer Perceptions (MLPs)
- B. Convolutional Neural Networks (CNNs)
- C. Recurrent Neural Networks (RNNs)
- D. Generative Adversarial Networks (GANs)

Answer: C

Explanation:

To translate a corpus of English text to French, we need to build a recurrent neural network (RNN).

Note: RNNs are designed to take sequences of text as inputs or return sequences of text as outputs, or both. They're called recurrent because the network's hidden layers have a loop in which the output and cell state from each time step become inputs at the next time step. This recurrence serves as a form of memory. It allows contextual information to flow through the network so that relevant outputs from previous time steps can be applied to network operations at the current time step.

References:

<https://towardsdatascience.com/language-translation-with-rnns-d84d43b40571>

NEW QUESTION 103

- (Exam Topic 3)

You plan to use a Deep Learning Virtual Machine (DLVM) to train deep learning models using Compute Unified Device Architecture (CUDA) computations. You need to configure the DLVM to support CUDA. What should you implement?

- A. Intel Software Guard Extensions (Intel SGX) technology
- B. Solid State Drives (SSD)
- C. Graphic Processing Unit (GPU)
- D. Computer Processing Unit (CPU) speed increase by using overclocking
- E. High Random Access Memory (RAM) configuration

Answer: C

Explanation:

A Deep Learning Virtual Machine is a pre-configured environment for deep learning using GPU instances. References:

<https://azuremarketplace.microsoft.com/en-au/marketplace/apps/microsoft-ads.dsvm-deep-learning>

NEW QUESTION 108

- (Exam Topic 3)

You create a binary classification model to predict whether a person has a disease. You need to detect possible classification errors.

Which error type should you choose for each description? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: True Positive

A true positive is an outcome where the model correctly predicts the positive class Box 2: True Negative

A true negative is an outcome where the model correctly predicts the negative class. Box 3: False Positive

A false positive is an outcome where the model incorrectly predicts the positive class. Box 4: False Negative

A false negative is an outcome where the model incorrectly predicts the negative class. Note: Let's make the following definitions:

"Wolf" is a positive class. "No wolf" is a negative class.

We can summarize our "wolf-prediction" model using a 2x2 confusion matrix that depicts all four possible outcomes:

Reference:

<https://developers.google.com/machine-learning/crash-course/classification/true-false-positive-negative>

NEW QUESTION 112

.....

Thank You for Trying Our Product

* 100% Pass or Money Back

All our products come with a 90-day Money Back Guarantee.

* One year free update

You can enjoy free update one year. 24x7 online support.

* Trusted by Millions

We currently serve more than 30,000,000 customers.

* Shop Securely

All transactions are protected by VeriSign!

100% Pass Your DP-100 Exam with Our Prep Materials Via below:

<https://www.certleader.com/DP-100-dumps.html>