

# Cisco

## Exam Questions 300-730

Implementing Secure Solutions with Virtual Private Networks (SVPN)



#### NEW QUESTION 1

A second set of traffic selectors is negotiated between two peers using IKEv2. Which IKEv2 packet will contain details of the exchange?

- A. IKEv2 IKE\_SA\_INIT
- B. IKEv2 INFORMATIONAL
- C. IKEv2 CREATE\_CHILD\_SA
- D. IKEv2 IKE\_AUTH

**Answer:** B

#### NEW QUESTION 2

On a FlexVPN hub-and-spoke topology where spoke-to-spoke tunnels are not allowed, which command is needed for the hub to be able to terminate FlexVPN tunnels?

- A. interface virtual-access
- B. ip nhrp redirect
- C. interface tunnel
- D. interface virtual-template

**Answer:** D

#### NEW QUESTION 3

Which statement about GETVPN is true?

- A. The configuration that defines which traffic to encrypt originates from the key server.
- B. TEK rekeys can be load-balanced between two key servers operating in COOP.
- C. The pseudotime that is used for replay checking is synchronized via NTP.
- D. Group members must acknowledge all KEK and TEK rekeys, regardless of configuration.

**Answer:** A

#### NEW QUESTION 4

Which two parameters help to map a VPN session to a tunnel group without using the tunnel-group list? (Choose two.)

- A. group-alias
- B. certificate map
- C. optimal gateway selection
- D. group-url
- E. AnyConnect client version

**Answer:** BD

#### NEW QUESTION 5

Which method dynamically installs the network routes for remote tunnel endpoints?

- A. policy-based routing
- B. CEF
- C. reverse route injection
- D. route filtering

**Answer:** C

#### Explanation:

Reference: [https://www.cisco.com/c/en/us/td/docs/ios-xml/ios/sec\\_conn\\_vpnnav/configuration/12-4t/sec-vpn-availability-12-4t-book/sec-rev-rte-inject.html](https://www.cisco.com/c/en/us/td/docs/ios-xml/ios/sec_conn_vpnnav/configuration/12-4t/sec-vpn-availability-12-4t-book/sec-rev-rte-inject.html)

#### NEW QUESTION 6

Which command identifies a Cisco AnyConnect profile that was uploaded to the flash of an IOS router?

- A. svc import profile SSL\_profile flash:simos-profile.xml
- B. anyconnect profile SSL\_profile flash:simos-profile.xml
- C. crypto vpn anyconnect profile SSL\_profile flash:simos-profile.xml
- D. webvpn import profile SSL\_profile flash:simos-profile.xml

**Answer:** C

#### Explanation:

Reference: <https://www.cisco.com/c/en/us/support/docs/security/anyconnect-secure-mobility-client/200533-AnyConnect-Configure-Basic-SSLVPN-for-I.html>

#### NEW QUESTION 7

Under which section must a bookmark or URL list be configured on a Cisco ASA to be available for clientless SSLVPN users?

- A. tunnel-group (general-attributes)
- B. tunnel-group (webvpn-attributes)
- C. webvpn (group-policy)

D. webvpn (global configuration)

**Answer:** D

#### NEW QUESTION 8

Which two statements about the Cisco ASA Clientless SSL VPN solution are true? (Choose two.)

- A. When a client connects to the Cisco ASA WebVPN portal and tries to access HTTP resources through the URL bar, the client uses the local DNS to perform FQDN resolution.
- B. The `rewriter enable` command under the global `webvpn` configuration enables the rewriter functionality because that feature is disabled by default.
- C. A Cisco ASA can simultaneously allow Clientless SSL VPN sessions and AnyConnect client sessions.
- D. When a client connects to the Cisco ASA WebVPN portal and tries to access HTTP resources through the URL bar, the ASA uses its configured DNS servers to perform FQDN resolution.
- E. Clientless SSLVPN provides Layer 3 connectivity into the secured network.

**Answer:** CD

#### NEW QUESTION 9

Refer to the exhibit.

```
group-policy DfltGrpPolicy internal
group-policy DfltGrpPolicy attributes
  banner none
  dns-server value 10.10.10.10
  vpn-tunnel-protocol ssl-clientless
  default-domain value cisco.com
  address-pools value ACPool

group-policy Admin_Group internal
group-policy Admin_Group attributes
  vpn-simultaneous-logins 10
  vpn-tunnel-protocol ikev2 ssl-clientless
  split-tunnel-policy tunnelall

tunnel-group Admins type remote-access
tunnel-group Admins general-attributes
  default-group-policy Admin_Group
tunnel-group Admins webvpn-attributes
  group-alias Admins enable

tunnel-group Employee type remote-access
tunnel-group Employee webvpn-attributes
  group-alias Employee enable

webvpn
  enable outside
  anyconnect image disk0:/anyconnect-win-4.7.01076-webdeploy-k9.pkg 1
  anyconnect enable
  tunnel-group-list enable
```

Which VPN technology is allowed for users connecting to the Employee tunnel group?

- A. SSL AnyConnect
- B. IKEv2 AnyConnect
- C. crypto map
- D. clientless

**Answer:** B

#### NEW QUESTION 10

In a FlexVPN deployment, the spokes successfully connect to the hub, but spoke-to-spoke tunnels do not form. Which troubleshooting step solves the issue?

- A. Verify the spoke configuration to check if the NHRP redirect is enabled.
- B. Verify that the spoke receives redirect messages and sends resolution requests.
- C. Verify the hub configuration to check if the NHRP shortcut is enabled.
- D. Verify that the tunnel interface is contained within a VRF.

**Answer:** B

#### Explanation:

Reference: [https://www.cisco.com/c/en/us/td/docs/ios-xml/ios/sec\\_conn\\_dmvpn/configuration/15-mt/sec-conn-dmvpn-15-mt-book/sec-conn-dmvpn-summaps.pdf](https://www.cisco.com/c/en/us/td/docs/ios-xml/ios/sec_conn_dmvpn/configuration/15-mt/sec-conn-dmvpn-15-mt-book/sec-conn-dmvpn-summaps.pdf)

#### NEW QUESTION 10

An engineer is troubleshooting a new DMVPN setup on a Cisco IOS router. After the `show crypto isakmp sa` command is issued, a response is returned of "MM\_NO\_STATE." Why does this failure occur?

- A. The ISAKMP policy priority values are invalid.
- B. ESP traffic is being dropped.
- C. The Phase 1 policy does not match on both devices.
- D. Tunnel protection is not applied to the DMVPN tunnel.

**Answer:** B

**NEW QUESTION 13**

Refer to the exhibit.

```
tunnel-group IKEV2 type remote-access
tunnel-group IKEV2 general-attributes
  address-pool split
  default-group-policy GroupPolicy1
tunnel-group IKEV2 webvpn-attributes
  group-alias ikev2 enable

-----

-<HostEntry>
<HostName>ikev2</HostName>
<HostAddress>10.106.45.221</HostAddress>
<UserGroup>ikev2</UserGroup>
<PrimaryProtocol>IPsec</PrimaryProtocol>
</HostEntry>
```

The customer can establish a Cisco AnyConnect connection without using an XML profile. When the host "ikev2" is selected in the AnyConnect drop down, the connection fails. What is the cause of this issue?

- A. The HostName is incorrect.
- B. The IP address is incorrect.
- C. Primary protocol should be SSL.
- D. UserGroup must match connection profile.

**Answer:** D

**Explanation:**

Reference: <https://community.cisco.com/t5/security-documents/anyconnect-xml-settings/ta-p/3157891>

**NEW QUESTION 17**

Refer to the exhibit.



HUB configuration:

```
crypto ikev2 profile default
match identity remote fqdn domain cisco.com
identity local fqdn hub.cisco.com
authentication local rsa-sig
authentication remote pre-shared-key cisco
pki trustpoint CA
aaa authorization group cert list default default
virtual-template 1
```

---

SPOKE 1 configuration:

```
crypto ikev2 profile default
match identity remote fqdn domain cisco.com
identity local fqdn spoke.cisco.com
authentication local rsa-sig
authentication remote pre-shared-key cisco
pki trustpoint CA
aaa authorization group cert list default default
virtual-template 1
```

---

SPOKE 2 configuration:

```
crypto ikev2 profile default
match identity remote fqdn domain cisco.com
identity local fqdn spoke2.cisco.com
authentication local pre-shared-key flexvpn
authentication remote rsa-sig
pki trustpoint CA
aaa authorization group cert list default default
virtual-template 1
```


What is a result of this configuration?

- A. Spoke 1 fails the authentication because the authentication methods are incorrect.
- B. Spoke 2 passes the authentication to the hub and successfully proceeds to phase 2.
- C. Spoke 2 fails the authentication because the remote authentication method is incorrect.
- D. Spoke 1 passes the authentication to the hub and successfully proceeds to phase 2.

Answer: A

#### NEW QUESTION 18

Refer to the exhibit.



Client 1 cannot communicate with client 2. Both clients are using Cisco AnyConnect and have established a successful SSL VPN connection to the hub ASA. Which command on the ASA is missing?

- A. dns-server value 10.1.1.2
- B. same-security-traffic permit intra-interface
- C. same-security-traffic permit inter-interface
- D. dns-server value 10.1.1.3

**Answer:** B

#### NEW QUESTION 22

Refer to the exhibit.

An SSL client is connecting to an ASA headend. The session fails with the message "Connection attempt has timed out. Please verify Internet connectivity." Based on how the packet is processed, which phase is causing the failure?

- A. phase 9: rpf-check
- B. phase 5: NAT
- C. phase 4: ACCESS-LIST
- D. phase 3: UN-NAT

**Answer:** D

#### NEW QUESTION 25

Which redundancy protocol must be implemented for IPsec stateless failover to work?

- A. SSO
- B. GLBP
- C. HSRP
- D. VRRP

**Answer:** C

#### Explanation:

Reference: <https://www.cisco.com/c/en/us/support/docs/security/vpn/ipsec-negotiation-ike-protocols/17826-ipsec-feat.html>

#### NEW QUESTION 28

Which technology works with IPsec stateful failover?

- A. GLBR
- B. HSRP
- C. GRE
- D. VRRP

**Answer:** B

#### Explanation:

Reference: [https://www.cisco.com/c/en/us/td/docs/ios/12\\_2/12\\_2y/12\\_2y11/feature/guide/ft\\_vpnha.html#wp1122512](https://www.cisco.com/c/en/us/td/docs/ios/12_2/12_2y/12_2y11/feature/guide/ft_vpnha.html#wp1122512)

#### NEW QUESTION 33

Refer to the exhibit.

```
crypto isakmp policy 10
  encr aes 256
  hash sha256
  authentication pre-share
  group 14

crypto isakmp key cisco address 0.0.0.0

crypto ipsec transform-set TS esp-aes 256 esp-sha256-hmac
mode transport

crypto ipsec profile CCNP
set transform-set TS

interface Tunnell
ip address 10.0.0.1 255.255.255.0
tunnel source GigabitEthernet1
tunnel mode ipsec ipv4
tunnel destination 172.18.10.2
tunnel protection ipsec profile CCNP
```

Which VPN technology is used in the exhibit?

- A. DVTI
- B. VTI
- C. DMVPN
- D. GRE

**Answer:** B

**Explanation:**

Reference: [https://www.cisco.com/c/en/us/td/docs/ios-xml/ios/sec\\_conn\\_vpnips/configuration/zZ-Archive/IPsec\\_Virtual\\_Tunnel\\_Interface.html#GUID-EB8C433B-2394-42B9-997F-B40803E58A91](https://www.cisco.com/c/en/us/td/docs/ios-xml/ios/sec_conn_vpnips/configuration/zZ-Archive/IPsec_Virtual_Tunnel_Interface.html#GUID-EB8C433B-2394-42B9-997F-B40803E58A91)

**NEW QUESTION 37**

Which VPN does VPN load balancing on the ASA support?

- A. VTI
- B. IPsec site-to-site tunnels
- C. L2TP over IPsec
- D. Cisco AnyConnect

**Answer:** D

**NEW QUESTION 41**

.....

## Thank You for Trying Our Product

### We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questons and Answers in PDF Format

### 300-730 Practice Exam Features:

- \* 300-730 Questions and Answers Updated Frequently
- \* 300-730 Practice Questions Verified by Expert Senior Certified Staff
- \* 300-730 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- \* 300-730 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year

**100% Actual & Verified — Instant Download, Please Click**  
**[Order The 300-730 Practice Test Here](#)**