

LPI

Exam Questions 303-200

LPIC-3 Exam 303: Security, version 2.0



NEW QUESTION 1

Which command revokes ACL-based write access for groups and named users on the file afile?

- A. setfacl -x group: * : rx, user*: rx afile
- B. setfacl -x mask: : rx afile
- C. setfacl ~m mask: : rx afile
- D. setfacl ~m group: * : rx, user*: rx afile

Answer: C

NEW QUESTION 2

Which of the following authentication methods was added to NFS in version 4?

- A. Kerberos authentication
- B. SSH hostkey authentication
- C. Winbind authentication
- D. SSL certificate authentication

Answer: A

NEW QUESTION 3

Which of the following access control models is established by using SELinux?

- A. Security Access Control (SAC)
- B. Group Access Control (GAC)
- C. User Access Control (UAC)
- D. Discretionary Access Control (DAC)
- E. Mandatory Access Control (MAC)

Answer: E

NEW QUESTION 4

Which command is used to run a new shell for a user changing the SELinux context? (Specify ONLY the command without any path or parameters.)

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

<https://www.centos.org/docs/5/html/DeployrnenLGuide-en-US/sec-sel-admincontrol.html>

NEW QUESTION 5

What happens when the command getfattr afile is run while the file afile has no extended attributes set?

- A. getfattr prints a warning and exits with a values of 0.
- B. getfattr prints a warning and exits with a value of 1.
- C. No output is produced and getfattr exits with a value of 0.
- D. No outputs is produced and getfattr exits with a value of 1

Answer: C

NEW QUESTION 6

Which of the following are differences between AppArmor and SELinux? (Choose TWO correct answers).

- A. AppArmor is implemented in user space onl
- B. SELinux is a Linux Kernel Module.
- C. AppArmor is less complex and easier to configure than SELinux.
- D. AppArmor neither requires nor allows any specific configuratio
- E. SELinux must always be manually configured.
- F. SELinux stores information in extended file attribute
- G. AppArmor does not maintain file specific information and states.
- H. The SELinux configuration is loaded at boot time and cannot be changed later on AppArmor provides user space tools to change its behavior.

Answer: BD

NEW QUESTION 7

Which of the following commands defines an audit rule that monitors read and write operations to the file/etc/firewall/rules and associates the rule with the name firewall?

- A. auditctl -N firewall -r r: /etc/firewall/rules -r w: etc/firewall/rules
- B. auditctl -A -f /etc/firewall/rules -o r- o w -l firewall
- C. auditctl -w /etc/firewall/rules -p rw -k firewall
- D. auditctl -_read /etc/firewall/rules -_write /etc/firewall/rules --label firewall

E. echo "n: firewall r:/etc/firewall/rules: w:/ etc/firewall/rules:" | auditctl ~

Answer: C

NEW QUESTION 8

Which of the following resources of a shell and its child processes can be controlled by the Bash build-in command ulimit? (Choose THREE correct answers.)

- A. The maximum size of written files
- B. The maximum number of open file descriptors
- C. The maximum number of newly created files
- D. The maximum number of environment variables
- E. The maximum number of user processes

Answer: ABE

NEW QUESTION 9

Given a proper network and name resolution setup, which of the following commands establishes a trust between a FreeIPA domain and an Active Directory domain?

- A. ipa trust-add --type ad addom --admin Administrator --password
- B. ipa-ad -add-trust --account ADDOM\Administrator--query-password
- C. net ad ipajoin addom -U Administrator -p
- D. trustmanager add -_domain ad: //addom --user Administrator -w
- E. ipa ad join addom -U Administrator -w

Answer: A

NEW QUESTION 10

Which of the following statements is true about chroot environments?

- A. Symbolic links to data outside the chroot path are followed, making files and directories accessible
- B. Hard links to files outside the chroot path are not followed, to increase security
- C. The chroot path needs to contain all data required by the programs running in the chroot environment
- D. Programs are not able to set a chroot path by using a function call, they have to use the command chroot
- E. When using the command chroot, the started command is running in its own namespace and cannot communicate with other processes

Answer: C

NEW QUESTION 10

Which of the following commands adds a new user usera to FreeIPA?

- A. useradd usera --directory ipa --gecos *User A"
- B. idap- useradd --H Idaps://ipa-server CN=UserA --attribs "Firstname: User: Lastname: A"
- C. ipa-admin create user --account usera -_fname User --iname A
- D. ipa user-add usera --first User --last A
- E. ipa-user- add usera --name "User A"

Answer: D

NEW QUESTION 13

Which command included in the Linux Audit system provides searching and filtering of the audit log? (Specify ONLY the command without any path or parameters.)

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

ausearch

NEW QUESTION 18

Which of the following commands adds users using SSSD's local service?

- A. sss_adduser
- B. sss_useradd
- C. sss_add
- D. sss-addlocaluser
- E. sss_local_adduser

Answer: B

NEW QUESTION 21

What effect does the configuration SSLStrictSNIVHostCheck on have on an Apache HTTPD virtual host?

- A. The clients connecting to the virtual host must provide a client certificate that was issued by the same CA that issued the server's certificate.
- B. The virtual host is served only to clients that support SNI.
- C. All of the names of the virtual host must be within the same DNS zone.
- D. The virtual host is used as a fallback default for all clients that do not support SNI.
- E. Despite its configuration, the virtual host is served only on the common name and Subject Alternative Names of the server certificates.

Answer: B

NEW QUESTION 23

How does TSIG authenticate name servers in order to perform secured zone transfers?

- A. Both servers mutually verify their X509 certificates.
- B. Both servers use a secret key that is shared between the servers.
- C. Both servers verify appropriate DANE records for the labels of the NS records used to delegate the transferred zone.
- D. Both servers use DNSSEC to mutually verify that they are authoritative for the transferred zone.

Answer: B

NEW QUESTION 25

Which of the following statements are true regarding the certificate of a Root CA? (Choose TWO correct answers.)

- A. It IS a self-signed certificate.
- B. It does not include the private key of the CA
- C. It must contain a host name as the common name.
- D. It has an infinite lifetime and never expires.
- E. It must contain an X509v3 Authority extension.

Answer: ABE

NEW QUESTION 29

Which option in an Apache HTTPD configuration file enables OCSP stapling? (Specify ONLY the option name without any values or parameters.)

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

httpd- ssl.conf

NEW QUESTION 31

Which of the following information, within a DNSSEC- signed zone, is signed by the key signing key?

- A. The non-DNSSEC records like A, AAAA or MX
- B. The zone signing key of the zone.
- C. The RRSIG records of the zone.
- D. The NSEC or NSEC3 records of the zone.
- E. The DS records pointing to the zone

Answer: B

NEW QUESTION 32

Which of the following configuration options makes Apache HTTPD require a client certificate for authentication?

- A. Limit valid-x509
- B. SSLRequestClientCert always
- C. Require valid-x509
- D. SSLVerifyClient require
- E. SSLPolicy valid-client-cert

Answer: D

NEW QUESTION 35

Which of the following practices are important for the security of private keys? (Choose TWO correct answers.)

- A. Private keys should be created on the systems where they will be used and should never leave them.
- B. private keys should be uploaded to public key servers.
- C. Private keys should be included in X509 certificates.
- D. Private keys should have a sufficient length for the algorithm used for key generation.
- E. Private keys should always be stored as plain text files without any encryption.

Answer: CD

NEW QUESTION 39

Which DNS label points to the DANE information used to secure HTTPS connections to <https://www.example.com/>?

- A. example.com
- B. dane.www.example.com
- C. soa.example.com
- D. www.example.com
- E. _443_tcp.www.example.com

Answer: E

NEW QUESTION 42

Which command, included in BIND, generates DNSSEC keys? (Specify ONLY the command without any path or parameters.)

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

http://ripe60.ripe.net/presentations/Damas-BiND_9.7_-_DNSSE_for_humans.pdf

NEW QUESTION 45

What is the purpose of the program snort-stat?

- A. It displays statistics from the running Snort process.
- B. It returns the status of all configured network devices.
- C. It reports whether the Snort process is still running and processing packets.
- D. It displays the status of all Snort processes.
- E. It reads syslog files containing Snort information and generates port scan statistics.

Answer: E

NEW QUESTION 49

Which of the following keywords are built-in chains for the iptables nat table? (Choose THREE correct answers)

- A. OUTPUT
- B. MASQUERADE
- C. PROCESSING
- D. POSTROUTING
- E. PREROUTING

Answer: ADE

NEW QUESTION 54

What is the purpose of IP sets?

- A. They group together IP addresses that are assigned to the same network interfaces.
- B. They group together IP addresses and networks that can be referenced by the network routing table.
- C. They group together IP addresses that can be referenced by netfilter rules.
- D. They group together IP and MAC addresses used by the neighbors on the local network.
- E. They group together IP addresses and user names that can be referenced from /etc/hosts.allow and /etc/hosts.deny

Answer: C

NEW QUESTION 55

Which of the following statements describes the purpose of ndpmon?

- A. it monitors the network for neighbor discovery messages from new IPv6 hosts and routers
- B. it monitors remote hosts by periodically sending echo requests to them.
- C. it monitors the availability of a network link by querying network interfaces.
- D. It monitors the network for IPv4 nodes that have not yet migrated to IPv6.
- E. It monitors log files for failed login attempts in order to block traffic from offending network nodes

Answer: A

NEW QUESTION 59

Which of the following terms refer to existing scan techniques with nmap? (Choose TWO correct answers.)

- A. Xmas Scan
- B. Zero Scan
- C. FIN Scan
- D. IP Scan
- E. UDP SYN Scan

Answer: AC

NEW QUESTION 61

Which of the following statements are valid wireshark capture filters? {Choose TWO correct answers.}

- A. port range 10000:tcp-15000:tcp
- B. port-range tcp 10000-15000
- C. tcp portrange 10000-15000
- D. portrange 10000/tcp-15000/tcp
- E. portrange 10000-15000 and tcp

Answer: CE

NEW QUESTION 63

Which of the following stanzas is a valid client configuration for FreeRADIUS?

- A. client private-network-1 { ipaddr = 192 0 2.0/24 password = testing123-1 }
- B. client private-network-1 { ip= 192.0.2.0/24 password-testing123-1 }
- C. client private-network-1 { ip = 192 0 2.0/24 passwd = testing123-1 }
- D. client private-network-1 { ip = 192 0.2.0/24 secret = testing123-1 }
- E. client private-network-1 { ipaddr = 192 0 2.0/24 secret = testing 123-1 }

Answer: E

NEW QUESTION 65

What command is used to update NVTs from the OpenVAS NVT feed? (Specify ONLY the command without any path or parameters).

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

<http://www.openvas.org/openvas-nvt-feed.html>

NEW QUESTION 69

.....

Thank You for Trying Our Product

We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

303-200 Practice Exam Features:

- * 303-200 Questions and Answers Updated Frequently
- * 303-200 Practice Questions Verified by Expert Senior Certified Staff
- * 303-200 Most Realistic Questions that Guarantee you a Pass on Your First Try
- * 303-200 Practice Test Questions in Multiple Choice Formats and Updates for 1 Year

100% Actual & Verified — Instant Download, Please Click
[Order The 303-200 Practice Test Here](#)