

101-500 Dumps

LPIC-1 Exam 101 - Part 1 of 2 - version 5.0

<https://www.certleader.com/101-500-dumps.html>



NEW QUESTION 1

- (Exam Topic 1)

Which of the following statements is correct when talking about /proc/?

- A. All changes to files in /proc/ are stored in /etc/proc.d/ and restored on reboot.
- B. All files within /proc/ are read-only and their contents cannot be changed.
- C. All changes to files in /proc/ are immediately recognized by the kernel.
- D. All files within /proc/ are only readable by the root user.

Answer: C

NEW QUESTION 2

- (Exam Topic 1)

What information can the lspci command display about the system hardware? (Choose THREE correct answers.)

- A. Device IRQ settings
- B. PCI bus speed
- C. System battery type
- D. Device vendor identification
- E. Ethernet MAC address

Answer: ABD

NEW QUESTION 3

- (Exam Topic 1)

Which command will display messages from the kernel that were output during the normal boot sequence? dmesg, /bin/dmesg

- A. Mastered
- B. Not Mastered

Answer: A

NEW QUESTION 4

- (Exam Topic 1)

What is the first program that is usually started, at boot time, by the Linux kernel when using SysV init?

- A. /lib/init.so
- B. /sbin/init
- C. /etc/rc.d/rcinit
- D. /proc/sys/kernel/init
- E. /boot/init

Answer: B

NEW QUESTION 5

- (Exam Topic 1)

You are having some trouble with a disk partition and you need to do maintenance on this partition but your users home directories are on it and several are logged in. Which command would disconnect the users and allow you to safely execute maintenance tasks?

- A. telinit 1
- B. shutdown -r now
- C. killall -9 inetd
- D. /bin/netstop --maint
- E. /etc/rc.d/init.d/network stop

Answer: A

NEW QUESTION 6

- (Exam Topic 1)

Which of the following commands will write a message to the terminals of all logged in users?

- A. bcast
- B. mesg
- C. print
- D. wall
- E. yell

Answer: D

NEW QUESTION 7

- (Exam Topic 1)

Which of the following kernel parameters instructs the kernel to suppress most boot messages?

- A. silent
- B. verbose=0

C. nomesg
D. quiet

Answer: D

NEW QUESTION 8

- (Exam Topic 1)

The USB device filesystem can be found under /proc/_____/usb/. (Please fill in the blank with the single word only)

A. Mastered
B. Not Mastered

Answer: A

Explanation:

bus

NEW QUESTION 9

- (Exam Topic 1)

Which of the following commands brings a system running SysV init into a state in which it is safe to perform maintenance tasks? (Choose TWO correct answers.)

A. shutdown -R 1 now
B. shutdown -single now
C. init 1
D. telinit 1
E. runlevel 1

Answer: CD

NEW QUESTION 10

- (Exam Topic 1)

Which command displays the contents of the Kernel Ring Buffer on the command line? (Provide only the command name without any options or path information)

A. Mastered
B. Not Mastered

Answer: A

Explanation:

dmesg, /bin/dmesg

NEW QUESTION 10

- (Exam Topic 1)

You suspect that a new ethernet card might be conflicting with another device. Which file should you check within the /proc tree to learn which IRQs are being used by which kernel drivers?

A. Mastered
B. Not Mastered

Answer: A

Explanation:

interrupts, /proc/interrupts

NEW QUESTION 11

- (Exam Topic 1)

Which of the following are init systems used within Linux systems? (Choose THREE correct answers.)

A. startd
B. systemd
C. Upstart
D. SysInit
E. SysV init

Answer: BCE

NEW QUESTION 13

- (Exam Topic 2)

What is the name of the main configuration file for GNU GRUB? (Specify the file name only without any path.)

A. Mastered
B. Not Mastered

Answer: A

Explanation:

menu.lst, grub.conf, grub.cfg

NEW QUESTION 15

- (Exam Topic 2)

In which directory must definition files be placed to add additional repositories to yum?

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

/etc/yum.repos.d/, /etc/yum.repos.d/, yum.repos.d, yum.repos.d/

NEW QUESTION 16

- (Exam Topic 2)

Which of the following commands lists the dependencies of a given dpkg package?

- A. apt-cache depends-onpackage
- B. apt-cache dependencies package
- C. apt-cache depends package
- D. apt-cache requires package

Answer: C

NEW QUESTION 18

- (Exam Topic 2)

The dpkg-_____ command will ask configuration questions for a specified package, just as if the package were being installed for the first time.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

reconfigure

NEW QUESTION 23

- (Exam Topic 2)

Which Debian package management tool asks the configuration questions for a specific already installed package just as if the package were being installed for the first time? (Specify ONLY the command without any path or parameters.)

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

dpkg-reconfigure

NEW QUESTION 24

- (Exam Topic 2)

To what environment variable will you assign or append a value if you need to tell the dynamic linker to look in a build directory for some of a program's shared libraries?

- A. LD_LOAD_PATH
- B. LD_LIB_PATH
- C. LD_LIBRARY_PATH
- D. LD_SHARE_PATH
- E. LD_RUN_PATH

Answer: C

NEW QUESTION 29

- (Exam Topic 2)

Which of the following environment variables overrides or extends the list of directories holding shared libraries?

- A. LD_LOAD_PATH
- B. LD_LIB_PATH
- C. LD_LIBRARY_PATH
- D. LD_SHARE_PATH
- E. LD_RUN_PATH

Answer: C

NEW QUESTION 33

- (Exam Topic 2)

Which file should be edited to select the network locations from which Debian installation package files are loaded?

- A. /etc/dpkg/dpkg.cfg
- B. /etc/apt/apt.conf
- C. /etc/apt/apt.conf.d
- D. /etc/apt/sources.list
- E. /etc/dpkg/dselect.cfg

Answer: D

NEW QUESTION 37

- (Exam Topic 2)

Which of the following options is used in a GRUB Legacy configuration file to define the amount of time that the GRUB menu will be shown to the user?

- A. hidemenu
- B. splash
- C. timeout
- D. showmenu

Answer: C

NEW QUESTION 39

- (Exam Topic 2)

What is the difference between the --remove and the --purge action with the dpkg command?

- A. --remove removes the program, --purge also removes the config files
- B. --remove only removes the program, --purge only removes the config files
- C. --remove removes a package, --purge also removes all packages dependent on it
- D. --remove removes only the package file itself, --purge removes all files related to the package

Answer: A

NEW QUESTION 41

- (Exam Topic 2)

An administrator has issued the following command: grub-install --root-directory=/custom-grub /dev/sda

In which directory will new configuration files be found? (Provide the full directory path only without the filename)

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

/custom-grub/boot/grub/, /custom-grub/boot/grub

NEW QUESTION 45

- (Exam Topic 2)

Which function key is used to start Safe Mode in Windows NT?

- A. F10
- B. F8
- C. F6
- D. Windows NT does not support Safe Mode

Answer: D

NEW QUESTION 47

- (Exam Topic 2)

Which of the following apt-get commands will install the newest versions of all currently installed packages without removing any packages or installing new packages that are not already installed?

- A. auto-update
- B. upgrade
- C. dist-upgrade
- D. install
- E. update

Answer: B

NEW QUESTION 52

- (Exam Topic 2)

When removing a package, which of the following dpkg options will completely remove the files including configuration files?

- A. --clean

- B. --delete
- C. --purge
- D. --remove

Answer: C

NEW QUESTION 56

- (Exam Topic 2)

Which world-writable directory should be placed on a separate partition in order to prevent users from being able to fill up the / filesystem? (Specify the full path to the directory.)

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

/tmp, tmp,/var/tmp, /tmp/, /var/tmp/

NEW QUESTION 60

- (Exam Topic 2)

Typically, which top level system directory is used for files and data that change regularly while the system is running and are to be kept between reboots? (Specify only the top level directory)

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

/var, /var/, var, var/

NEW QUESTION 64

- (Exam Topic 2)

You want to preview where the package file, apache.xml.i386.rpm, will install its files before installing it. What command do you issue?

- A. rpm -qp apache.xml.i386.rpm
- B. rpm -qv apache.xml.i386.rpm
- C. rpm -ql apache.xml.i386.rpm
- D. rpm -qpl apache.xml.i386.rpm

Answer: D

NEW QUESTION 65

- (Exam Topic 2)

Which of the following commands can be used to download the RPM package kernel without installing it?

- A. yum download --no-install kernel
- B. yumdownloader kernel
- C. rpm --download --package kernel
- D. rpmdownload kernel

Answer: B

NEW QUESTION 66

- (Exam Topic 3)

Which of the following commands can be used to determine how long the system has been running? (Choose TWO correct answers.)

- A. uptime
- B. up
- C. top
- D. uname -u
- E. time --up

Answer: AC

NEW QUESTION 67

- (Exam Topic 3)

Which of the following commands will send output from the program myapp to both standard output (stdout) and the file file1.log?

- A. cat < myapp | cat > file1.log
- B. myapp 0>&1 | cat > file1.log
- C. myapp | cat > file1.log
- D. myapp | tee file1.log
- E. tee myapp file1.log

Answer: D

NEW QUESTION 70

- (Exam Topic 3)

What is the difference between the i and a commands of the vi editor?

- A. i (interactive) requires the user to explicitly switch between vi modes whereas a (automatic) switches modes automatically.
- B. i (insert) inserts text before the current cursor position whereas a (append) inserts text after the cursor.
- C. i (independent rows) starts every new line at the first character whereas a (aligned rows) keeps the indentation of the previous line.
- D. i (interrupt) temporarily suspends editing of a file to the background whereas a (abort) terminates editing.

Answer: B

NEW QUESTION 71

- (Exam Topic 3)

The /etc/_____ file lists currently mounted devices.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

mtab

NEW QUESTION 73

- (Exam Topic 3)

Which of the following commands displays the contents of a gzip compressed tar archive?

- A. gzip archive.tgz | tar xvf -
- B. tar ztf archive.tgz
- C. gzip -d archive.tgz | tar tvf -
- D. tar cf archive.tgz

Answer: B

NEW QUESTION 78

- (Exam Topic 3)

Which of the following files, located in the user home directory, is used to store the Bash history?

- A. .bash_history
- B. .bash_histfile
- C. .history
- D. .bashrc_history
- E. .history_bash

Answer: A

NEW QUESTION 82

- (Exam Topic 3)

What does the ? symbol within regular expressions represent?

- A. Match the preceding qualifier one or more times.
- B. Match the preceding qualifier zero or more times.
- C. Match the preceding qualifier zero or one times.
- D. Match a literal ?character.

Answer: C

NEW QUESTION 84

- (Exam Topic 3)

In compliance with the FHS, in which of the directories are man pages found?

- A. /usr/share/man
- B. /opt/man
- C. /usr/doc/
- D. /var/pkg/man
- E. /var/man

Answer: A

NEW QUESTION 86

- (Exam Topic 3)

Which of the following signals is sent to a process when the key combination CTRL+C is pressed on the keyboard?

- A. SIGTERM
- B. SIGINT
- C. SIGSTOP
- D. SIGKILL

Answer: B

NEW QUESTION 90

- (Exam Topic 3)

Which of the following commands prints a list of usernames (first column) and their primary group (fourth column) from the /etc/passwd file?

- A. fmt -f 1,4 /etc/passwd
- B. split -c 1,4 /etc/passwd
- C. cut -d : -f 1,4 /etc/passwd
- D. paste -f 1,4 /etc/passwd

Answer: C

NEW QUESTION 92

- (Exam Topic 3)

What is the maximum niceness value that a regular user can assign to a process with the nice command when executing a new process?

- A. 9
- B. 19
- C. 49
- D. 99

Answer: B

NEW QUESTION 97

- (Exam Topic 3)

Which shell command is used to continue background execution of a suspended command?

- A. &
- B. bg
- C. cont
- D. exec
- E. :&

Answer: B

NEW QUESTION 100

- (Exam Topic 3)

What is the purpose of the Bash built-in export command?

- A. It allows disks to be mounted remotely.
- B. It runs a command as a process in a subshell.
- C. It makes the command history available to subshells.
- D. It sets up environment variables for applications.
- E. It shares NFS partitions for use by other systems on the network.

Answer: D

NEW QUESTION 102

- (Exam Topic 3)

Which of the following commands can be used to create a USB storage media from a disk image?

- A. gdisk
- B. dd
- C. cc
- D. fdisk
- E. mount

Answer: B

NEW QUESTION 103

- (Exam Topic 3)

Which of the following commands is used to change options and positional parameters for a running Bash?

- A. history
- B. set
- C. bashconf
- D. setsh
- E. envsetup

Answer: B

NEW QUESTION 106

- (Exam Topic 3)

Which of the following are valid stream redirection operators within Bash? (Choose THREE correct answers.)

- A. <
- B. <<<
- C. >
- D. >>>
- E. %>

Answer: ABC

NEW QUESTION 110

- (Exam Topic 3)

Which command is used in a Linux environment to create a new directory? (Specify ONLY the command without any path or parameters.)

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

mkdir, /usr/bin/mkdir

NEW QUESTION 113

- (Exam Topic 3)

Which of the following shell redirections will write standard output and standard error output to a file named filename?

- A. 2>&1 >filename
- B. >filename 2>&1
- C. 1>&2>filename
- D. >>filename
- E. 1&2>filename

Answer: B

NEW QUESTION 118

- (Exam Topic 3)

Which of the following explanations are valid reasons to run a command in the background of your shell?

- A. The command does not need to execute immediately.
- B. The command has to run immediately but the user needs to log out.
- C. The system is being shut down and the command needs to restart execution immediately after the reboot.
- D. The command can run at a lower priority than normal commands run on the command line.

Answer: B

NEW QUESTION 123

- (Exam Topic 3)

A user accidentally created the subdirectory \dir in his home directory. Which of the following commands will remove that directory?

- A. rmdir '~\dir'
- B. rmdir "~\dir"
- C. rmdir ~/'dir'
- D. rmdir ~\dir
- E. rmdir ~\dir

Answer: E

NEW QUESTION 125

- (Exam Topic 3)

Immediately after deleting 3 lines of text in vi and moving the cursor to a different line, which single character command will insert the deleted content below the current line?

- A. i (lowercase)
- B. P (uppercase)
- C. p (lowercase)
- D. U (uppercase)
- E. u (lowercase)

Answer: C

NEW QUESTION 128

- (Exam Topic 3)

When starting a program with the nice command without any additional parameters, which nice level is set for the resulting process?

- A. -10
- B. 10
- C. 20

Answer: C

NEW QUESTION 133

- (Exam Topic 3)

Which of the following commands kills the process with the PID 123 but allows the process to "clean up" before exiting?

- A. kill -PIPE 123
- B. kill -KILL 123
- C. kill -STOP 123
- D. kill -TERM 123

Answer: D

NEW QUESTION 136

- (Exam Topic 3)

Which character, added to the end of a command, runs that command in the background as a child process of the current shell?

- A. !
- B. +
- C. &
- D. %
- E. #

Answer: C

NEW QUESTION 137

- (Exam Topic 4)

Which umask value will result in the default access permissions of 600 (rw-----) for files and 700 (rwx-----) for directories? (Specify only the numerical umask value.)

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

0077, 077

NEW QUESTION 142

- (Exam Topic 4)

Which of the following commands will produce the following output?

USER	PID	%CPU	%MEM	VSZ	RSS	TTY	STAT	START	TIME	COMMAND
root	1255	4.4	0.9	60716	34824	tty7	Ss+	09:25	19:04	/usr/bin/X :0 -
root	2016	0.0	0.0	1792	560	tty1	Ss+	09:26	0:00	/sbin/getty -8
matt	5204	0.0	0.1	6320	3696	pts/4	Ss	13:12	0:00	bash
matt	5219	0.0	0.0	3988	1624	pts/4	S+	13:12	0:00	man bash
matt	5229	0.0	0.0	3584	932	pts/4	S+	13:12	0:00	pager -s
matt	6768	0.0	0.1	10504	3880	pts/2	S+	15:11	0:00	vi README.txt

- A. jobs
- B. proclist
- C. netstat
- D. ps

Answer: D

NEW QUESTION 146

- (Exam Topic 4)

Which of the following commands is used to modify quota settings? (Choose two.)

- A. editquota
- B. setquota
- C. edquota
- D. quotaedit
- E. quotaset

Answer: C

NEW QUESTION 148

- (Exam Topic 4)

Which of the following commands is used to change metadata and options for ext3 filesystems?

- A. mod3fs
- B. tune3fs
- C. mod2fs
- D. tune2fs
- E. dump2fs

Answer: D

NEW QUESTION 149

- (Exam Topic 4)

What does the command mount -a do?

- A. It mounts all available filesystems onto the current directory.
- B. It shows all mounted filesystems.
- C. It mounts all user mountable filesystems for the current user.
- D. It mounts all filesystems listed in /etc/fstab which have the option auto set.
- E. It mounts all filesystems listed in /etc/fstab which have the option noauto set.

Answer: D

NEW QUESTION 150

- (Exam Topic 4)

Which command is used to create and initialize the files used to store quota information? (Specify ONLY the command without any path or parameters.)

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

quotacheck

NEW QUESTION 151

- (Exam Topic 4)

Which of the following statements describes a difference between GNU GRUB Legacy and GRUB 2?

- A. GRUB 2 no longer requires a configuration file.
- B. Partition numbers start at 0 in GRUB Legacy and 1 in GRUB 2.
- C. grub-mkconfig only works with GRUB Legacy if the --version 1 option is used.
- D. The configuration files menu.lst (and grub.conf) have been replaced with grub.config.

Answer: B

NEW QUESTION 154

- (Exam Topic 4)

Which of the following settings for umask ensures that new files have the default permissions -rw-r----- ?

- A. 0017
- B. 0640
- C. 0038
- D. 0027

Answer: D

NEW QUESTION 157

- (Exam Topic 4)

After successfully creating a hard link called bar to the ordinary file foo, foo is deleted from the filesystem. Which of the following describes the resulting situation?

- A. foo and bar would both be removed.
- B. foo would be removed while bar would remain accessible.
- C. foo would be removed
- D. bar would still exist but would be unusable.
- E. Both foo and bar would remain accessible.
- F. The user is prompted whether bar should be removed, too.

Answer: B

NEW QUESTION 161

- (Exam Topic 4)

Which of the following commands set the sticky bit for the directory /tmp? (Choose TWO correct answers.)

- A. chmod +s /tmp
- B. chmod +t /tmp
- C. chmod 1775 /tmp
- D. chmod 4775 /tmp

E. chmod 2775 /tmp

Answer: BC

NEW QUESTION 163

- (Exam Topic 4)

Which utility would be used to change how often a filesystem check is performed on an ext2 filesystem without losing any data stored on that filesystem?

- A. mod2fs
- B. fsck
- C. tune2fs
- D. mke2fs
- E. fixe2fs

Answer: C

NEW QUESTION 165

- (Exam Topic 4)

Which of the following Linux filesystems preallocates a fixed number of inodes at the filesystem's make/creation time and does NOT generate them as needed? (Choose TWO correct answers.)

- A. ext3
- B. JFS
- C. ext2
- D. XFS
- E. procfs

Answer: AC

NEW QUESTION 166

- (Exam Topic 4)

Which command is used to query information about the available packages on a Debian system?

- A. apt-cache
- B. apt-get
- C. apt-search
- D. dpkg
- E. dpkg-search

Answer: A

NEW QUESTION 169

- (Exam Topic 4)

Which command creates a swap space on a block device or a file? (Specify ONLY the command without any path or parameters.)

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

mkswap

NEW QUESTION 170

- (Exam Topic 4)

Which type of filesystem is created by mkfs when it is executed with the block device name only and without any additional parameters?

- A. ext2
- B. ext3
- C. ext4
- D. XFS
- E. VFAT

Answer: A

NEW QUESTION 173

- (Exam Topic 4)

Which of the following commands makes /bin/foo executable by everyone but writable only by its owner?

- A. chmod u=rwx,go=rx /bin/foo
- B. chmod o+rwx,a+rx /bin/foo
- C. chmod 577 /bin/foo
- D. chmod 775 /bin/foo

Answer: A

NEW QUESTION 176

- (Exam Topic 4)

How can the list of files that would be installed by the RPM package file apache.xml.rpm be previewed?

- A. rpm -qp apache.xml.rpm
- B. rpm -qv apache.xml.rpm
- C. rpm -ql apache.xml.rpm
- D. rpm -qpl apache.xml.rpm

Answer: D

NEW QUESTION 179

- (Exam Topic 4)

Which of the following commands will mount an already inserted CD-ROM in /dev/sr0 onto an existing directory /mnt/cdrom when issued with root privileges?

- A. mount /dev/cdrom /mnt/cdrom
- B. mount /dev/sr0 /mnt/cdrom
- C. mount -t cdrom /dev/sr0 /mnt/cdrom
- D. mount -l cdrom /dev/sr0 /mnt/cdrom
- E. mount -f /dev/sr0/mnt/cdrom

Answer: C

NEW QUESTION 180

- (Exam Topic 4)

When planning a partition scheme, which of the following directories could be considered for separate partitions? (Choose three.)

- A. /etc
- B. /home
- C. /var
- D. /lib
- E. /opt

Answer: B

NEW QUESTION 185

- (Exam Topic 4)

What is the purpose of the xargs command?

- A. It passes arguments to an X server.
- B. It reads standard input (STDIN) and builds up command lines to execute.
- C. It helps shells scripts take variable argument lists.
- D. It asks a question, graphically, and returns the answer to the shell.
- E. It allows users to specify long options for commands that normally only accept short options.

Answer: B

NEW QUESTION 186

- (Exam Topic 4)

Which of the following partition types is used for Linux swap spaces when partitioning hard disk drives?

- A. 82
- B. 83
- C. 8e
- D. fd
- E. 7

Answer: B

NEW QUESTION 190

- (Exam Topic 4)

Which of the following shell commands makes the already defined variable TEST visible to new child processes? (Choose two.)

- A. visible TEST
- B. declare +x TEST
- C. declare -x TEST
- D. export TEST
- E. export -v TEST

Answer: D

NEW QUESTION 193

- (Exam Topic 4)

The system configuration file named _____ is commonly used to set the default runlevel. (Please provide the file name with full path information)

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

/etc/inittab

NEW QUESTION 197

- (Exam Topic 4)

What does the command grub-install /dev/sda do?

- A. GRUB creates partitions on the device/dev/sda to be used with Linux.
- B. GRUB sets the default BIOS boot device to /dev/sda.
- C. GRUB installs all required files and configures the boot loader on device/dev/sda.
- D. GRUB recompiles the Linux Kernel and installs it on the Master Boot Record of device/dev/sda.

Answer: C

NEW QUESTION 198

- (Exam Topic 4)

Instead of supplying an explicit device in /etc/fstab for mounting, what other options may be used to identify the intended partition? (Choose TWO correct answers.)

- A. FIND
- B. ID
- C. LABEL
- D. NAME
- E. UUID

Answer: CE

NEW QUESTION 199

- (Exam Topic 4)

Which of the following pieces of information of an existing file is changed when a hard link pointing to that file is created?

- A. File size
- B. Modify timestamp
- C. Link count
- D. Inode number
- E. Permissions

Answer: C

NEW QUESTION 201

- (Exam Topic 4)

Which signal is sent by the kill command by default?

- A. SIGHUP(1)
- B. SIGQUIT(3)
- C. SIGKILL(9)
- D. SIGTERM(15)

Answer: D

NEW QUESTION 206

- (Exam Topic 4)

When piping the output of find to the xargs command, what option to find is useful if the filenames have spaces in them?

- A. -rep-space
- B. -print0
- C. -nospace
- D. -ignore-space

Answer: B

NEW QUESTION 210

- (Exam Topic 4)

Which of the following is true for hard linked files? (Choose three.)

- A. The output of stat will report hard instead of regular file.
- B. The hard linked files have the same permissions and owner.
- C. The hard linked files share the same inode.
- D. The hard linked files are indicated by a -> when listed with ls -l.
- E. The hard linked files must be on the same filesystem.

Answer: BCE

NEW QUESTION 214

- (Exam Topic 4)

What does the command mount -a do?

- A. It ensures that all file systems listed with the option noauto in /etc/fstab are mounted.
- B. It shows all mounted file systems that have been automatically mounted.
- C. It opens an editor with root privileges and loads /etc/fstab for editing.
- D. It ensures that all file systems listed with the option auto in /etc/fstab are mounted.
- E. It ensures that all file systems listed in /etc/fstab are mounted regardless of their options.

Answer: D

NEW QUESTION 216

- (Exam Topic 4)

Which of the following command lines creates or, in case it already exists, overwrites a file called data with the output of ls?

- A. ls 3> data
- B. ls >& data
- C. ls > data
- D. ls >> data

Answer: C

NEW QUESTION 220

- (Exam Topic 4)

Which of the following commands can be used to display the inode number of a given file?

- A. inode
- B. ls
- C. ln
- D. cp

Answer: B

NEW QUESTION 223

- (Exam Topic 4)

Which of the following commands shows the definition of a given shell command?

- A. where
- B. stat
- C. type
- D. case

Answer: C

NEW QUESTION 228

- (Exam Topic 4)

In the vi editor, what vi command will copy (but not paste) from the current line at the cursor and the following 16 lines (17 lines total)? Specify the correct vi command without spaces.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

17yy

NEW QUESTION 232

- (Exam Topic 4)

Which file from the /proc file system contains a list of all currently mounted devices? (Specify ONLY the command without any path or parameters.)

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

mounts

NEW QUESTION 235

- (Exam Topic 4)

What command changes the nice level of a running process? (Specify ONLY the command without any path or parameters)

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

renice

NEW QUESTION 236

- (Exam Topic 4)

Which of the following commands creates an ext3 filesystem on /dev/sdb1? (Choose TWO correct answers.)

- A. /sbin/mke2fs -j /dev/sdb1
- B. /sbin/mkfs -t ext3 /dev/sdb1
- C. /sbin/mkfs -c ext3 /dev/sdb1
- D. /sbin/mke3fs -j /dev/sdb1

Answer: AB

NEW QUESTION 241

- (Exam Topic 4)

Which of the following commands can be used to search for the executable file foo when it has been placed in a directory not included in \$PATH?

- A. apropos
- B. which
- C. find
- D. query
- E. whereis

Answer: C

NEW QUESTION 244

- (Exam Topic 4)

Which of the following commands updates the already installed RPM package rpmname?

- A. rpm --update rpmname
- B. rpm -U rpmname
- C. rpm -q rpmname
- D. rpm --force rpmname
- E. rpm -u rpmname

Answer: B

NEW QUESTION 248

- (Exam Topic 4)

Which of the following is the device file name for the second partition on the only SCSI drive?

- A. /dev/hda1
- B. /dev/sda2
- C. /dev/sd0a2
- D. /dev/sd1p2

Answer: B

NEW QUESTION 253

- (Exam Topic 5)

When considering the use of hard links, what are valid reasons not to use hard links?

- A. Hard links are not available on all Linux systems because traditional filesystems, such as ext4, do not support them
- B. Each hard link has individual ownership, permissions and ACLs which can lead to unintended disclosure of file content
- C. Hard links are specific to one filesystem and cannot point to files on another filesystem
- D. If users other than root should be able to create hard links, suLN has to be installed and configured
- E. When a hard linked file is changed, a copy of the file is created and consumes additional space

Answer: A

NEW QUESTION 258

- (Exam Topic 5)

Consider the following directory:

drwxrwxr-x 2 root sales 4096 Jan 1 15:21 sales

Which command ensures new files created within the directory sales are owned by the group sales? (Choose two.)

- A. chmod g+s sales
- B. setpol -R newgroup=sales sales
- C. chgrp -p sales sales
- D. chown --persistent *.sales sales
- E. chmod 2775 sales

Answer: CE

NEW QUESTION 261

- (Exam Topic 5)

Which command must be entered before exiting vi to save the current file as filea.txt?

- A. %s filea.txt
- B. %w filea.txt
- C. :save filea.txt
- D. :w filea.txt
- E. :s filea.txt

Answer: D

NEW QUESTION 266

- (Exam Topic 5)

Which of the following are valid stream redirection operators within Bash? (Choose two.)

- A. <
- B. #>
- C. %>
- D. >>>
- E. 2>&1

Answer: AE

NEW QUESTION 267

- (Exam Topic 5)

A faulty kernel module is causing issues with a network interface card. Which of the following actions ensures that this module is not loaded automatically when the system boots?

- A. Using lsmod --remove --autoclean without specifying the name of a specific module
- B. Using modinfo -k followed by the name of the offending module
- C. Using modprobe -r followed by the name of the offending module
- D. Adding a blacklist line including the name of the offending module to the file/etc/modprobe.d/blacklist.conf
- E. Deleting the kernel module's directory from the file system and recompiling the kernel, including its modules

Answer: D

NEW QUESTION 270

- (Exam Topic 5)

Which of the following is true when a file system, which is neither listed in /etc/fstab nor known to system, is mounted manually?

- A. systemd ignores any manual mounts which are not done using the systemctl mount command
- B. The command systemctl mountsync can be used to create a mount unit based on the existing mount
- C. systemd automatically generates a mount unit and monitors the mount point without changing it
- D. Unless a systemd mount unit is created, systemd unmounts the file system after a short period of time
- E. systemctl unmount must be used to remove the mount because system opens a file descriptor on the mount point

Answer: B

NEW QUESTION 275

- (Exam Topic 5)

What is contained on the EFI System Partition?

- A. The Linux root file system
- B. The first stage boot loader
- C. The default swap space file
- D. The Linux default shell binaries
- E. The user home directories

Answer: B

NEW QUESTION 276

- (Exam Topic 5)

Which command displays the current disk space usage for all mounted file systems? (Specify ONLY the command without any path or parameters.)

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

du

NEW QUESTION 279

- (Exam Topic 5)

Which of the following commands installs GRUB 2 into the master boot record on the third hard disk?

- A. grub2 install /dev/sdc
- B. grub-mkrescue /dev/sdc
- C. grub-mbrinstall /dev/sdc
- D. grub-setup /dev/sdc
- E. grub-install /dev/sdc

Answer: E

NEW QUESTION 283

- (Exam Topic 5)

Which of the following regular expressions represents a single upper-case letter?

- A. :UPPER:
- B. [A-Z]
- C. !a-z
- D. %C
- E. {AZ}

Answer: B

NEW QUESTION 284

- (Exam Topic 5)

When redirecting the output of find to the xargs command, what option to find is useful if the filenames contain spaces?

- A. -rep-space
- B. -printrul
- C. -nospace
- D. -ignore-space
- E. -print0

Answer: E

NEW QUESTION 287

- (Exam Topic 5)

What output will be displayed when the user fred executes the following command? echo 'fred \$USER'

- A. fred fred
- B. fred /home/fred/
- C. 'fred \$USER'
- D. fred \$USER
- E. 'fred fred'

Answer: A

NEW QUESTION 292

- (Exam Topic 5)

Consider the following output from the command ls -li:

```
525385 -rw-rw-r-- 2 1000 1000 0 Feb 12 19:44 a.txt
526255 lrwxrwxrwx 1 1000 1000 5 Feb 12 19:44 b.txt -> a.txt
```

How would a new file named c.txt be created with the same inode number as a.txt (Inode 525385)?

- A. ln -h a.txt c.txt
- B. ln c.txt a.txt
- C. ln a.txt c.txt
- D. ln -f c.txt a.txt
- E. ln -i 525385 c.txt

Answer: C

NEW QUESTION 296

- (Exam Topic 5)

What is the first program the Linux kernel starts at boot time when using System V init?

- A. /lib/init.so
- B. /proc/sys/kernel/init
- C. /etc/rc.d/rcinit
- D. /sbin/init
- E. /boot/init

Answer: D

NEW QUESTION 298

- (Exam Topic 5)

Which of the following commands changes all CR-LF line breaks in the text file userlist.txt to Linux standard LF line breaks and stores the result in newlist.txt?

- A. tr -d '\r' < userlist.txt > newlist.txt
- B. tr -c '\n\r' " <newlist.txt> userlist.txt
- C. tr '\r\n' " <userlist.txt> newlist.txt
- D. tr '\r' '\n' userlist.txt newlist.txt
- E. tr -s '/^M/^J/' userlist.txt newlist.txt

Answer: A

NEW QUESTION 301

- (Exam Topic 5)

Which umask value ensures that new directories can be read, written and listed by their owning user, read and listed by their owning group and are not accessible at all for everyone else?

- A. 0750
- B. 0027
- C. 0036
- D. 7640
- E. 0029

Answer: B

NEW QUESTION 303

- (Exam Topic 5)

What does the command mount --bind do?

- A. It makes the contents of one directory available in another directory
- B. It mounts all available filesystems to the current directory
- C. It mounts all user mountable filesystems to the user's home directory
- D. It mounts all file systems listed in /etc/fstab which have the option userbind set
- E. It permanently mounts a regular file to a directory

Answer: A

NEW QUESTION 307

- (Exam Topic 5)

Which command uninstalls a package but keeps its configuration files in case the package is re-installed?

- A. dpkg -s pkgname
- B. dpkg -L pkgname
- C. dpkg -P pkgname
- D. dpkg -v pkgname
- E. dpkg -r pkgname

Answer: E

NEW QUESTION 309

- (Exam Topic 5)

Which of the following commands prints a list of usernames (first column) and their primary group (fourth column) from the /etc/passwd file?

- A. fmt -f 1,4 /etc/passwd
- B. cut -d : -f 1,4 /etc/passwd
- C. sort -t : -k 1,4 /etc/passwd
- D. paste -f 1,4 /etc/passwd
- E. split -c 1,4 /etc/passwd

Answer: B

NEW QUESTION 312

- (Exam Topic 5)

What is true regarding the configuration of yum? (Choose two.)

- A. Changes to the repository configuration become active after running yum confupdate
- B. Changes to the yum configuration become active after restarting the yumd service
- C. The configuration of package repositories can be divided into multiple files
- D. Repository configurations can include variables such as \$basearch or \$releasever
- E. In case /etc/yum.repos.d/ contains files, /etc/yum.conf is ignored

Answer: DE

NEW QUESTION 314

- (Exam Topic 5)

Which daemon handles power management events on a Linux system?

- A. acpid
- B. batteryd
- C. pwrmgntd
- D. psd

E. inetd

Answer: A

NEW QUESTION 316

- (Exam Topic 5) Given the following input stream:

txt1.txt

atxt.txt

txtB.txt

Which of the following regular expressions turns this input stream into the following output stream? txt1.bak.txt

atxt.bak.txt

txtB.bak.txt

A. s/^.txt/.bak/

B. s/txt/bak.txt/

C. s/txt\$/bak.txt/

D. s/^txt\$/bak^/

E. s/[.txt]/.bak\$1/

Answer: B

NEW QUESTION 319

- (Exam Topic 5)

What is true regarding the command

ls > files

if files does not exist?

A. The output of ls is printed to the terminal

B. files is created and contains the output of ls

C. An error message is shown and ls is not executed

D. The command files is executed and receives the output of ls

E. Any output of ls is discarded

Answer: B

NEW QUESTION 322

- (Exam Topic 5)

Which of the following commands displays the output of the foo command on the screen and also writes it to a file called /tmp/foodata?

A. foo | less /tmp/foodata

B. foo | cp /tmp/foodata

C. foo > /tmp/foodata

D. foo | tee /tmp/foodata

E. foo > stdout >> /tmp/foodata

Answer: D

NEW QUESTION 327

- (Exam Topic 5)

The command dbmaint & was used to run dbmaint in the background. However, dbmaint is terminated after logging out of the system. Which alternative dbmaint invocation lets dbmaint continue to run even when the user running the program logs out?

A. job -b dmaint

B. dbmaint &>/dev/pts/null

C. nohup dbmaint &

D. bg dbmaint

E. wait dbmaint

Answer: D

NEW QUESTION 328

Which Bash environment variable defines in which file the user history is stored when exiting a Bash process? (Specify ONLY the variable name.)

A. Mastered

B. Not Mastered

Answer: A

Explanation:

HISTFILE

NEW QUESTION 329

Which of the following commands will NOT update the modify timestamp on the file /tmp/myfile.txt?

A. file /tmp/myfile.txt

B. echo "Hello" >/tmp/myfile.txt

C. sed -ie "s/1/2/" /tmp/myfile.txt

D. echo -n "Hello" >>/tmp/myfile.txt
E. touch/tmp/myfile.txt

Answer: A

NEW QUESTION 333

.....

Thank You for Trying Our Product

* 100% Pass or Money Back

All our products come with a 90-day Money Back Guarantee.

* One year free update

You can enjoy free update one year. 24x7 online support.

* Trusted by Millions

We currently serve more than 30,000,000 customers.

* Shop Securely

All transactions are protected by VeriSign!

100% Pass Your 101-500 Exam with Our Prep Materials Via below:

<https://www.certleader.com/101-500-dumps.html>