



LPI

Exam Questions 101-500

LPIC-1 Exam 101 - Part 1 of 2 - version 5.0

About ExamBible

Your Partner of IT Exam

Found in 1998

ExamBible is a company specialized on providing high quality IT exam practice study materials, especially Cisco CCNA, CCDA, CCNP, CCIE, Checkpoint CCSE, CompTIA A+, Network+ certification practice exams and so on. We guarantee that the candidates will not only pass any IT exam at the first attempt but also get profound understanding about the certificates they have got. There are so many alike companies in this industry, however, ExamBible has its unique advantages that other companies could not achieve.

Our Advances

* 99.9% Uptime

All examinations will be up to date.

* 24/7 Quality Support

We will provide service round the clock.

* 100% Pass Rate

Our guarantee that you will pass the exam.

* Unique Gurantee

If you do not pass the exam at the first time, we will not only arrange FULL REFUND for you, but also provide you another exam of your claim, ABSOLUTELY FREE!

NEW QUESTION 1

- (Exam Topic 1)

Which of the following statements is correct when talking about /proc/?

- A. All changes to files in /proc/ are stored in /etc/proc.d/ and restored on reboot.
- B. All files within /proc/ are read-only and their contents cannot be changed.
- C. All changes to files in /proc/ are immediately recognized by the kernel.
- D. All files within /proc/ are only readable by the root user.

Answer: C

NEW QUESTION 2

- (Exam Topic 1)

What is the first program that is usually started, at boot time, by the Linux kernel when using SysV init?

- A. /lib/init.so
- B. /sbin/init
- C. /etc/rc.d/rcinit
- D. /proc/sys/kernel/init
- E. /boot/init

Answer: B

NEW QUESTION 3

- (Exam Topic 1)

During a system boot cycle, what is the program that is run after the BIOS completes its tasks?

- A. The bootloader
- B. The inetd program
- C. The init program
- D. The kernel

Answer: A

NEW QUESTION 4

- (Exam Topic 1)

Which SysV init configuration file should be modified to disable the ctrl-alt-delete key combination?

- A. /etc/keys
- B. /proc/keys
- C. /etc/inittab
- D. /proc/inittab
- E. /etc/reboot

Answer: C

NEW QUESTION 5

- (Exam Topic 1)

The message "Hard Disk Error" is displayed on the screen during Stage 1 of the GRUB boot process. What does this indicate?

- A. The kernel was unable to execute /bin/init
- B. The next Stage cannot be read from the hard disk because GRUB was unable to determine the size and geometry of the disk
- C. One or more of the filesystems on the hard disk has errors and a filesystem check should be run
- D. The BIOS was unable to read the necessary data from the Master Boot Record to begin the boot process

Answer: B

NEW QUESTION 6

- (Exam Topic 1)

Which of the following are init systems used within Linux systems? (Choose THREE correct answers.)

- A. startd
- B. systemd
- C. Upstart
- D. SysInit
- E. SysV init

Answer: BCE

NEW QUESTION 7

- (Exam Topic 2)

Which of the following is correct when talking about mount points?

- A. Every existing directory can be used as a mount point.
- B. Only empty directories can be used as a mount point.

- C. Directories need to have the SetUID flag set to be used as a mount point.
- D. Files within a directory are deleted when the directory is used as a mount point.

Answer: A

NEW QUESTION 8

- (Exam Topic 2)

After modifying GNU GRUB's configuration file, which command must be run for the changes to take effect?

- A. kill -HUP \$(pidof grub)
- B. grub-install
- C. grub
- D. No action is required

Answer: D

NEW QUESTION 9

- (Exam Topic 2)

Which RPM command will output the name of the package which supplied the file /etc/exports?

- A. rpm -F /etc/exports
- B. rpm -qf /etc/exports
- C. rpm -KI /etc/exports
- D. rpm -qp /etc/exports
- E. rpm -qi/etc/exports

Answer: B

NEW QUESTION 10

- (Exam Topic 2)

Which of the following commands lists all currently installed packages when using RPM package management?

- A. yum --query --all
- B. yum --list --installed
- C. rpm --query --all
- D. rpm --list --installed

Answer: C

NEW QUESTION 10

- (Exam Topic 2)

Which of the following apt-get commands will install the newest versions of all currently installed packages without removing any packages or installing new packages that are not already installed?

- A. auto-update
- B. upgrade
- C. dist-upgrade
- D. install
- E. update

Answer: B

NEW QUESTION 12

- (Exam Topic 2)

Which world-writable directory should be placed on a separate partition in order to prevent users from being able to fill up the / filesystem? (Specify the full path to the directory.)

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

/tmp, tmp,/var/tmp, /tmp/, /var/tmp/

NEW QUESTION 13

- (Exam Topic 2)

Typically, which top level system directory is used for files and data that change regularly while the system is running and are to be kept between reboots? (Specify only the top level directory)

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

/var, /var/, var, var/

NEW QUESTION 15

- (Exam Topic 2)

You want to preview where the package file, apache.xml.i386.rpm, will install its files before installing it. What command do you issue?

- A. rpm -qp apache.xml.i386.rpm
- B. rpm -qv apache.xml.i386.rpm
- C. rpm -ql apache.xml.i386.rpm
- D. rpm -qpl apache.xml.i386.rpm

Answer: D

NEW QUESTION 17

- (Exam Topic 3)

Which of the following commands will reduce all consecutive spaces down to a single space?

- A. tr 's' ' ' < a.txt > b.txt
- B. tr -c ' ' < a.txt > b.txt
- C. tr -d ' ' < a.txt > b.txt
- D. tr -r ' ' '\n' < a.txt > b.txt
- E. tr -s ' ' < a.txt > b.txt

Answer: E

NEW QUESTION 20

- (Exam Topic 3)

What happens after issuing the command vi without any additional parameters?

- A. vi starts and loads the last file used and moves the cursor to the position where vi was when it last exited.
- B. vi starts and requires the user to explicitly either create a new or load an existing file.
- C. vi exits with an error message as it cannot be invoked without a file name to operate on.
- D. vi starts in command mode and opens a new empty file.
- E. vi starts and opens a new file which is filled with the content of the vi buffer if the buffer contains text.

Answer: D

NEW QUESTION 24

- (Exam Topic 3)

The /etc/_____ file lists currently mounted devices.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

mtab

NEW QUESTION 28

- (Exam Topic 3)

Which of the following commands determines the type of a file by using a definition database file which contains information about all common file types?

- A. magic
- B. type
- C. file
- D. pmagic
- E. hash

Answer: C

NEW QUESTION 33

- (Exam Topic 3)

In Bash, inserting 1>&2 after a command redirects

- A. standard error to standard input.
- B. standard input to standard error.
- C. standard output to standard error.
- D. standard error to standard output.
- E. standard output to standard input.

Answer: C

NEW QUESTION 36

- (Exam Topic 3)

In the vi editor, which of the following commands will copy the current line into the vi buffer?

- A. c
- B. cc
- C. 1c
- D. yy
- E. 1y

Answer: D

NEW QUESTION 40

- (Exam Topic 3)

What does the ? symbol within regular expressions represent?

- A. Match the preceding qualifier one or more times.
- B. Match the preceding qualifier zero or more times.
- C. Match the preceding qualifier zero or one times.
- D. Match a literal ?character.

Answer: C

NEW QUESTION 41

- (Exam Topic 3)

In a nested directory structure, which find command line option would be used to restrict the command to searching down a particular number of subdirectories?

- A. -dirmax
- B. -maxdepth
- C. -maxlevels
- D. -n
- E. -s

Answer: B

NEW QUESTION 44

- (Exam Topic 3)

What is the default nice level when a process is started using the nice command?

- A. -10
- B. 10
- C. 20

Answer: B

NEW QUESTION 46

- (Exam Topic 3)

What is the maximum niceness value that a regular user can assign to a process with the nice command when executing a new process?

- A. 9
- B. 19
- C. 49
- D. 99

Answer: B

NEW QUESTION 47

- (Exam Topic 3)

Which of the following commands prints all files and directories within the /tmp directory or its subdirectories which are also owned by the user root? (Choose TWO correct answers.)

- A. find /tmp -uid root -print
- B. find -path /tmp -uid root
- C. find /tmp -user root -print
- D. find /tmp -user root
- E. find -path /tmp -user root -print

Answer: CD

NEW QUESTION 49

- (Exam Topic 3)

In the vi editor, how can commands such as moving the cursor or copying lines into the buffer be issued multiple times or applied to multiple rows?

- A. By using the command :repeat followed by the number and the command.
- B. By specifying the number right in front of a command such as 4l or 2yj.
- C. By selecting all affected lines using the shift and cursor keys before applying the command.
- D. By issuing a command such as :set repetition=4 which repeats every subsequent command 4 times.

Answer: B

NEW QUESTION 53

- (Exam Topic 3)

Which command displays a list of all background tasks running in the current shell? (Specify ONLY the command without any path or parameters.)

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

jobs

NEW QUESTION 56

- (Exam Topic 3)

What is the purpose of the Bash built-in export command?

- A. It allows disks to be mounted remotely.
- B. It runs a command as a process in a subshell.
- C. It makes the command history available to subshells.
- D. It sets up environment variables for applications.
- E. It shares NFS partitions for use by other systems on the network.

Answer: D

NEW QUESTION 61

- (Exam Topic 3)

Which command is used in a Linux environment to create a new directory? (Specify ONLY the command without any path or parameters.)

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

mkdir, /usr/bin/mkdir

NEW QUESTION 65

- (Exam Topic 3)

From a Bash shell, which of the following commands directly executes the instruction from the file /usr/local/bin/runme.sh without starting a subshell? (Please select TWO answers.)

- A. source /usr/local/bin/runme.sh
- B. . /usr/local/bin/runme.sh
- C. /bin/bash /usr/local/bin/runme.sh
- D. /usr/local/bin/runme.sh
- E. run /usr/local/bin/runme.sh

Answer: AB

NEW QUESTION 67

- (Exam Topic 3)

Which of the following explanations are valid reasons to run a command in the background of your shell?

- A. The command does not need to execute immediately.
- B. The command has to run immediately but the user needs to log out.
- C. The system is being shut down and the command needs to restart execution immediately after the reboot.
- D. The command can run at a lower priority than normal commands run on the command line.

Answer: B

NEW QUESTION 71

- (Exam Topic 3)

A user accidentally created the subdirectory \dir in his home directory. Which of the following commands will remove that directory?

- A. rmdir '~/\dir'
- B. rmdir "~/\dir"
- C. rmdir ~/'dir'
- D. rmdir ~/\dir
- E. rmdir ~/\dir

Answer: E

NEW QUESTION 72

- (Exam Topic 3)

What does the + symbol mean in the following grep regular expression: grep '^d[aei]\+d\$' /usr/share/dict/words

- A. Match the preceding character set ([aei]) one or more times.
- B. Match the preceding character set ([aei]) zero or more times.
- C. Match the preceding character set ([aei]) zero or one times.
- D. Match a literal + symbol.

Answer: A

NEW QUESTION 73

- (Exam Topic 3)

What is the default action of the split command on an input file?

- A. It will break the file into new files of 1,024 byte pieces each.
- B. It will break the file into new files of 1,000 line pieces each.
- C. It will break the file into new files of 1,024 kilobyte pieces each.
- D. It will break the file into new files that are no morethan 5% of the size of the original file.

Answer: B

NEW QUESTION 77

- (Exam Topic 3)

Which of the following statements is correct regarding the command `foo 1> bar`?

- A. The stdout from the command `foo` is appended to the file `bar`.
- B. The stdout from the command `foo` overwrites the file `bar`.
- C. The command `foo` receives its stdin from the file `bar`.
- D. The command `foo` receives its stdin from the stdout of the command `bar`.
- E. The stderr from the command `foo` is saved to the file `bar`.

Answer: B

NEW QUESTION 79

- (Exam Topic 3)

Which of the following command sets the Bash variable named `TEST` with the content `FOO`?

- A. `set TEST="FOO"`
- B. `TEST = "FOO"`
- C. `var TEST="FOO"`
- D. `TEST="FOO"`

Answer: D

NEW QUESTION 83

- (Exam Topic 3)

Which character, added to the end of a command, runs that command in the background as a child process of the current shell?

- A. `!`
- B. `+`
- C. `&`
- D. `%`
- E. `#`

Answer: C

NEW QUESTION 86

- (Exam Topic 4)

Which umask value will result in the default access permissions of 600 (rw-----) for files and 700 (rwx-----) for directories? (Specify only the numerical umask value.)

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

0077, 077

NEW QUESTION 87

- (Exam Topic 4)

Following the Filesystem Hierarchy Standard (FHS), where should binaries that have been compiled by the system administrator be placed in order to be made available to all users on the system?

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

/usr/local/bin/

NEW QUESTION 91

- (Exam Topic 4)

Which of the following commands will produce the following output?

USER	PID	%CPU	%MEM	VSZ	RSS	TTY	STAT	START	TIME	COMMAND
root	1255	4.4	0.9	60716	34824	tty7	Ss+	09:25	19:04	/usr/bin/X :0 -
root	2016	0.0	0.0	1792	560	tty1	Ss+	09:26	0:00	/sbin/getty -8
matt	5204	0.0	0.1	6320	3696	pts/4	Ss	13:12	0:00	bash
matt	5219	0.0	0.0	3988	1624	pts/4	S+	13:12	0:00	man bash
matt	5229	0.0	0.0	3584	932	pts/4	S+	13:12	0:00	pager -s
matt	6768	0.0	0.1	10504	3880	pts/2	S+	15:11	0:00	vi README.txt

- A. jobs
- B. proclist
- C. netstat
- D. ps

Answer: D

NEW QUESTION 93

- (Exam Topic 4)

In order to display all currently mounted filesystems, which of the following commands could be used? (Choose TWO correct answers.)

- A. cat /proc/self/mounts
- B. free
- C. mount
- D. lsmounts
- E. cat /proc/filesystems

Answer: AC

NEW QUESTION 98

- (Exam Topic 4)

Which command is used to create and initialize the files used to store quota information? (Specify ONLY the command without any path or parameters.)

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

quotacheck

NEW QUESTION 99

- (Exam Topic 4)

After moving data to a new filesystem, how can the former path of the data be kept intact in order to avoid reconfiguration of existing applications? (Choose TWO correct answers.)

- A. By creating an ACL redirection from the old to the new path of the data.
- B. By creating a hard link from the old to the new path of the data.
- C. By creating a symbolic link from the old to the new path of the data.
- D. By running the command touch on the old path.
- E. By mounting the new filesystem on the original path of the data.

Answer: CE

NEW QUESTION 102

- (Exam Topic 4)

After successfully creating a hard link called bar to the ordinary file foo, foo is deleted from the filesystem. Which of the following describes the resulting situation?

- A. foo and bar would both be removed.
- B. foo would be removed while bar would remain accessible.
- C. foo would be removed
- D. bar would still exist but would be unusable.
- E. Both foo and bar would remain accessible.
- F. The user is prompted whether bar should be removed, too.

Answer: B

NEW QUESTION 106

- (Exam Topic 4)

What do the permissions -rwSr-xr-x mean for a binary file when it is executed as a command?

- A. The command is SetUID and it will be executed with the effective rights of the owner.
- B. The command will be executed with the effective rights of the group instead of the owner.
- C. The execute flag is not set for the owner.
- D. Therefore the SetUID flag is ignored.
- E. The command will be executed with the effective rights of the owner and group.

Answer: C

NEW QUESTION 110

- (Exam Topic 4)

Which of the following commands set the sticky bit for the directory /tmp? (Choose TWO correct answers.)

- A. chmod +s /tmp
- B. chmod +t /tmp
- C. chmod 1775 /tmp
- D. chmod 4775 /tmp
- E. chmod 2775 /tmp

Answer: BC

NEW QUESTION 113

- (Exam Topic 4)

Which of the following Linux filesystems preallocates a fixed number of inodes at the filesystem's make/creation time and does NOT generate them as needed? (Choose TWO correct answers.)

- A. ext3
- B. JFS
- C. ext2
- D. XFS
- E. procfs

Answer: AC

NEW QUESTION 117

- (Exam Topic 4)

Which type of filesystem is created by mkfs when it is executed with the block device name only and without any additional parameters?

- A. ext2
- B. ext3
- C. ext4
- D. XFS
- E. VFAT

Answer: A

NEW QUESTION 119

- (Exam Topic 4)

Which of the following commands changes all occurrences of the word "bob" in file data to "Bob" and prints the result to standard output?

- A. sed '/bob/Bob' data
- B. sed 's/bob/Bob/g' data
- C. sed 's/bob/Bob/' data
- D. sed '/bob/Bob/' data
- E. sed 's/bob,Bob/' data

Answer: B

NEW QUESTION 124

- (Exam Topic 4)

Which of the following commands converts spaces in a file to tab characters and prints the result to standard output?

- A. iconv
- B. expand
- C. unexpand
- D. tab

Answer: C

NEW QUESTION 126

- (Exam Topic 4)

Which of the following commands will print important system information such as the kernel version and machine hardware architecture?

- A. sysinfo
- B. uname
- C. lspci
- D. arch
- E. info

Answer: B

NEW QUESTION 128

- (Exam Topic 4)

How can the list of files that would be installed by the RPM package file apache.xml.rpm be previewed?

- A. rpm -qp apache.xml.rpm
- B. rpm -qv apache.xml.rpm
- C. rpm -ql apache.xml.rpm
- D. rpm -qpl apache.xml.rpm

Answer: D

NEW QUESTION 129

- (Exam Topic 4)

When using regular expressions, which of the following characters match the beginning of a line?

- A. ^
- B. ?
- C. *
- D. +
- E. \$

Answer: A

NEW QUESTION 133

- (Exam Topic 4)

When planning a partition scheme, which of the following directories could be considered for separate partitions? (Choose three.)

- A. /etc
- B. /home
- C. /var
- D. /lib
- E. /opt

Answer: B

NEW QUESTION 135

- (Exam Topic 4)

Which of the following partition types is used for Linux swap spaces when partitioning hard disk drives?

- A. 82
- B. 83
- C. 8e
- D. fd
- E. 7

Answer: B

NEW QUESTION 136

- (Exam Topic 4)

Which of the following commands can be used to create a new file that is 100kB in size?

- A. dd
- B. file
- C. mkfile
- D. touch

Answer: A

NEW QUESTION 138

- (Exam Topic 4)

How is a symbolic link called bar.conf pointing to foo.conf created?

- A. ln -s foo.conf bar.conf
- B. ln foo.conf bar.conf
- C. ln -s bar.conf foo.conf
- D. ln bar.conf foo.conf

Answer: A

NEW QUESTION 140

- (Exam Topic 4)

When piping the output of find to the xargs command, what option to find is useful if the filenames have spaces in them?

- A. -rep-space
- B. -print0
- C. -nospace
- D. -ignore-space

Answer: B

NEW QUESTION 144

- (Exam Topic 4)

Which of the following is true for hard linked files? (Choose three.)

- A. The output of `stat` will report hard instead of regular file.
- B. The hard linked files have the same permissions and owner.
- C. The hard linked files share the same inode.
- D. The hard linked files are indicated by a `->` when listed with `ls -l`.
- E. The hard linked files must be on the same filesystem.

Answer: BCE

NEW QUESTION 148

- (Exam Topic 4)

Which of the following are filesystems which can be used on Linux root partitions? (Choose two.)

- A. NTFS
- B. `ext3`
- C. XFS
- D. VFAT
- E. swap

Answer: BE

NEW QUESTION 153

- (Exam Topic 4)

Which of the following commands can be used to display the inode number of a given file?

- A. `inode`
- B. `ls`
- C. `ln`
- D. `cp`

Answer: B

NEW QUESTION 157

- (Exam Topic 4)

Which of the following `apt-get` commands will install the newest versions of all currently installed packages?

- A. `auto-update`
- B. `full-upgrade`
- C. `dist-upgrade`
- D. `install`
- E. `update`

Answer: C

NEW QUESTION 158

- (Exam Topic 4)

Which command will uninstall a package but leave its configuration files in case the package is re-installed?

- A. `dpkg -s pkgname`
- B. `dpkg -L pkgname`
- C. `dpkg -P pkgname`
- D. `dpkg -r pkgname`

Answer: D

NEW QUESTION 162

- (Exam Topic 4)

Which of the following commands changes the number of days before the `ext3` filesystem on `/dev/sda1` has to run through a full filesystem check while booting?

- A. `tune2fs -d 200 /dev/sda1`
- B. `tune2fs -c 200 /dev/sda1`
- C. `tune2fs -i 200 /dev/sda1`
- D. `tune2fs -n 200 /dev/sda1`
- E. `tune2fs --days 200 /dev/sda1`

Answer: C

NEW QUESTION 165

- (Exam Topic 4)

Which of the following commands updates the already installed RPM package rpmname?

- A. rpm --update rpmname
- B. rpm -U rpmname
- C. rpm -q rpmname
- D. rpm --force rpmname
- E. rpm -u rpmname

Answer: B

NEW QUESTION 166

- (Exam Topic 4)

Which of the following file permissions belong to a symbolic link?

- A. -rwxrwxrwx
- B. +rwxrwxrwx
- C. lrwxrwxrwx
- D. srwxrwxrwx

Answer: C

NEW QUESTION 167

- (Exam Topic 5)

What is true regarding UEFI firmware? (Choose two.)

- A. It can read and interpret partition tables
- B. It can use and read certain file systems
- C. It stores its entire configuration on the /boot/ partition
- D. It is stored in a special area within the GPT metadata
- E. It is loaded from a fixed boot disk position

Answer: BD

NEW QUESTION 170

- (Exam Topic 5)

A faulty kernel module is causing issues with a network interface card. Which of the following actions ensures that this module is not loaded automatically when the system boots?

- A. Using lsmod --remove --autoclean without specifying the name of a specific module
- B. Using modinfo -k followed by the name of the offending module
- C. Using modprobe -r followed by the name of the offending module
- D. Adding a blacklist line including the name of the offending module to the file/etc/modprobe.d/blacklist.conf
- E. Deleting the kernel module's directory from the file system and recompiling the kernel, including its modules

Answer: D

NEW QUESTION 175

- (Exam Topic 5)

What is contained on the EFI System Partition?

- A. The Linux root file system
- B. The first stage boot loader
- C. The default swap space file
- D. The Linux default shell binaries
- E. The user home directories

Answer: B

NEW QUESTION 179

- (Exam Topic 5)

Which command displays the current disk space usage for all mounted file systems? (Specify ONLY the command without any path or parameters.)

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

du

NEW QUESTION 181

- (Exam Topic 5)

Which of the following commands installs GRUB 2 into the master boot record on the third hard disk?

- A. grub2 install /dev/sdc
- B. grub-mkrescue /dev/sdc
- C. grub-mbrinstall /dev/sdc
- D. grub-setup /dev/sdc
- E. grub-install /dev/sdc

Answer: E

NEW QUESTION 183

- (Exam Topic 5)

Which of the following regular expressions represents a single upper-case letter?

- A. :UPPER:
- B. [A-Z]
- C. !a-z
- D. %C
- E. {AZ}

Answer: B

NEW QUESTION 188

- (Exam Topic 5)

Given a log file loga.log with timestamps of the format DD/MM/YYYY:hh:mm:ss, which command filters out all log entries in the time period between 8:00 am and 8:59 am?

- A. grep -E ':08:[09]+:[09]+' loga.log
- B. grep -E ':08:[00]+' loga.log
- C. grep -E loga.log ':08:[0-9]+:[0-9]+'
- D. grep loga.log ':08:[0-9]:[0-9]'
- E. grep -E ':08:[0-9]+:[0-9]+' loga.log

Answer: E

NEW QUESTION 189

- (Exam Topic 5)

What is true regarding the configuration of yum? (Choose two.)

- A. Changes to the repository configuration become active after running yum confupdate
- B. Changes to the yum configuration become active after restarting the yumd service
- C. The configuration of package repositories can be divided into multiple files
- D. Repository configurations can include variables such as \$basearch or \$releasever
- E. In case /etc/yum.repos.d/ contains files, /etc/yum.conf is ignored

Answer: DE

NEW QUESTION 193

- (Exam Topic 5) Given the following input stream:

txt1.txt
atxt.txt
txtB.txt

Which of the following regular expressions turns this input stream into the following output stream? txt1.bak.txt

atxt.bak.txt
txtB.bak.txt

- A. s/^.txt/.bak/
- B. s/txt/bak.txt/
- C. s/txt\$/bak.txt/
- D. s/^.txt\$/bak^/
- E. s/[.txt]/.bak\$1/

Answer: B

NEW QUESTION 195

- (Exam Topic 5)

Which of the following commands displays the output of the foo command on the screen and also writes it to a file called /tmp/foodata?

- A. foo | less /tmp/foodata
- B. foo | cp /tmp/foodata
- C. foo > /tmp/foodata
- D. foo | tee /tmp/foodata
- E. foo > stdout >> /tmp/foodata

Answer: D

NEW QUESTION 197

- (Exam Topic 5)

Which wildcards will match the following filenames? (Choose two.) ttyS0

ttyS1 ttyS2

- A. ttyS[1-5]
- B. tty?[0-5]
- C. tty*2
- D. tty[A-Z][012]
- E. tty[Ss][02]

Answer: BD

NEW QUESTION 201

When in Normal mode invl, which character can be used to begin a reverse search of the text?

- A. A.?B./C.FD.r

Answer: A

NEW QUESTION 202

.....

Relate Links

100% Pass Your 101-500 Exam with ExamBible Prep Materials

<https://www.exambible.com/101-500-exam/>

Contact us

We are proud of our high-quality customer service, which serves you around the clock 24/7.

Viste - <https://www.exambible.com/>