

Exam Questions MS-203

Microsoft 365 Messaging

<https://www.2passeasy.com/dumps/MS-203/>



NEW QUESTION 1

- (Topic 5)

You have an Exchange Online tenant.

You need to ensure that the users in your company's finance department can select email messages that will be deleted automatically one year later. The solution must apply only to the finance department users.

Which two actions should you perform? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Publish a label to the finance department.
- B. Create a data loss prevention (DLP) policy that uses the sensitive information type.
- C. For each mailbox in the finance department, configure the retention policy settings.
- D. Create a label that has a retention setting of one year.
- E. For each mailbox in the finance department, configure Message Delivery Restrictions.

Answer: AD

Explanation:

Create a retention label and publish it to the finance department users.

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/retention?view=o365-worldwide>

NEW QUESTION 2

DRAG DROP - (Topic 5)

Your company has three departments name Dept1, Dept2. and Dept3 and a Microsoft Exchange Online tenant.

You need to increase security for the email messages sent from the departments. The solution must meet the following requirements:

- « Users in Dept1 must be able to digitally sign and encrypt email messages as required.
- + Email messages sent from Dept2 to an external email domain must be encrypted automatically during transit only.
- « Email messages sent from Dept3 to an external email domain must be encrypted until the recipient opens the message.
- « Implementation costs must be minimized.

'Which type of encryption should you use for each department? To answer, drag the appropriate encryption types to the correct departments. Each encryption type may be used

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

? Users in Dept1 should use S/MIME encryption1. S/MIME is a standard for public key encryption and signing of email messages1. It allows users to digitally sign and encrypt email messages as required using certificates1. S/MIME provides end-to-end encryption and ensures message integrity and sender authentication1.

? Email messages sent from Dept2 to an external email domain should use TLS encryption1. TLS is a protocol that encrypts the connection or session between two servers1. It protects email messages during transit only and does not require any action from the sender or recipient1. TLS provides opportunistic encryption and ensures message confidentiality and server authentication1.

? Email messages sent from Dept3 to an external email domain should use Microsoft Purview Message Encryption2. Microsoft Purview Message Encryption is an online service that encrypts email messages and attachments using rights management policies2. It allows users to send encrypted email messages to anyone inside or outside the organization using various email services2. Microsoft Purview Message Encryption provides persistent encryption and ensures message confidentiality and authorization policies2.

NEW QUESTION 3

- (Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your company has a Microsoft 365 subscription.

Several users in the finance department of the company recently accessed unsafe websites by clicking on links in email messages.

Users in the marketing department of the company report that they must be able to access all the links embedded in email messages.

You need to reduce the likelihood of the finance department users accessing unsafe websites. The solution must affect only the finance department users.

Solution: You modify the Global Settings Safe Links policy.

Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/security/office-365-security/configure-global-settings-for-safe-links?view=o365-worldwide>

NEW QUESTION 4

- (Topic 5)

You have a Microsoft Exchange Online tenant that uses Microsoft Defender for Office 365.

You need to create a new Safe Attachments policy named Policy1 that meets the following requirements:

? Immediately delivers email messages that contain attachments and replaces the attachments with placeholders

? Reattaches the attachments after scanning is complete

? Quarantines malicious attachments

Which action should you select for Policy1?

- A. Monitor
- B. Block
- C. Dynamic Delivery
- D. Replace


Answer: C

NEW QUESTION 5

HOTSPOT - (Topic 5)

You have a Microsoft Exchange Server 2019 organization and a Microsoft 365 E5 subscription.

From the Microsoft 365 admin center, you open Data migration as shown in the following exhibit.



Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.

NOTE: Each correct selection is worth one point.

The Microsoft Office 365 Hybrid Configuration wizard [answer choice].

<input type="text" value=""/>
must be downloaded
was completed
was not run

The move mailboxes, the [answer choice] virtual directory must be available to Exchange Online.

<input type="text" value=""/>
Autodiscover
ecp
EWS
mapi
PowerShell

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

References:

<https://www.stellarinfo.com/blog/hybrid-migration-migrate-exchange-mailboxes-office-365/>

<https://www.kerneldatarecovery.com/blog/migrate-from-exchange-on-premises-to-exchange-online-in-hybrid-environment/>

NEW QUESTION 6

SIMULATION - (Topic 5)

SIMULATION


Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time.

When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.

Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.

Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.



Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username: admin@abc.com

Microsoft 365 Password: xxxxxx

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only.

Lab Instance: XXXXXX

You need to ensure that the email messages in mailboxes and the documents in Microsoft OneDrive folders of all the users in your organization are retained for only five years.

To complete this task, sign in to the Microsoft 365 admin center.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

? From the Microsoft 365 compliance center, select Policies > Retention.

? Select New retention policy to start the Create retention policy configuration, and name your new retention policy.

? For the Choose the type of retention policy to create page, select Static. Adaptive policies don't support the locations for Exchange public folders or Skype for Business.

? Depending on your selected scope:

- On the Choose locations page, toggle on or off any of the locations except the locations for Teams and Yammer. For each location, you can leave it at the default to apply the policy to the entire location.

? Information specific to locations:

- Exchange email and Exchange public folders
- SharePoint sites and OneDrive accounts
- Microsoft 365 Groups
- Skype for Business

? For Decide if you want to retain content, delete it, or both page, specify the configuration options for retaining and deleting content.

You can create a retention policy that just retains content without deleting, retains and then deletes after a specified period of time, or just deletes content after a specified period of time.

? Complete the configuration and save your settings.

NEW QUESTION 7

- (Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft Exchange Server 2019 hybrid deployment. All user mailboxes are hosted in Microsoft 365. All outbound SMTP email is routed through the on-premises Exchange organization.

A corporate security policy requires that you must prevent credit card numbers from being sent to internet recipients by using email.

You need to configure the deployment to meet the security policy requirement. Solution: From Microsoft 365, you create a supervision policy.

Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

You should create a Data Loss Prevention (DLP) policy.

NEW QUESTION 8

DRAG DROP - (Topic 5)

You have a Microsoft Exchange Server 2019 organization.

You plan to implement a hybrid deployment between Exchange Online and Exchange Server.

You need to install the Exchange Online Hybrid Agent. The solution must use the principle of least privilege.

To which roles should you be assigned to perform the installation? To answer, drag the appropriate roles to the correct products. Each role may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Answer Area

Global Admin		
Exchange Administrator	Microsoft Office 365	
Service Administrator	Exchange Server 2019	
Organization Management		
Server Management		

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Global Admin		
Exchange Administrator	Microsoft Office 365	Global Admin
Service Administrator	Exchange Server 2019	Organization Management
Organization Management		
Server Management		

NEW QUESTION 9

DRAG DROP - (Topic 5)

Your company has a Microsoft 365 subscription for a domain named contoso.com.

The company acquires a company named Litware, Inc. that uses an IMAP-based messaging system. The SMTP domain of Litware is named litwareinc.com.

You need to migrate the mailboxes of Litware to Microsoft Office 365. The solution must ensure that users from Litware can receive email by using their current email address.

Which four actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

Answer Area

Add an accepted domain to Office 365.

Create a migration endpoint and a migration batch.

Create an Office 365 connector.

Start the migration batch.

Provision a mailbox in Office 365 for each Litware user.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Actions

Answer Area

Add an accepted domain to Office 365.

Create a migration endpoint and a migration batch.

Create an Office 365 connector.

Start the migration batch.

Provision a mailbox in Office 365 for each Litware user.

Add an accepted domain to Office 365.

Provision a mailbox in Office 365 for each Litware user.

Create a migration endpoint and a migration batch.

Start the migration batch.

NEW QUESTION 10

- (Topic 5)

You have a Microsoft Exchange Server 2019 organization. You need to provide a user named User1 with the ability to create and manage transport rules. To which management role group should you add User1?

- A. Compliance Management
- B. Server Management
- C. Records Management
- D. Hygiene Management

Answer: C

Explanation:

References:
<https://docs.microsoft.com/en-us/exchange/records-management-exchange-2013-help>

NEW QUESTION 10

DRAG DROP - (Topic 5)

You have a Microsoft Exchange Online tenant. You need to create a new public folder. The solution must ensure that users can create new posts by sending emails to the folder. Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order

Actions	Answer Area
Create a mail flow rule.	
Edit the properties of the public folder mailbox.	
Create a Microsoft 365 group.	
Create a public folder mailbox.	
Create a public folder.	
Edit the properties of the public folder.	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Actions	Answer Area
Create a mail flow rule.	Create a public folder mailbox.
Edit the properties of the public folder mailbox.	Create a public folder.
Create a Microsoft 365 group.	Edit the properties of the public folder.
Create a public folder mailbox.	
Create a public folder.	
Edit the properties of the public folder.	

NEW QUESTION 12

- (Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft Exchange Server 2019 hybrid deployment. All user mailboxes are hosted in Microsoft 365. All outbound SMTP email is routed through the on-premises Exchange organization.

A corporate security policy requires that you must prevent credit card numbers from being sent to internet recipients by using email.

You need to configure the deployment to meet the security policy requirement.

Solution: From the Exchange organization, you create a data loss prevention (DLP) policy. Does this meet the goal?

- A. Yes
- B. No

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/data-loss-prevention-policies?view=o365-worldwide>

NEW QUESTION 13

HOTSPOT - (Topic 5)

You have a hybrid deployment of Microsoft Exchange Server 2019. You need to configure modern attachments for Outlook on the web.

From Exchange Management Shell, which cmdlet should you run? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

<ul style="list-style-type: none"> Set-CASMailbox Set-OutlookProvider Set-ClientAccessRule Set-OwaMailboxPolicy 	-Name Default	<ul style="list-style-type: none"> -Identity -internalSPMySiteHostURL -WacExternalServicesEnabled -ThirdPartyAttachmentsEnabled 	Https://Contoso-
---	---------------	---	------------------

my.sharepoint.com -ExternalSPMySiteHostURL Https://Contoso-my.Contoso.com

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

<ul style="list-style-type: none"> Set-CASMailbox Set-OutlookProvider Set-ClientAccessRule Set-OwaMailboxPolicy 	-Name Default	<ul style="list-style-type: none"> -Identity -internalSPMySiteHostURL -WacExternalServicesEnabled -ThirdPartyAttachmentsEnabled 	Https://Contoso-
---	---------------	---	------------------

my.sharepoint.com -ExternalSPMySiteHostURL Https://Contoso-my.Contoso.com

NEW QUESTION 15

- (Topic 5)

You have a Microsoft Exchange Online tenant.

The tenant has the following Exchange ActiveSync configurations.

```
[PS] C:\> Get-ActiveSyncDeviceAccessRule | f1 Name, QueryString, AccessLevel, Characteristic
```

```
Name           : Outlook for iOS and Android (DeviceModel)
QueryString    : Outlook for iOS and Android
AccessLevel    : Allow
Characteristic  : DeviceModel
```

```
[PS] C:\> Get-ActiveSyncOrganizationSettings | f1 Name, DefaultAccessLevel, IsIntuneManaged,
HasAzurePremiumSubscription, DeviceFiltering
```

```
Name           : Mobile Mailbox Settings
DefaultAccessLevel : False
IsIntuneManaged  : False
HasAzurePremiumSubscription : False
DeviceFiltering  :
```

Which mail client can Android device users use?

- A. both native Exchange ActiveSync clients and Microsoft Outlook for Android
- B. Microsoft Outlook for iOS and Android only
- C. native Exchange ActiveSync clients only
- D. neither native Exchange ActiveSync clients nor Microsoft Outlook for Android

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/powershell/module/exchange/new-activesyncdeviceaccessrule?view=exchange-ps>

NEW QUESTION 19

HOTSPOT - (Topic 5)

You have a Microsoft Exchange Server 2019 organization that uses an email domain named contoso.com.

You plan to move several mailboxes to Microsoft 365.

You need to configure hybrid mail flow to meet the following requirements:

? All email messages received from the internet must be filtered for spam by Microsoft 365.

? Your company's on-premises firewall must allow email messages between the on-premises Exchange servers and Microsoft 365.

What should you configure? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Mail exchanger (MX) record to configure:

▼
Mail.contoso.com
Contoso-com.mail.protection.outlook.com
Outlook.office365.com

Firewall port to allow:

▼
TCP 25
TCP 2525
TCP 587
TCP 993

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Mail exchanger (MX) record to configure:

Mail.contoso.com
Contoso-com.mail.protection.outlook.com
Outlook.office365.com

Firewall port to allow:

TCP 25
TCP 2525
TCP 587
TCP 993

NEW QUESTION 20

HOTSPOT - (Topic 5)

You have a Microsoft Exchange Online tenant.

You need to be notified when more than 1,000 email messages are queued in Exchange for more than one hour.

What should you do? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Answer Area

Configure: Alert policies

Alert policies
Insights
Message trace
Rules

In portal: Exchange admin center

Exchange admin center
Microsoft 365 admin center
Microsoft 365 Defender portal
Microsoft Purview compliance portal

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Configure: Alert policies

Alert policies
Insights
Message trace
Rules

In portal: Exchange admin center

Exchange admin center
Microsoft 365 admin center
Microsoft 365 Defender portal
Microsoft Purview compliance portal

NEW QUESTION 23

HOTSPOT - (Topic 5)

You are evaluating the email hygiene configuration of a Microsoft Exchange Server 2019 organization.

You run the command shown in the following exhibit.

```
[PS] C:\>Get-ContentFilterConfig | fl *SCL*

SCLRejectThreshold      : 7
SCLRejectEnabled        : True
SCLDeleteThreshold      : 9
SCLDeleteEnabled        : False
SCLQuarantineThreshold  : 9
SCLQuarantineEnabled    : False
```

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.
 NOTE: Each correct selection is worth one point.

Email messages that have a spam confidence level (SCL) of 8 will be [answer choice].

▼
deleted silently
rejected with a response
sent to the spam quarantine mailbox

Email messages that have a spam confidence level (SCL) of 7 will be [answer choice].

▼
deleted silently
rejected with a response
sent to the spam quarantine mailbox

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Email messages that have a spam confidence level (SCL) of 8 will be [answer choice].

▼
deleted silently
rejected with a response
sent to the spam quarantine mailbox

Email messages that have a spam confidence level (SCL) of 7 will be [answer choice].

▼
deleted silently
rejected with a response
sent to the spam quarantine mailbox

NEW QUESTION 27

- (Topic 5)

You manage a Microsoft Exchange Server 2019 organization that contains several thousand users. All the users connect to their mailbox by using a mobile device and Exchange ActiveSync. You need to prevent the users from syncing email messages that are older than 14 days to the mobile devices. What should you use?

- A. an Outlook Web App mailbox policy
- B. a mobile device mailbox policy
- C. an ActiveSync device access rule
- D. a conditional access policy

Answer: B

Explanation:

Reference:
<https://docs.microsoft.com/en-us/exchange/clients/exchange-activesync/mobile-device-mailbox-policies?view=exchserver-2019>

NEW QUESTION 30

HOTSPOT - (Topic 5)

You have a Microsoft Exchange Server 2019 organization. You have the Address Book Policies (ABP) and address lists in the following table.

Name	Global address list	Offline address book	Address list
ABP1	GAL_1	OAB_1	List 1
ABP2	GAL_2	Default Offline Address Book	List 2

You have the users in the following table.

Name	Global address list	Address List
User1	GAL_1	List 1
User2	GAL_2	List 2
User3	GAL_2	none

You assign ABP1 to User1 and User2. User3 is NOT assigned to an Address Book Policy. For each of the following statements, select Yes if the statement is true. Otherwise, select No. NOTE: Each correct selection is worth one point.

Statements	Yes	No
User1 can view the membership of List 2	<input type="radio"/>	<input type="radio"/>
User2 can only view the membership of GAL_2	<input type="radio"/>	<input type="radio"/>
User3 can view the membership of List 1	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

References:

<https://docs.microsoft.com/en-us/exchange/email-addresses-and-address-books/address-book-policies/address-book-policies?view=exchserver-2019>

NEW QUESTION 34

- (Topic 5)

You have a hybrid deployment between a Microsoft Exchange Online tenant and an on- premises Exchange Server 2019 organization. The deployment contains the resources shown in the following table.

Type	Quantity	Location
User mailbox	500	On-premises
Department mailbox	50	On-premises
Public folder	10	On-premises
Resource mailbox	15	On-premises

You need to migrate the mailboxes from the on-premises Exchange Server 2019 organization to Exchange Online. The department mailboxes will be migrated to shared mailboxes.

What is the minimum number of Exchange Online licenses required?

- A. 500
- B. 515
- C. 550
- D. 575

Answer: A

NEW QUESTION 37

HOTSPOT - (Topic 4)

You need to migrate 10 Microsoft Outlook.com users to the adatum.com tenant.

Which type of migration should you perform, and which items can be migrated? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Migration:

- IMAP
- Staged
- Cutover**
- Remote move
- Google Workspace

Items:

- Mail folder items only
- Mail folder items and contacts only
- Mail folder items and calendar items only**
- Mail folder items, contacts, calendar items, and tasks

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Migration:

- IMAP
- Staged
- Cutover
- Remote move
- Google Workspace

Items:

- Mail folder items only
- Mail folder items and calendar items only
- Mail folder items, contacts, calendar items, and tasks

NEW QUESTION 38

HOTSPOT - (Topic 3)

You need to perform a remote wipe of the devices of User2 and User3. You run the following commands.

```
Clear-MobileDevice -id User2-Device
-NotificationEmailAddress "admin@Fabrikam.com"
Clear-MobileDevice -id User3-Device
-NotificationEmailAddress "admin@Fabrikam.com"
```

What occurs on each device? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

On the device of User2:

- All data is deleted.
- Only email messages are deleted.
- Only email messages and calendar, contact, and file data are deleted.

On the device of User3:

- All data is deleted.
- Only email messages are deleted.
- Only email messages and calendar, contact, and file data are deleted.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

On the device of User2:

- All data is deleted.
- Only email messages are deleted.
- Only email messages and calendar, contact, and file data are deleted.

On the device of User3:

- All data is deleted.
- Only email messages are deleted.
- Only email messages and calendar, contact, and file data are deleted.

NEW QUESTION 39

- (Topic 3)

You need to generate a report for the mobile devices that meets the technical requirements.

Which PowerShell cmdlet should you use?

- A. Get-DevicePolicy
- B. Get-MobileDevice
- C. Get-MobileDeviceStatistics
- D. Get-DeviceTenantPolicy

Answer: B

Explanation:

Reference:

<https://docs.microsoft.com/en-us/powershell/module/exchange/get-mobiledevice?view=exchange-ps>

NEW QUESTION 40

HOTSPOT - (Topic 3)

You need to modify FilesPolicy to prevent users from downloading ASPX files. The solution must meet the technical requirements.

How should you complete the command? To answer, select the appropriate options in the answer area.
 NOTE: Each correct selection is worth one point.

<div style="border: 1px solid gray; padding: 2px;"> ▼ -id FilesPolicy -BlockedFileTypes </div> <div style="border: 1px solid gray; padding: 2px;"> Set-SafeLinksPolicy Set-OwaMailboxPolicy Set-ActiveSyncMailboxPolicy Set-HostedContentFilterPolicy </div>	<div style="border: 1px solid gray; padding: 2px;"> ▼ </div> <div style="border: 1px solid gray; padding: 2px;"> .aspx *.aspx @{Add = ".aspx"} @{Remove = ".aspx"} </div>
--	---

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

<div style="border: 1px solid gray; padding: 2px;"> ▼ -id FilesPolicy -BlockedFileTypes </div> <div style="border: 1px solid gray; padding: 2px;"> Set-SafeLinksPolicy Set-OwaMailboxPolicy Set-ActiveSyncMailboxPolicy Set-HostedContentFilterPolicy </div>	<div style="border: 1px solid gray; padding: 2px;"> ▼ </div> <div style="border: 1px solid gray; padding: 2px;"> .aspx *.aspx @{Add = ".aspx"} @{Remove = ".aspx"} </div>
--	---

NEW QUESTION 44

- (Topic 3)

You need to identify which users clicked the links in the phishing emails.
 What should you do?

- A. Run a message trace and review the results.
- B. Query the mailbox audit log.
- C. Use the URL trace reporting feature.
- D. Review the quarantine mailbox.

Answer: C

Explanation:

Reference:

<https://docs.microsoft.com/en-us/powershell/module/exchange/get-maildetailatpreport?view=exchange-ps>

NEW QUESTION 47

- (Topic 2)

You need to resolve the issue for the transport department users.
 What is the best way to achieve the goal? More than one answer choice may achieve the goal. Select the BEST answer.

- A. Move the public folder mailbox that contains TransportPF to a server in the main office.
- B. Move TransportPF to a public folder mailbox hosted in the main office.
- C. Modify the default public folder mailbox for all the transport department users.
- D. Instruct the transport department users to add TransportPF to their Favorites list in Outlook.

Answer: B

Explanation:

References:

<https://docs.microsoft.com/en-us/exchange/recipients/mailbox-moves?view=exchserver-2019>

NEW QUESTION 49

HOTSPOT - (Topic 3)

You need to configure the new smartboard to support the planned changes.
 Which three settings should you configure? To answer, select the appropriate settings in the answer area.
 NOTE: Each correct selection is worth one point.

Booking options

Assign settings for the booking policy that defines when this resource can be scheduled

- Allow repeating meetings
- Allow scheduling only during work hours
- Auto-accepts meeting request

Set to "Off" if you want to specify users who want to accept meetings manually

Booking delegates

Automatically decline meetings outside of limits below

Booking window (days)

Maximum duration (hours)

If the organizer needs a reply enter message below

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application, email Description automatically generated

NEW QUESTION 52

- (Topic 2)

You need to implement a solution to support the planned changes for the branch office administrators. What should you do?

- A. Assign the Mail Recipients role to the branch office administrators and use a default management scope.
- B. Assign the Mail Recipients role to the branch office administrators and create a custom management scope.
- C. Assign the Recipient Policies role to the branch office administrators and use a default management scope.
- D. Assign the Recipient Policies role to the branch office administrators and create a custom management scope.

Answer: B

Explanation:

Ensure that the branch office administrators can configure the properties of the mailboxes in their respective offices only.

Reference:

<https://docs.microsoft.com/en-us/exchange/mail-recipients-role-exchange-2013-help>

NEW QUESTION 54

HOTSPOT - (Topic 5)


You have a Microsoft Exchange Online tenant.

You need to create a new policy to retain mailbox items for five years before the items are deleted. The policy must be assigned to any user that has a job title attribute of Manager.

Which type of policy should you create, and what should you create first? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area



NEW QUESTION 55

- (Topic 5)

You have a hybrid deployment between a Microsoft Exchange Online tenant and an on- premises Exchange Server 2019 server. Users report that the email they send to external recipients is marked as spam.

You need to validate the Reverse DNS and Sender ID data for the on-premises server. What should you use in the Microsoft Remote Connectivity Analyzer?

- A. Inbound SMTP Email
- B. Outbound SMTP Email
- C. Message Analyzer
- D. Exchange Online Custom Domains DNS Connectivity Test

Answer: B

NEW QUESTION 56

HOTSPOT - (Topic 5)

Your company named ADatum Corporation has a Microsoft Exchange Online subscription that contains the sharing policies shown in the following table.

Name	Domain	Enabled	Default
Policy1	{Anonymous:CalendarSharingFreeBusySimple, fabrikam.com:CalendarSharingFreeBusyReviewer, ContactsSharing}	True	True
Policy2	{contoso.com:CalendarSharingFreeBusyDetail}	True	False
Policy3	{litware.com:CalendarSharingFreeBusyReviewer}	True	False

The subscription contains the mailboxes shown in the following table.

Name	Sharing policy
User1	Policy1
User2	Policy2
User3	Policy3

ADatum does business with the partner companies shown in the following table.

Name	SMTP domain	Email platform
Fabrikam, Inc.	Fabrikam.com	On-premises Exchange Server 2019
Contoso, Ltd.	Contoso.com	Third-party email server
Litware, Inc.	Litware.com	Exchange Online

For each of the following statements, select Yes if the statement is true. Otherwise, select No.
 NOTE: Each correct selection is worth one point.

Statements	Yes	No
For User1 to share contacts with the users at Fabrikam, a federation trust is required.	<input type="radio"/>	<input type="radio"/>
User2 can share free/busy hours, subject, and location with the users at Contoso.	<input type="radio"/>	<input type="radio"/>
User3 can share calendars with the users at Litware.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Statements	Yes	No
For User1 to share contacts with the users at Fabrikam, a federation trust is required.	<input type="radio"/>	<input checked="" type="radio"/>
User2 can share free/busy hours, subject, and location with the users at Contoso.	<input checked="" type="radio"/>	<input type="radio"/>
User3 can share calendars with the users at Litware.	<input checked="" type="radio"/>	<input type="radio"/>

NEW QUESTION 58


HOTSPOT - (Topic 5)

You have a Microsoft Exchange Online tenant.

You recently hired two new administrators named Admin5 and Admin6. You need to grant the following permissions to the new administrators:

- Admin5 must be able to assign licenses to users.
- Admin6 must be able to modify the email SPAM settings of all users.
- Admin5 must be able to configure the email forwarding settings of all users.
- Admin5 and Admin6 must be able to manage the mailbox permissions of all users. The solution must use the principle of least privilege.


Which role should you assign to each user? To answer, select the appropriate options NOTE: Each correct selection is worth one point.



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:



NEW QUESTION 62

SIMULATION - (Topic 5)


Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time.

When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.

Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.

Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.



Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username: admin@abc.com

Microsoft 365 Password: xxxxxx

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only.

Lab Instance: XXXXXX

You need to ensure that all emails sent from the users in your company to recipients who use a suffix of @fabnkam.com are encrypted by using Microsoft Office 365 Message Encryption (OME).

To complete this task, sign in to the Exchange admin center.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

? In the Microsoft 365 admin center, choose Admin centers > Exchange.

? In the EAC, go to Mail flow > Rules and select New + > Create a new rule.

? In Name, type a name for the rule, such as Encrypt mail for DrToniRamos@hotmail.com.

? In Apply this rule if, select a condition, and enter a value if necessary. For example, to encrypt messages going to DrToniRamos@hotmail.com:

_ In Apply this rule if, select the recipient is.

_ Select an existing name from the contact list or type a new email address in the check names box.

- To select an existing name, select it from the list and then click OK.

- To enter a new name, type an email address in the check names box and then select check names >OK.

? To add more conditions, choose More options and then choose add condition and select from the list.

For example, to apply the rule only if the recipient is outside your organization, select add condition and then select the recipient is external/internal >Outside the organization

>OK.

? To enable encryption using the new OME capabilities, from Do the following, select Modify the message security and then choose Apply Office 365 Message Encryption and rights protection. Select an RMS template from the list, choose Save, and then choose OK.

NEW QUESTION 66

HOTSPOT - (Topic 5)

Your network contains an Active Directory Domain Services (AD DS) domain.

You have a Microsoft 365 subscription. All mailboxes are hosted in Microsoft Exchange Online. You have the DNS domains shown in the following table.

Name	Description
corp.contoso.com	AD DS domain
contoso.com	Verified custom domain for Azure AD
contoso.onmicrosoft.com	Default Azure AD tenant

You need to ensure that the Autodiscover service can be used to configure Microsoft Outlook settings for devices connecting from the internet. How should you configure the DNS record for Autodiscover? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Type of DNS record:

- A
- CNAME**
- MX
- SRV
- TXT

In DNS domains:

- contoso.com only**
- corp.contoso.com only
- contoso.onmicrosoft.com only
- contoso.com and corp.contoso.com
- contoso.com and contoso.onmicrosoft.com
- corp.contoso.com and contoso.onmicrosoft.com

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Type of DNS record:

- A
- CNAME**
- MX
- SRV
- TXT

In DNS domains:

- contoso.com only**
- corp.contoso.com only
- contoso.onmicrosoft.com only
- contoso.com and corp.contoso.com
- contoso.com and contoso.onmicrosoft.com
- corp.contoso.com and contoso.onmicrosoft.com

NEW QUESTION 67

- (Topic 5)

You have a Microsoft Exchange Online tenant named contoso.com.

You create a partnership with two other companies named fabhkam.com and wingtiptoy.com. All the mailboxes of fabnkam.com are hosted in Microsoft 365. All the mailboxes of wingtiptoy.com are hosted in an on-premises Exchange Server 2019 organization.

You need to ensure that all the email messages sent from contoso.com to fabrikam.com and wingtiptoy.com is encrypted by using TLS.

What should you do?

- A. Configure one connector.
- B. Create an organizational relationship.
- C. Create two remote domains.
- D. Run the Office 365 Exchange Hybrid Configuration wizard.
- E. Configure two mail flow rules.

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/mail-flow-best-practices/use-connectors-to-configure-mail-flow/set-up-connectors-for-secure-mail-flow-with-a-partner>

NEW QUESTION 72

DRAG DROP - (Topic 5)

You have a Microsoft 365 E5 subscription that contains a public folder named Folder1 and two users named User1 and User2. You need to ensure that the users can perform the actions shown in the following table.

User	Action
User1	<ul style="list-style-type: none"> • Create new items. • Delete items created by User1. • Only modify items created by User1. • Read existing items. • View folders.
User2	<ul style="list-style-type: none"> • Create subfolders. • Read all items. • Delete all items. • Only modify items created by User2.

The solution must use the principle of least privilege and minimize administrative effort. Which folder permission should you grant to each user? To answer, drag the appropriate permissions to the correct users. Each permission may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Permissions

- Author
- Custom
- Editor
- Non-Editing Author
- Owner
- PublishingEditor
- PublishingAuthor

Answer Area

User1:

User2:

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Permissions

- Author
- Custom
- Editor
- Non-Editing Author
- Owner
- PublishingEditor
- PublishingAuthor

Answer Area

User1:

User2:

NEW QUESTION 73

- (Topic 5)

You have a Microsoft Exchange Online tenant that uses a third-party email hygiene system named Service1. Service1 blocks all encrypted email. All external email is routed through Service1 by using a connector.

Users classify email by using sensitivity labels. Emails classified as Secret are encrypted automatically.

You need to ensure that the users can send emails classified as Secret to external recipients.

Which two items should you create? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. a remote domain
- B. a connector
- C. a data loss prevention (DLP) policy
- D. a mail flow rule
- E. a label policy

Answer: BD

Explanation:

Use an additional Connector and a Mail Flow Rule to bypass the third-party email hygiene system for emails that have the Secret sensitivity label. Emails with the sensitivity label will use the new connector. All other emails will use the existing connector.

Reference:

<https://docs.microsoft.com/en-us/exchange/mail-flow-best-practices/use-connectors-to-configure-mail-flow/conditional-mail-routing>

NEW QUESTION 78

- (Topic 5)

You have a hybrid deployment of Microsoft Exchange Server 2019.

Users in your company's sales department have on-premises mailboxes and PST files. You need to migrate the PST files to archive mailboxes. The archive mailboxes must reside in Exchange Online. What should you do first?

- A. From Exchange Management Shell, run the Enable-Mailbox cmdlet and specify the-Archive parameter.
- B. From Exchange Management Shell, run the New-MoveRequest cmdlet.
- C. From Exchange Online PowerShell, run the Set-Mailbox cmdlet and specify the-ArchiveStatus parameter.
- D. From Exchange Online PowerShell, run the New-Mailbox cmdlet and specify the-Archive parameter.

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/powershell/module/exchange/enable-mailbox?view=exchange-ps>

NEW QUESTION 80

- (Topic 5)

You have a Microsoft 365 subscription that uses Microsoft Exchange Online Protection (EOP) with the default settings.

You need to ensure that email messages sent from the unauthorized IP addresses of any sending domain are marked as High confidence spam The solution must minimize administrative effort.

What should you do?

- A. For the default anti-spam inbound policy, set SPF record: hard fail to On
- B. For the default connection filter policy, add an entry to the IP Block List.
- C. For the default anti-spam inbound policy, set Conditional Sender ID filtering: hard fail to On
- D. Create a mail flow rule.

Answer: A

NEW QUESTION 81

HOTSPOT - (Topic 5)

You run several PowerShell commands as shown in the following exhibit.

```
PS C:\> Get-AddressListPolicy | Format-Table
Name GlobalAddressList AddressLists OfflineAddressBook RoomList
-----
Fabrikam-ABP \Fabrikam \Fabrikam \Fabrikam-OAB \All Rooms
Contoso-ABP \Contoso \Contoso-IT, \Contoso-Marketing \Contoso-OAB \All Rooms

PS C:\> Get-GlobalAddressList | Format-Table
Name RecipientFilter
-----
Contoso ((Company -eq 'Contoso'))
Fabrikam ((Company -eq 'Fabrikam'))

PS C:\> Get-AddressList | Format-Table
Name DisplayName RecipientFilter
-----
Contoso-Marketing Contoso-Marketing ((Company -eq 'Contoso') -and (Department -eq 'Marketing'))
Fabrikam Fabrikam ((Company -eq 'Fabrikam'))

PS C:\> Get-ADUser | Where Name -eq "James Smith" | Select Name, UserPrincipalName, Company, Department
Name UserPrincipalName Company Department
-----
James Smith jsmith@contoso.com Contoso Marketing

PS C:\> Get-Mailbox | Where Name -eq "Executive Conference Room" | Select Name, Alias, Office, Database
Name Alias Office Database
-----
Executive Conference Room executiveconferenceroom Contoso DB1
```

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.

NOTE: Each correct selection is worth one point.

James Smith will appear on the [answer choice] address list.

▼

Contoso-IT
 Contoso-Marketing
 Fabrikam

The Executive Conference Room will appear in [answer choice].

▼

Contoso-ABP only
 Fabrikam-ABP only
 Contoso-ABP and Fabrikam-ABP
 none of the policies

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

James Smith will appear on the [answer choice] address list.

▼
Contoso-IT
Contoso-Marketing
Fabrikam

The Executive Conference Room will appear in [answer choice].

▼
Contoso-ABP only
Fabrikam-ABP only
Contoso-ABP and Fabrikam-ABP
none of the policies

NEW QUESTION 84

- (Topic 5)

Your company has an Exchange Server 2019 organization that has servers deployed in two Active Directory forests named adatum.com and contoso.com. The organization contains five Mailbox servers and two Edge Transport servers. You deploy Microsoft 365 and configure Exchange Online.

You plan to configure hybrid mail transport.

You need to identify the number of third-party CA certificates that must be used in the deployment.

What is the minimum number of certificates?

- A. 1
- B. 2
- C. 4
- D. 5

Answer: A

NEW QUESTION 88

HOTSPOT - (Topic 5)

You have a Microsoft Exchange Server 2019 hybrid deployment.

You are migrating mailboxes from the on-premises organization to Exchange Online. From the Exchange admin center, you create a new migration batch that includes 25

mailboxes, and then you select Manual Complete the batch.

Later, you must complete the migration of a mailbox named user1@litware.com in the batch as soon as possible. You discover that the status of the migration batch is Syncing, but the status of the move request for user1@litware.com is Synced.

You need to complete the migration of the user1@litware.com mailbox to Exchange Online as soon as possible.

How should you complete the command? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

▼
Set-MoveRequest
Set-MigrationBatch
Set-MigrationConfig

-Identity "user1@litware.com"

▼
-CompleteAfter(Get-Date)
-SuspendWhenReadyToComplete \$false
-PreventCompletion \$false

Resume-MoveRequest -Identity "user1@litware.com"

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

▼
Set-MoveRequest
Set-MigrationBatch
Set-MigrationConfig

-Identity "user1@litware.com"

▼
-CompleteAfter(Get-Date)
-SuspendWhenReadyToComplete \$false
-PreventCompletion \$false

Resume-MoveRequest -Identity "user1@litware.com"

NEW QUESTION 91

- (Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft Exchange Online tenant that contains the following email domains:

- ? Adatum.com
- ? Contoso.com
- ? Fabrikam.com

When external recipients receive email messages from the users in the tenant, all the messages are delivered by using the @contoso.com email domain. You need to ensure that the users send email by using the @fabrikam.com email domain. Solution: From the Microsoft 365 admin center, you set fabrikam.com as the default domain. Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/admin/setup/domains-faq?view=o365-worldwide#how-do-i-set-or-change-the-default-domain-in-microsoft-365>

NEW QUESTION 93

HOTSPOT - (Topic 5)

You have a Microsoft Exchange Online tenant named contoso.com.

Email messages from a remote domain named fabrikam.com are received from a server that uses a wildcard certificate for fabrikam.com and are encrypted by using TLS.

Fabrikam.com is switching to a third-party cloud filtering service for inbound and outbound email. The IP address used by the third-party service is 131.107.200.10.

You need to reconfigure the connector to only accept messages from fabrikam.com that are encrypted and received from the third-party service.

Which two settings should you modify for the connector? To answer, select the appropriate settings in the answer area.

NOTE: Each correct selection is worth one point.

Edit Connector

What security restrictions do you want to apply?

Reject email messages if they aren't sent over TLS.

And require that the subject name on the certificate that the partner uses to authenticate with Office 365 matches this domain name

*.fabrikam.com

Reject email messages if they aren't sent from within this IP address range

+ -

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Edit Connector

What security restrictions do you want to apply?

Reject email messages if they aren't sent over TLS.

And require that the subject name on the certificate that the partner uses to authenticate with Office 365 matches this domain name

*.fabrikam.com

Reject email messages if they aren't sent from within this IP address range

+ ✎ -

NEW QUESTION 94

HOTSPOT - (Topic 5)

You have a Microsoft Exchange Online tenant.

You have an on-premises scanner that emails scanned documents by using SMTP.

You need to create a Microsoft Office 365 SMTP relay to route email from the scanner to the internet. The solution must ensure that the connector accepts only email sent by the scanner.

How should you configure the connector? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Select your mail flow scenario

Specify your mail flow scenario, and we'll let you know if you need to set up a connector.

[Learn more](#)

From:

▼

Internet
Office 365
Partner organization
Your organization's email server

To:

▼

Internet
Office 365
Partner organization
Your organization's email server

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Select your mail flow scenario

Specify your mail flow scenario, and we'll let you know if you need to set up a connector.

[Learn more](#)

From:

▼
Internet
Office 365
Partner organization
Your organization's email server

To:

▼
Internet
Office 365
Partner organization
Your organization's email server

NEW QUESTION 95

HOTSPOT - (Topic 5)

You have a Microsoft Exchange Server 2019 hybrid deployment.

You run the Get-HybridConfiguration cmdlet and receive the output shown in the following exhibit.

```
ClientAccessServers      : {}
EdgeTransportServers    : {}
ReceivingtransportServers : (EX01, EX02)
SendingTransportServers  : (EX01, EX02)
OnPremisesSmartHost     : mail.litware.com
Domains                 : (litware.com)
Features                : (FreeBusy, MoveMailbox, Moiltips, MessageTracking, SecureMail, Photos)
ExternalIPAddresses     : {}
TlsCertificateName      : <I>CN=CA, O=SSLCert Inc, C=US<S>CN=mail.litware.com, OU=IT, O=User1,
                        L=Redmond, S=Washington, C=US
```

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.

NOTE: Each correct selection is worth one point.

To enable users who have on-premises mailboxes to access their archive mailbox in Exchange online, you must modify the [answer choice] property.

▼
ClientAccessServers
Domains
Features
ExternalIPAddresses

Depending on where the user mailbox is located, to enable automatic Microsoft Outlook on the web redirection to either the on-premises organization or Exchange Online, you must modify the [answer choice] property.

▼
ClientAccessServers
Domains
Features
ExternalIPAddresses

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

References:

<https://docs.microsoft.com/en-us/powershell/module/exchange/federation-and-hybrid/set-hybridconfiguration?view=exchange-ps>

NEW QUESTION 100

- (Topic 5)

You have a Microsoft 365 environment that contains 1,000 mobile devices.

You need to recommend a solution to prevent all the mobile devices that use the Exchange ActiveSync protocol from authenticating by using Basic authentication.

Which two solutions should you recommend? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

- A. Configure the CAS mailbox settings for each mailbox.
- B. Implement Azure Multi-Factor Authentication (MFA).
- C. Create an authentication policy.
- D. Create a conditional access policy.
- E. Create a device access rule.

Answer: CD

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/clients-and-mobile-in-exchange-online/disable-basicauthentication-in-exchange-online>

<https://docs.microsoft.com/en-us/azure/active-directory/conditional-access/block-legacy-authentication>

NEW QUESTION 104

- (Topic 5)

You have a Microsoft Exchange Online tenant that contains a user named User1. User1 reports that an email message marked as high priority was undelivered. You need to trace the email messages sent by User1 during the last 15 days. The solution must include the Delivery Priority property of the messages. Which report should you use?

- A. Enhanced summary
- B. Summary
- C. Extended
- D. Outbound messages

Answer: A

NEW QUESTION 106

- (Topic 5)

You have a Microsoft Exchange Online tenant that contains a mailbox named Mailbox1.

You need to ensure that Mailbox1 rejects all external email messages and responds with the following non-delivery report (NDR): "Mailbox1 is an automated system mailbox and does not accept incoming mail.

What should you do?

- A. Set a message delivery restriction for Mailbox1.
- B. From Mailbox1, create an inbox rule.
- C. Create a mail flow rule.
- D. Modify the permissions for Mailbox1.

Answer: C

NEW QUESTION 109

- (Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft Exchange Online tenant that contains the following email domains:

? Adatum.com

? Contoso.com

? Fabrikam.com

When external recipients receive email messages from the users in the tenant, all the messages are delivered by using the @contoso.com email domain.

You need to ensure that the users send email by using the @fabrikam.com email domain. Solution: You modify the properties of the fabrikam.com accepted domain.

Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/mail-flow/accepted-domains/accepted-domains?view=exchserver-2019>

NEW QUESTION 110

SIMULATION - (Topic 5)


Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time.

When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.

Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.

Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.



Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username: admin@abc.com

Microsoft 365 Password: xxxxxx

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only.

Lab Instance: XXXXXX

You need to ensure that a user named Miriam Graham has the required rights to create new recipients by using the Exchange Online admin center. Miriam must be prevented from managing recipients. The solution must use the principle of least privilege. To complete this task, sign in to the Microsoft 365 admin center.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

? From the Microsoft 365 admin center dashboard, go to Admin > Exchange.

? In the Exchange admin center, go to Roles > Admin roles, select the Recipient Management role group.

? In Assigned section, add Miriam Graham to the role group.

? When you're finished, click Save.

NEW QUESTION 113

DRAG DROP - (Topic 5)

You have a Microsoft Exchange Online tenant that uses Exchange Online Protection (EOP) with the default settings. You plan to configure quarantine settings to meet the following requirements:

- Specify the language of notifications.
- Specify the notification interval.
- Enable notifications.

What should you configure for each requirement? To answer, drag the appropriate configurations to the correct requirements. Each configuration may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Configurations

- Custom quarantine policy
- Default anti-spam policy
- Global quarantine policy settings
- Mail flow rule

Answer Area

Specify the language of notifications:

Specify the notification interval:

Enable notifications:

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:



NEW QUESTION 114

- (Topic 5)

You have a Microsoft Exchange Online tenant that contains a mailbox named Sales. You need to create a copy of all the external email sent from the Sales mailbox to an alternate location. What should you create?

- A. a data loss prevention (DLP) policy
- B. a records management file plan
- C. a journaling rule
- D. a retention policy

Answer: C

NEW QUESTION 119

- (Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft Exchange Server 2019 hybrid deployment. All user mailboxes are hosted in Microsoft 365. All outbound SMTP email is routed through the on-premises Exchange organization.

A corporate security policy requires that you must prevent credit card numbers from being sent to internet recipients by using email.

You need to configure the deployment to meet the security policy requirement. Solution: From Microsoft 365, you create a data loss prevention (DLP) policy. Does this meet the goal?

- A. Yes
- B. No

Answer: A

Explanation:

Reference:
<https://docs.microsoft.com/en-us/microsoft-365/compliance/data-loss-prevention-policies?view=o365-worldwide>

NEW QUESTION 121

- (Topic 5)

You have a Microsoft Exchange Server 2019 organization.

You need to ensure that a user named User1 can prevent mailbox content from being deleted if the content contains the words Fabrikam and Confidential. What should you do?

- A. Add User1 to the Organization Management management role group.
- B. Add User1 to the Records Management management role group.
- C. Assign the mailbox Search and Mailbox Import Export
- D. Assign the Mailbox Search and Legal Hold management roles to User1.

Answer: D

Explanation:

References:
<https://docs.microsoft.com/en-us/exchange/policy-and-compliance/holds/holds?view=exchserver-2019>

NEW QUESTION 124

HOTSPOT - (Topic 5)

You have a Microsoft Exchange Server 2019 hybrid deployment. You use Advanced Threat Protection (ATP).

You have safe attachments policies configured as shown in the following table.

Name	Action	Action On Error	Enable redirect
Policy1	Dynamic Delivery	Enabled	Enabled
Policy2	Block	Enabled	Disabled

You have the users shown in the following table.

Name	Location	Safe attachments policy
User1	On-premises	Policy1
User2	Exchange Online	Policy2
User3	Exchange Online	None
User4	Exchange Online	Policy1

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Statements	Yes	No
If User1 receives an email message that contains an attachment, the message will be delivered immediately with a placeholder file. The attachment will be reattached if no malware is detected.	<input type="radio"/>	<input type="radio"/>
If User2 receives an email message that has detected malware, the message will be placed in quarantine.	<input type="radio"/>	<input type="radio"/>
If User4 receives an email message that contains an attachment, and then forwards the message to User3 before attachment scanning is complete, User3 will receive the attachment after the initial attachment scanning is complete.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: No
 Dynamic Delivery cannot make changes to on-premise mailboxes after the message has been delivered.
 Box 2: Yes
 Policy2 applies to User2. Policy2 has a block action so the message will be placed in quarantine.
 Box 3: No
 User3 does not have a policy assigned so the attachment will be forwarded without being scanned.

NEW QUESTION 127

- (Topic 5)

You have a Microsoft Exchange Online tenant that contains 1,000 users.

A user named User1 receives a non-delivery report (NDR) when attempting to send an email message to an internal group named sales@contoso.com. The NDR contains the following text: "5.7.1 Delivery not authorized."

You need to ensure that User1 can send email to sales@contoso.com successfully. Solution: You instruct User1 to reduce the size of the email message.

Does this meet the goal?

- A. No
- B. Yes

Answer: B

NEW QUESTION 130

HOTSPOT - (Topic 5)

You have a Microsoft Exchange Online tenant that uses Microsoft Defender for Office 365.

Users report that a domain named contoso.com sent them phishing email messages that contain URLs.

You need to ensure that the messages are identified as phishing. The solution must ensure that contoso.com and all its subdomains and paths are matched.

How should you complete the PowerShell command? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area



NEW QUESTION 135

DRAG DROP - (Topic 5)

You have a Microsoft 365 subscription that has Microsoft Defender for Office 365 enabled and contains two groups named Group1 and Group 2. The members of the groups must meet the requirements shown in the following table.

Group	Requirement
Group1	Enable email impersonation protection.
Group2	Receive email containing attachments that have a .jar extension from an application that sends log files.

You need to configure threat protection policies to meet the requirements.

Which threat protection policy should you configure for each group? To answer, drag the appropriate policies to the correct groups. Each policy may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each coned selection is worth one point.



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:



NEW QUESTION 136

- (Topic 5)

You have a hybrid deployment between a Microsoft Exchange Online tenant and an on- premises Exchange Server 2019 organization.

The tenant uses an email domain named @contoso.com.

You recently purchased an email domain named fabrikam.com.

You need to ensure that all the users in the tenant can receive email messages by using the @fabrikam.com email domain. The solution must ensure that the users can continue to receive email by using the @contoso.com email domain.

Which three actions should you perform? Each correct answer presents part of the solution. NOTE; Each correct selection is worth one point.

- A. From Azure AD Connect add a domain for fabrikam.com.
- B. From the on-premises Exchange admin center, add an accepted domain for fabrikam.com.
- C. From the Exchange Management Shell, create a script that runs the
- D. From the Microsoft 365 admin center, verify the fabrikam.com email domain
- E. From the on-premises Exchange admin center, modify the email address policy
- F. From the Microsoft 365 admin center, add the fabrikam.com email domain.

Answer: BDE

NEW QUESTION 141

- (Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft Exchange Online tenant that contains the following email domains:

- ? Adatum.com
- ? Contoso.com
- ? Fabrikam.com

When external recipients receive email messages from the users in the tenant, all the messages are delivered by using the @contoso.com email domain.

You need to ensure that the users send email by using the @fabrikam.com email domain. Solution: From the Exchange Management Shell, you run Set-Mailbox cmdlet.

Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Set-Mailbox -PrimarySmtpAddress <SmtpAddress>

Reference:

<https://docs.microsoft.com/en-us/powershell/module/exchange/set-mailbox?view=exchange-ps>

NEW QUESTION 143

HOTSPOT - (Topic 5)

You have a Microsoft Exchange Online tenant that contains three Azure Active Directory (Azure AD) security groups named Administrators, Managers, and Marketing. The tenant contains the users shown in the following table.

Name	Group membership
User1	Managers
User2	Marketing
User3	Administrators
User4	None

The tenant contains the resources shown in the following table.

Name	Type
ConferenceRoom1	Room
ConferenceRoom2	Room
Projector1	Equipment

ConferenceRoom1 has the following policy.

```
PS C:\> get-calendarprocessing "ConferenceRoom1"|fl Allb*,allr*,booking*,req*,res*
AllBookInPolicy      : False
AllRequestOutOfPolicy : False
AllRequestInPolicy   : False
BookInPolicy         : (/o=ExchangeLabs/ou=Exchange Administrative Group
                      (FYDIBOHF23SPDLT)/cn=Recipients/cn=7fddfdd211974ea68d22dae2c891db02-Managers)
RequestOutOfPolicy   : {}
RequestInPolicy      : (/o=ExchangeLabs/ou=Exchange Administrative Group
                      (FYDIBOHF23SPDLT)/cn=Recipients/cn=03a5a93a90ad4296907830a3ec1a8f94-User2)
ResourceDelegates    : {User4}
```

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Statements	Yes	No
User1 can book ConferenceRoom1 automatically without the approval of User4.	<input type="radio"/>	<input type="radio"/>
User2 can book ConferenceRoom1 automatically without the approval of User4.	<input type="radio"/>	<input type="radio"/>
User4 can book ConferenceRoom1 pending approval from User3.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Yes

The BookInPolicy allows the Managers group. User1 is in the Managers group so User 1 can book ConferenceRoom1 automatically without the approval of User4.

Box 2: No

The BookInPolicy allows the Managers group. User2 is not in the Managers group so User 2 cannot book ConferenceRoom1 automatically without the approval of User4.

Box 3: No

The RequestInPolicy does not include User4. Therefore, User3 is not allowed to request to book the meeting room either with or without approval.

NEW QUESTION 146

- (Topic 5)

You have a Microsoft Exchange Server 2019 organization. You create a retention policy. You need to ensure that all email older than one year is moved to an archive mailbox. What should you use?

- A. a data loss prevention (DLP) policy
- B. a retention policy tag

- C. a default policy tag
- D. a personal tag

Answer: C

NEW QUESTION 151

SIMULATION - (Topic 5)

SIMULATION

Please wait while the virtual machine loads. Once loaded, you may proceed to the lab


section. This may take a few minutes, and the wait time will not be deducted from your overall test time.

When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.

Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.

Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.



Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username: admin@abc.com

Microsoft 365 Password: xxxxxx

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only.

Lab Instance: XXXXXX

You need to create a public folder named Finance. The solution must ensure that only the members of a group named Finance Team can send email messages to the Finance folder.

To complete this task, sign in to the Microsoft 365 admin center.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

? In the EAC, go to Public folders > Public folder mailboxes, and then click Add +.

? In the New public folder mailbox page that opens, enter the following information:

- Name: Enter the name for the public folder mailbox.

- Organizational unit: Click Browse to select the location in Active Directory where the mailbox object is created.

- Mailbox database: Click Browse to select the mailbox database where the mailbox is created.

When you're finished, click Save.

Use the EAC to create a public folder

When using the EAC to create a public folder, you'll only be able to set the name and the path of the public folder. To configure additional settings, you'll need to edit the public folder after it's created.

? Navigate to Public folders > Public folders.

? If you want to create this public folder as a child of an existing public folder, click the existing public folder in the list view. If you want to create a top-level public folder, skip this step.

? Click Add +.

? In Public Folder, type the name of the public folder.

? In the Path box, verify the path to the public folder. If this isn't the desired path, click Cancel and follow Step 2 of this procedure.
 ? Click Save.
 ? Navigate back to Public folders > Public folders.
 ? In the list view, select the public folder that you want to mail-enable or mail-disable.
 ? In the details pane, under Mail settings, click Enable or Disable.
 ? A warning box displays asking if you're sure you want to enable or disable email for the public folder. Click Yes to continue.
 You can then run the Set-MailPublicFolder PowerShell cmdlet, and include the AcceptMessagesOnlyFromDLMembers parameter to specify who is allowed to send messages to this recipient.

NEW QUESTION 156

- (Topic 5)
 You have a Microsoft 365 E3 subscription that uses Microsoft Exchange Online and contains a global administrator named Admin1. Admin1 plans to use Attack simulation training to simulate a Malware Attachment attack. However, when a simulation is launched, only the Credential Harvest technique is available.
 You need to ensure that Admin1 can run the Malware Attachment simulation. What should you do?

A. Assign the Attack simulation administrator role to Admin1.
 B. Create an anti-phishing policy.
 C. Create an anti-malware policy.
 D. Assign a Microsoft 365 E5 license to Admin1.

Answer: D

NEW QUESTION 158

- (Topic 5)
 You have a Microsoft 365 subscription that contains two users named User1 and User2. User1 reports to have received a suspicious email message that appears to have come from User2. You identify that the message was sent by an external user impersonating User2. You need to block email that contains the email address of an impersonated sender. What should you configure?

A. an anti-phishing policy
 B. a Tenant Allow/Block Lists rule
 C. an anti-spam policy
 D. an Enhanced filtering rule

Answer: B

NEW QUESTION 159

HOTSPOT - (Topic 5)
 You have a Microsoft Exchange Server 2019 hybrid deployment. You have the on-premises mailboxes shown in the following table.

Name	Forwarding address
User1	User6
User2	None
User3	None
User4	None
User5	None
User6	None

You add the mailbox permissions shown in the following table.

Mailbox	Permission
User2	Send As for User4
User4	Full Access for User3
User6	Send on Behalf for User5

You plan to migrate the mailboxes to Exchange Online by using remote mailbox move requests. The mailboxes will be migrated according to the schedule shown in the following table.

Week	Mailbox
1	User1, User2, User3, User6
2	User4, User5

Mailboxes migrated the same week will have their mailbox move requests included in the same batch and will be cut over simultaneously. For each of the following statements, select Yes if the statement is true. Otherwise, select No.
 NOTE: Each correct selection is worth one point.

Statements	Yes	No
The mail forwarding settings of the User1 mailbox will be preserved automatically after the migration.	<input type="radio"/>	<input type="radio"/>
The permissions granted to the User4 mailbox for the User2 mailbox will be preserved automatically after the migration.	<input type="radio"/>	<input type="radio"/>
The permissions granted to the User3 mailbox for the User4 mailbox will be preserved automatically after the migration.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

References:

<https://docs.microsoft.com/en-us/exchange/exchange-hybrid>

<https://practical365.com/exchange-online/configuring-exchange-hybrid-cross-forest-permissions/>

NEW QUESTION 160

HOTSPOT - (Topic 5)

You have a Microsoft Exchange Server 2019 organization that contains the Mailbox servers shown in the following table.

Name	Member of	Database
EX1	Site1	Mail1
EX2	Site2	Mail2
EX3	Site3	Mail3

The organization contains the mailboxes shown in the following table.

Name	Database
User1	Mail1
User2	Mail2
User3	Mail3

You create the public folder mailboxes shown in the following table.

Mailbox	Database	Hierarchy
PF1	Mail1	Primary
PF2	Mail2	Secondary
PF3	Mail3	Secondary

You set the DefaultPublicFolderMailbox property of each user mailbox to the public folder mailbox closest to the user.

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Statements	Yes	No
If User3 creates a public folder, the folder hierarchy will be updated first on EX3.	<input type="radio"/>	<input type="radio"/>
When User2 views the folder hierarchy, the user will use EX2.	<input type="radio"/>	<input type="radio"/>
If User3 accesses a public folder from PF1, and then EX1 goes offline, User3 can still access the content in the public folder.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Statements	Yes	No
If User3 creates a public folder, the folder hierarchy will be updated first on EX3.	<input type="radio"/>	<input checked="" type="radio"/>
When User2 views the folder hierarchy, the user will use EX2.	<input checked="" type="radio"/>	<input type="radio"/>
If User3 accesses a public folder from PF1, and then EX1 goes offline, User3 can still access the content in the public folder.	<input checked="" type="radio"/>	<input type="radio"/>

NEW QUESTION 163

- (Topic 5)

You have a Microsoft 365 E3 subscription that uses Microsoft Exchange Online. You need to retain audit log entries for users in the legal department for up to one year. Which two actions should you perform? Each Correct answer presents part of the solution.

Note: Each Correct Selection is worth one point.

- A. For the default audit log retention policy, set Duration to 1 Year.
- B. Assign a Microsoft Office 365 E5 license to each legal department user.
- C. Create a retention policy that has a one-year retention tag and apply the policy to the user mailboxes in the legal department.
- D. Create a new audit log retention policy and assign the policy to the legal department.
- E. Assign a Microsoft Office 365 E5 license to each user in the tenant.

Answer: AC

Explanation:

You can set the default audit log retention policy to retain log entries for up to one year by changing the "Duration" setting to "1 Year."

* C. Create a retention policy that has a one-year retention tag and apply the policy to the user mailboxes in the legal department. Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/retention-policies-in-the-security-compliance-center?view=o365-worldwide#create-or-edit-a-retention-policy>

You can create a retention policy with a one-year retention tag, and then apply the policy to the user mailboxes in the legal department. This will ensure that the audit log entries for those users are retained for up to one year as per the retention tag.

NEW QUESTION 166

SIMULATION - (Topic 5)


Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time.

When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.

Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.

Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.



Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username: admin@abc.com

Microsoft 365 Password: xxxxxx

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only.

Lab Instance: XXXXXX

You need to prevent email messages from a domain named fabrikam.com from being delivered to the mailboxes of your organization.

To complete this task, sign in to the Microsoft 365 admin center.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

? In the Microsoft 365 Defender portal at <https://security.microsoft.com>, go to Email

& Collaboration > Policies & Rules > Threat policies > Anti-spam in the Policies section. To go directly to the Anti-spam policies page, use <https://security.microsoft.com/antispam>.

? On the Anti-spam policies page, click Create policy and then select Inbound from the drop down list.

? The policy wizard opens. On the Name your policy page, configure these settings:

- Name: Enter a unique, descriptive name for the policy.
- Description: Enter an optional description for the policy. When you're finished, click Next.

? On the Users, groups, and domains page that appears, identify the internal recipients that the policy applies to (recipient conditions):

- Users: The specified mailboxes, mail users, or mail contacts in your organization.
- Groups: The specified distribution groups, mail-enabled security groups, or Microsoft 365 Groups in your organization.
- Domains: All recipients in the specified accepted domains in your organization.

Click in the appropriate box, start typing a value, and select the value that you want from the results. Repeat this process as many times as necessary. To remove an existing value, click remove x next to the value.

For users or groups, you can use most identifiers (name, display name, alias, email address, account name, etc.), but the corresponding display name is shown in the results. For users, enter an asterisk (*) by itself to see all available values.

Multiple values in the same condition use OR logic (for example, <recipient1> or

<recipient2>). Different conditions use AND logic (for example, <recipient1> and <member of group 1>).

- Exclude these users, groups, and domains: To add exceptions for the internal recipients that the policy applies to (recipient exceptions), select this option and configure the exceptions. The settings and behavior are exactly like the conditions.

When you're finished, click Next.

? On the Bulk email threshold & spam properties page that appears, configure the following settings:

- Bulk email threshold: Specifies the bulk complaint level (BCL) of a message that triggers the specified action for the Bulk spam filtering verdict that you configure on the next page (greater than the specified value, not greater than or equal to). A higher value indicates the message is less desirable (more likely to resemble spam). The default value is 7. For more information, see Bulk complaint level (BCL) in EOP and What's the difference between junk email and bulk email?.

By default, the PowerShell only setting MarkAsSpamBulkMail is On in anti-spam policies. This setting dramatically affects the results of a Bulk filtering verdict:

_ MarkAsSpamBulkMail is On: A BCL that's greater than the threshold is converted to an SCL 6 that corresponds to a filtering verdict of Spam, and the action for the Bulk filtering verdict is taken on the message.

_ MarkAsSpamBulkMail is Off: The message is stamped with the BCL, but no action is taken for a Bulk filtering verdict. In effect, the BCL threshold and Bulk filtering verdict action are irrelevant.

- Increase spam score, Mark as spam* and Test mode: Advanced Spam Filter (ASF) settings that are turned off by default.

The Contains specific languages and from these countries settings are not part of ASF.

- Contains specific languages: Click the box and select On or Off from the drop down list. If you turn it on, a box appears. Start typing the name of a language in the box. A filtered list of supported languages will appear. When you find the language that you're looking for, select it. Repeat this step as many times as necessary. To remove an existing value, click remove x next to the value.

- From these countries*: Click the box and select On or Off from the drop down list. If you turn it on, a box appears. Start typing the name of a country in the box. A filtered list of supported countries will appear. When you find the country that you're looking for, select it. Repeat this step as many times as necessary. To remove an existing value, click remove x next to the value.

When you're finished, click Next.

? On the Actions page that appears, configure the following settings:

- Message actions: Select or review the action to take on messages based on the following spam filtering verdicts:

- _ Spam
- _ High confidence spam Phishing
- _ High confidence phishing Bulk

- Retain spam in quarantine for this many days: Specifies how long to keep the message in quarantine if you selected Quarantine message as the action for a spam filtering verdict. After the time period expires, the message is deleted, and is not recoverable. A valid value is from 1 to 30 days.

- Add this X-header text: This box is required and available only if you selected Add X- header as the action for a spam filtering verdict. The value you specify is the header field name that's added to the message header. The header field value is always This message appears to be spam.

- Prepend subject line with this text: This box is required and available only if you selected Prepend subject line with text as the action for a spam filtering verdict. Enter the text to add to the beginning of the message's subject line.

- Redirect to this email address: This box is required and available only if you selected the Redirect message to email address as the action for a spam filtering verdict. Enter the email address where you want to deliver the message. You can enter multiple values separated by semicolons (;).

- Enable safety Tips: By default, Safety Tips are enabled, but you can disable them by clearing the checkbox.

- Enable zero-hour auto purge (ZAP): ZAP detects and takes action on messages that have already been delivered to Exchange Online mailboxes.

ZAP is turned on by default. When ZAP is turned on, the following settings are available:

- _ Enable ZAP for phishing messages: By default, ZAP is enabled for phishing detections, but you can disable it by clearing the checkbox.
- _ Enable ZAP for spam messages: By default, ZAP is enabled for spam detections, but you can disable it by clearing the checkbox.

When you're finished, click Next.

? On the Allow & block list flyout that appears, you are able to configure message senders by email address or email domain that are allowed to skip spam filtering.

In the Allowed section, you can configure allowed senders and allowed domains. In the

Blocked section, you can add blocked senders and blocked domains. The steps to add entries to any of the lists are the same:

- _ Click the link for the list that you want to configure: Allowed >Senders: Click Manage (nn) sender(s). Allowed >Domains: Click Allow domains. Blocked >Senders: Click Manage (nn) sender(s). Blocked >Domains: Click Block domains.

- _ In the flyout that appears, do the following steps: Click + Add senders or Add domains.

_ In the Add senders or Add domains flyout that appears, enter the sender's email address in the Sender box or the domain in the Domain box. As you're typing, the value appears below the box. When you're finished typing the email address or domain, select the value below the box.

- _ Repeat the previous step as many times as necessary. To remove an existing value, click remove x next to the value.

When you're finished, click Add senders or Add domains.

- Back on the main flyout, the senders or domains that you added are listed on the page. To remove an entry from this page, do the following steps:

- _ Select one or more entries from the list. You can also use the Search box to find values in the list.
- _ After you select at least one entry, the delete icon appears. Click the delete icon to remove the selected entries.

When you're finished, click Done.

Back on the Allow & block list page, clickNext when you're read to continue.

? On the Review page that appears, review your settings. You can select Edit in each section to modify the settings within the section. Or you can click Back or select the specific page in the wizard.

When you're finished, click Create.

? On the confirmation page that appears, click Done.

NEW QUESTION 169

- (Topic 5)

You have a Microsoft Exchange Server 2019 hybrid deployment that contains the public folders shown in the following table.

Name	Structure	Mail-enabled
PF1	Hierarchical	Yes
PF2	Flat	No
PF3	Flat	Yes

You plan to migrate the public folders to Exchange Online to improve the collaboration options available to users. Which public folders can be migrated to Office 365 groups without losing the folders' existing functionality?

- A. PF2 and PF3 only
- B. PF2 only
- C. PF1 and PF2 only
- D. PF1 only
- E. PF3 only

Answer: A

Explanation:

Not PF1. Office 365 groups are 'flat' so you would lose the folder hierarchy. Reference:

<https://docs.microsoft.com/en-us/exchange/collaboration/public-folders/migrate-to-microsoft-365-groups?view=exchserver-2019>

NEW QUESTION 171

- (Topic 5)

You have a Microsoft Exchange Server 2019 organization.

You add 100 new users and create a mailbox for each user. The new users have the City attribute in Active Directory set to Seattle.

You need to create a separate global address list (GAL) that contains only users who have the City attribute set to Seattle. The solution must ensure that any new users who have the City attribute of Seattle are added automatically to the new GAL.

What should you do?

- A. From the Azure Active Directory admin center, create an Office 365 group that uses a dynamic membership rule.
- B. From the Exchange admin center, create a new GAL.
- C. Run the New-EmailAddressPolicy cmdlet to create a new email address policy that uses a recipient filter.
- D. Run the New-GlobalAddressList cmdlet to create a new address list.

Answer: D

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/address-books/address-lists/address-lists>

NEW QUESTION 173

- (Topic 5)

You have a Microsoft 365 E3 subscription that uses Microsoft Exchange Online.

You need to ensure that Safe Links and Safe Attachments protection is enabled for users. What should you do?

- A. Create an anti-malware policy and enable the common attachments filter.
- B. Assign a Microsoft 365 E5 license to each user.
- C. Enable the Strict protection preset security policy.
- D. Create an Enhanced Filtering for Connectors rule.

Answer: C


NEW QUESTION 176

HOTSPOT - (Topic 5)

You are migrating mailboxes from a Microsoft Exchange Server 2016 organization to Exchange Online. The mailbox migrations are configured to suspend, and you plan to perform a coordinated cutover.

Which PowerShell command should you run to complete all the suspended mailbox migrations? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Get-MoveRequest

The Get-MoveRequest cmdlet gets the status of an ongoing asynchronous mailbox move that was initiated by using the New-MoveRequest cmdlet.

Box 2: Resume-MoveRequest

The Resume-MoveRequest cmdlet is used to resume a move request that has been suspended or has failed.

NEW QUESTION 180

- (Topic 5)

You have an Exchange Online tenant that contains several hundred mailboxes.

Several users report that email messages from an SMTP domain named @fabrikam.com often fail to be delivered to their mailbox.

You need to increase the likelihood that the email messages from the @fabrikam.com are delivered successfully to the users in the tenant.

- A. From the Security & Compliance admin center, modify the anti-spam policy settings.
- B. From the Security & Compliance admin center, modify the DKIM settings.
- C. From your public DNS zones, create a Sender Policy Framework (SPF) TXT record.
- D. From the Security & Compliance admin center, create a new ATP anti-phishing policy.

Answer: A

NEW QUESTION 183

- (Topic 5)

You recently implemented a hybrid deployment that contains a Microsoft Exchange Online tenant and an on-premises Exchange Server 2019 server named Server1. The public IP address of Server1 is 131.107.1.100.

The deployment is configured as shown in the following table.

Object type	Configuration	Location
Accepted domain	Contoso.com	Microsoft 365
Remote domain	*	Microsoft 365
Outbound connector	Use DNS routing	Microsoft 365
Inbound connector	Default settings	Microsoft 365
Mail exchanger (MX) record	Contoso-com.mail.protection.outlook.com	Public DNS
Send connector	Use DNS routing	Exchange Server 2019

Users hosted in Microsoft 365 report that they receive non-delivery reports (NDRs) when they attempt to send email messages to mailboxes hosted in Exchange Server 2019.

You need to ensure that the email is delivered successfully. The solution must ensure that email delivery is successful for all the users at your company.

What should you do?

- A. Configure the remote domain to use a value of contoso.com.
- B. Modify the MX record to point to the internal Exchange servers.
- C. Configure the Outbound connector to use a smart host of 131.107.1.100.
- D. Configure the accepted domain to use a value of *.

Answer: C

NEW QUESTION 184

HOTSPOT - (Topic 5)

HOTSPOT

Your company named Contoso, Ltd. has a Microsoft Exchange Online subscription that uses a domain named contoso.com.

Contoso works with a partner company named A.Datum Corporation. A.Datum has an Exchange Server 2016 organization that uses a domain named adatum.com.

You need to ensure that users at Contoso can share their free/busy information with the users at A.Datum.

What should you do for each company? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

A.Datum:

- Configure Microsoft Azure Active Directory Connect
- Create a federation trust between Exchange and Microsoft Office 365
- Establish identity federation by using Active Directory Federation Services
- Create a sharing policy

Contoso:

- Establish identity federation by using Active Directory Federation Services
- Configure Microsoft Azure Active Directory Connect
- Create an organization relationship
- Create a federation trust between Exchange and Microsoft Office 365

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

References:

<https://docs.microsoft.com/en-us/exchange/sharing/organization-relationships/organization-relationships>

NEW QUESTION 186

SIMULATION - (Topic 5)

SIMULATION


Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time.

When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.

Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.

Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.



Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username: admin@abc.com

Microsoft 365 Password: xxxxxx

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only.

Lab Instance: XXXXXX

You need to ensure that the users in your tenant can only share calendar availability information with the other users in the tenant.

To complete this task, sign in to the Microsoft 365 admin center.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

- ? From the Microsoft 365 admin center dashboard, go to Admin > Exchange.
- ? Go to organization > sharing.
- ? Under Individual Sharing, select a sharing policy. In the On column, clear the check box for the sharing policy you want to disable.

NEW QUESTION 188

- (Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft 365 E5 subscription.

You need to ensure that a user named User1 can review audit reports from the Microsoft 365 security center. User1 must be prevented from tracing messages from the Security admin center.

Solution: You assign the Security administrator role to User1. Does this meet the goal?

- A. Yes
- B. No

Answer: A

Explanation:

Security Administrator can view the audit reports but cannot create a message trace.

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/security/office-365-security/message-trace-scc>

NEW QUESTION 189

- (Topic 5)

You have a Microsoft Exchange Online tenant that uses Microsoft 365 Defender.

You plan to use Attack simulation training to simulate the following attack against users:

- Send an email message that contains a URL.
- If the users click the URL, redirect them to a website that requests a username and password.

Which technique should you use for the simulation?

- A. Malware Attachment
- B. Credential Harvest
- C. Drive-by URL
- D. Link to Malware

Answer: B

NEW QUESTION 190

DRAG DROP - (Topic 5)

You have a Microsoft Exchange Online tenant that contains two groups named Group1 and Group2.

You need to ensure that the members of Group1 can perform In-Place eDiscovery searches only for the members of Group2.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions	Answer Area
Create an administrative unit that contains Group1.	
Configure the write scope and assign Group2 to the new role group.	
Copy the Discovery Management role group.	
Create a custom management scope that contains the membership of Group2.	
Copy the Recipient Management role group.	
Configure the write scope and assign Group1 to the new role group.	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Actions	Answer Area
Create an administrative unit that contains Group1.	
Configure the write scope and assign Group2 to the new role group.	
Copy the Discovery Management role group.	
Create a custom management scope that contains the membership of Group2.	Create a custom management scope that contains the membership of Group2.
Copy the Recipient Management role group.	Copy the Recipient Management role group.
Configure the write scope and assign Group1 to the new role group.	Configure the write scope and assign Group1 to the new role group.

NEW QUESTION 195

- (Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your company has a Microsoft 365 subscription.

Several users in the finance department of the company recently accessed unsafe websites by clicking on links in email messages.

Users in the marketing department of the company report that they must be able to access all the links embedded in email messages.

You need to reduce the likelihood of the finance department users accessing unsafe websites. The solution must affect only the finance department users.

Solution: You modify the content filtering settings. Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/security/office-365-security/set-up-safe-links-policies?view=o365-worldwide>

NEW QUESTION 197

HOTSPOT - (Topic 5)

You have a Microsoft Exchange Online tenant.

You plan to filter all inbound and outbound email messages by using a third-party message hygiene solution.

You need to ensure that all the email sent and received by the tenant is filtered through the message hygiene solution. The solution must ensure that only the message hygiene solution can send email to the tenant.

What should you configure for the tenant? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

DNS records:

▼
Mail exchanger (MX)
Alias (CNAME)
Host (A)
Service location (SRV)

Exchange Online configuration:

▼
One inbound connector and one Outbound connector
One inbound connector only
One Outbound connector only
One remote domain and one accepted domain

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

DNS records:

▼
Mail exchanger (MX)
Alias (CNAME)
Host (A)
Service location (SRV)

Exchange Online configuration:

▼
One inbound connector and one Outbound connector
One inbound connector only
One Outbound connector only
One remote domain and one accepted domain

NEW QUESTION 200

- (Topic 5)

You have a Microsoft 365 subscription.

A safe attachments policy that uses Dynamic Delivery is applied to all recipients who match your SMTP domains.

You need to prevent attachments from being scanned when internal users send email to one another.

What should you do?

- A. From the Security & Compliance admin center, modify the safe attachments policy.
- B. From the Security & Compliance admin center, modify the Service assurance settings.
- C. From the Exchange admin center, create a transport rule.
- D. From the Exchange admin center, modify the malware filter.

Answer: C

Explanation:

Create a transport rule (or mail flow rule as they are called nowadays) to configure the message header: X-MS-Exchange-Organization-SkipSafeAttachmentProcessing.

Reference:

<https://docs.microsoft.com/en-gb/archive/blogs/office365labs/eo-atp-considerations-reports-demonstrations>

NEW QUESTION 204

- (Topic 5)

You have a Microsoft Exchange Server 2019 organization. Users access their email by using Microsoft Outlook 2019.

The users report that when a mailbox is provisioned for a new user, there is a delay of many hours before the new user appears in the global address list (GAL).

From Outlook on the web, the users can see the new user in the GAL immediately.

You need to reduce the amount of time it takes for new users to appear in the GAL in Outlook 2019.

What should you do?

- A. Modify the default email address policy.
- B. Create an address book policy (ABP).
- C. Create a scheduled task that runs the Update-GlobalAddressList cmdlet.
- D. Modify the offline address (OAB) schedule.

Answer: D

Explanation:

References:

<https://www.howto-outlook.com/howto/oabupdate.htm#syncschedules>

NEW QUESTION 209

DRAG DROP - (Topic 5)

You have a hybrid deployment between a Microsoft Exchange Online tenant and an on-premises Exchange Server 2019 organization.

You plan to block legacy authentication for the on-premises Exchange organization.

You need to validate the configuration on 10 test users, and then apply the configuration to all users.

Which three cmdlets should you run in sequence? To answer, move the appropriate cmdlets from the list of cmdlets to the answer area and arrange them in the correct order.

Cmdlets

Set-User

New-AuthenticationPolicy

Set-HybridConfiguration

Set-AuthConfig

Set-OrganizationConfig

Set-Mailbox

Answer Area

>

<

↑

↓

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Cmdlets

Set-User

New-AuthenticationPolicy

Set-HybridConfiguration

Set-AuthConfig

Set-OrganizationConfig

Set-Mailbox

Answer Area

Set-AuthConfig

Set-OrganizationConfig

Set-Mailbox

>

<

↑

↓

NEW QUESTION 211

HOTSPOT - (Topic 5)

You have a distribution group named Car Parking Distribution Group that is configured as shown in the following exhibit.

```
Machine: EX01.Contoso.com
[PS] C:\>Get-DistributionGroup carparking |FL
PSComputerName           : ex01, contoso.com
RunSpaceId               : a23089ce-ce35-4f3c-b1cc-fbb8c3cc44Ba
PSShowComputerName      : False
GroupType                : Universal
SamAccountName           : Car Parking Distribution Group-11504232075
BypassNestedModerationEnabled : False
IsDirSynced              : False
ManagedBy                : {Contoso.com/Users/chrisadmin}
MemberJoinRestriction    : Closed
MemberDepartRestriction  : Closed
MigrationToUnifiedGroupInProgress : False
ExpansionServer           :
```

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.

Answer Area

Users **[answer choice]**:
 can add their own user account to Car Parking Distribution Group
 can only be added to Car Parking Distribution Group by a group owner
 are added automatically to Car Parking Distribution Group when they sign in to their mailbox

The members of Car Parking Distribution Group **[answer choice]**:
 can remove their own user account from the group
 can only be removed from the group by a group owner
 can only be removed from the group by an Exchange administrator

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

References:

<https://docs.microsoft.com/en-us/powershell/module/exchange/users-and-groups/set-distributiongroup?view=exchange-ps>

NEW QUESTION 216

- (Topic 5)

You have a Microsoft Exchange Server 2019 hybrid deployment. You need to remove the email addresses of your company's executives from the global address list (GAL). What are two possible ways to achieve the goal? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

- A. Run the Set-Mailbox cmdlet to modify the properties of each executive's mailbox.
- B. From the Exchange admin center, modify the properties of the GAL.
- C. From the Exchange admin center, modify the properties of each executive's mailbox.
- D. Run the Set-GlobalAddressList cmdlet to modify the properties of the GAL.

Answer: AC

Explanation:

Reference:

<https://docs.microsoft.com/en-us/powershell/module/exchange/set-mailbox?view=exchange-ps>

NEW QUESTION 219

DRAG DROP - (Topic 5)

Your company has a Microsoft Exchange Server 2019 hybrid deployment. The company has two departments that have the mailboxes configured as shown in the following table.

Department	Mailbox location	License
Accounting	On-premises	Exchange Server 2019 Standard CAL
Marketing	Exchange Online	Microsoft 365 E5

All the accounting department mailboxes reside in a database named ACCT-DB01. You create the mailboxes shown in the following table.

Name	Location
JRNL-MBX01	On-premises
JRNL-MBX02	Exchange Online

You need to record all the email communication of the users in each department. The solution must minimize costs. What should you use for each department? To answer, drag the appropriate options to the correct departments. Each option may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Options

- Database journaling
- A journal rule that uses JRNL-MBX01
- A journal rule that uses JRNL-MBX02

Answer Area

Accounting:

Marketing:

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Options

- Database journaling
- A journal rule that uses JRNL-MBX01
- A journal rule that uses JRNL-MBX02

Answer Area

Accounting: Database journaling

Marketing: A journal rule that uses JRNL-MBX01

NEW QUESTION 223

DRAG DROP - (Topic 5)

You have a Microsoft Exchange Online tenant that contains a group named Marketing. You need to ensure that the Marketing group meets the following requirements:

- Members of the Marketing group must be prevented from creating their own distribution groups.
- Members of the Marketing group must be prevented from modifying their contact information.

The solution must NOT affect any other users in the tenant.

Actions

- From the Exchange admin center, create a new role assignment policy.
- Assign the policy to the Marketing group members.
- Assign the policy directly to the Marketing group.
- Disable features for the policy.
- From the Exchange admin center, create a new Outlook Web App policy.
- Remove permissions from the policy.
- Edit the Default Role Assignment Policy.

Answer Area

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Actions

- From the Exchange admin center, create a new role assignment policy.
- Assign the policy to the Marketing group members.
- Assign the policy directly to the Marketing group.
- Disable features for the policy.
- From the Exchange admin center, create a new Outlook Web App policy.
- Remove permissions from the policy.
- Edit the Default Role Assignment Policy.

Answer Area

- From the Exchange admin center, create a new Outlook Web App policy.
- Remove permissions from the policy.
- Edit the Default Role Assignment Policy.

NEW QUESTION 224

HOTSPOT - (Topic 5)

You have a Microsoft 365 E5 tenant that contains two Azure Active Directory (Azure AD) security groups named Finance and Marketing. The tenant contains the users and devices shown in the following table.

Name	Azure AD group membership	Device
User1	Finance	Device1
User2	Marketing	Device2
User3	Finance	Device3

The devices are configured as shown in the following table.

Device	Azure AD-joined	Microsoft Intune-enrolled
Device1	No	No
Device2	Yes	Yes
Device3	Yes	Yes

A conditional access policy is configured as shown in the following exhibit.

Name * Outlook on the Web Policy

Include None
 All users
 Select users and groups

Exclude

All guest and external users ⓘ
 Directory roles ⓘ
 Users and groups

Assignments

Users and groups ⓘ
 Specific users included >

Cloud apps or actions ⓘ
 1 app included >

Conditions ⓘ
 0 conditions selected >

Access controls

Grant ⓘ
 0 controls selected >

Session ⓘ
 Use app enforced restrictions >

Select >
 1 group >

A Finance ...

From Microsoft Exchange Online PowerShell, you run the following cmdlet.

```
Set-OwaMailboxPolicy -Identity OwaMailboxPolicy-Default  

-ConditionalAccessPolicy ReadOnly
```

All the users connect to Exchange Online by using Outlook on the web.

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Statements	Yes	No
When using Outlook on the web, User1 can only view email attachments.	<input type="radio"/>	<input type="radio"/>
When using Outlook on the web, User2 can only view and print email attachments.	<input type="radio"/>	<input type="radio"/>
When using Outlook on the web, User3 can view, download, and print email attachments.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Statements	Yes	No
When using Outlook on the web, User1 can only view email attachments.	<input checked="" type="radio"/>	<input type="radio"/>
When using Outlook on the web, User2 can only view and print email attachments.	<input type="radio"/>	<input checked="" type="radio"/>
When using Outlook on the web, User3 can view, download, and print email attachments.	<input type="radio"/>	<input checked="" type="radio"/>

NEW QUESTION 229

DRAG DROP - (Topic 5)

You have an on-premises Microsoft Exchange Server 2019 organization. You purchase a Microsoft 365 E5 subscription.

You need to configure a hybrid deployment and move all mailboxes to Exchange Online.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

- From the Exchange admin center, add a remote domain.
- Configure and run Azure AD Connect cloud sync.
- Configure and run Azure AD Connect.
- Configure and run the Hybrid Configuration wizard.
- From the Exchange admin center, add a migration batch.

Answer Area

>

<


↑

↓

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:



NEW QUESTION 231

- (Topic 5)

Your company has a Microsoft Exchange Server 2019 organization. The company has 10,000 mailboxes. Each department at the company has 1,000 mailboxes. You need to ensure that when users query the global address list (GAL), they can view only the list of the users in their department. What should you create?

- A. One GAL, 10 offline address books (OABs), 10 address lists, 10 address policies (ABPs), and one email address policy
- B. 10 GALs, 10 offline address books (OABs), 10 address lists, 10 room lists, and 10 address book policies (ABPs)
- C. One GAL, 10 offline address books (OABs), 10 address lists, 10 room lists, and one address book policy (ABP)
- D. 10 GALs, 10 offline address books (OABs), 10 address lists, and 10 email address policies

Answer: B

Explanation:

References:
<https://docs.microsoft.com/en-us/exchange/address-books/address-lists/create-global-address-list>
<https://docs.microsoft.com/en-us/exchange/address-books/address-book-policies/address-book-policies>

NEW QUESTION 234

- (Topic 5)

Your company named Contoso, Ltd. has a Microsoft Exchange Online subscription. You have several transport rules. The rules automatically apply a disclaimer to email messages that contain certain keywords in the subject and are sent to recipients in an email domain named fabrikam.com. You receive a report that some messages are delivered without the disclaimer. You need to view which transport rules were applied to messages sent to the fabrikam.com recipients. What should you use?

- A. the SMTP protocol logs
- B. a URL trace
- C. the transport server logs
- D. a message trace

Answer: D

Explanation:

Reference:
<https://docs.microsoft.com/en-us/exchange/monitoring/trace-an-email-message/run-a-message-trace-andview-results>

NEW QUESTION 238

- (Topic 5)

Your company has a Microsoft Exchange Online tenant named contoso.com. The company acquires a company named ADatum Corporation that uses a third-party IMAP email service named adatum.com. You plan to migrate the mailbox content of adatum.com to contoso.com. You need to connect Microsoft 365 to the IMAP email service. What should you create first?

- A. a new organization relationship
- B. a new migration endpoint
- C. a new remote domain
- D. a new staged migration batch

Answer: B

Explanation:

Reference:
<https://docs.microsoft.com/en-us/exchange/mailbox-migration/migrating-imap-mailboxes/migrating-imap-mailboxes>

NEW QUESTION 240

HOTSPOT - (Topic 5)

have a Microsoft Exchange Online tenant. All mailboxes use a suffix of

All email is routed to and from the tenant through a third-party email filtering service. You have the following network-connected

? Public IP are used via NAT when connecting to the internet.

? SMTP disabled

You to ensure that the scanners can send email to external recipients via Exchange. solution must NOT require that credentials be from the scanners



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:



NEW QUESTION 244

- (Topic 5)

Your network contains an Active Directory domain named corp.contoso.com. The domain contains client computers that have Microsoft Office 365 Apps installed. You have a hybrid deployment that contains a Microsoft Exchange Online tenant and an on-premises Exchange Server 2019 server named Server1. All recipients use an email address suffix of Contoso.com.

You migrate all the Exchange Server recipients to Exchange Online, and then decommission Server1.

Users connected to the internal network report that they receive an Autodiscover error when they open Microsoft Outlook.

You need to ensure that all users can connect successfully to their mailbox by using Outlook.

Which two actions should you perform? Each correct answer presents a complete solution. NOTE: Each correct selection is worth one point.

- A. From the corp.contoso.com DNS zone, modify the Autodiscover host (A) record.
- B. Add an accepted domain.
- C. From the contoso.com DNS zone, modify the Autodiscover alias (CNAME) record
- D. Modify the name of the TLS certificate.
- E. From the domain, modify the Autodiscover service connection point (SCP).

Answer: CE

NEW QUESTION 245

- (Topic 5)

You have a hybrid deployment that contains a Microsoft exchange Online tenant and an on-premises Exchange Server 2019 server named Server1. All users use an email address suffix of @contoso.com.

On Server1, you create a new mailbox that uses an email address of user1@contoso.com. Users hosted in Exchange Online report that they receive a non-delivery report (NDR)

When they attempt to send email messages to user1@contoso.com. The NDR contains the following text: "User1 wasn't found at contoso.com."

You verify that the Exchange Online users can send email successfully to the other mailboxes hosted on Server1. Users hosted on Server1 can send email to user1@contoso.com successfully.

You need to identify what causes the email delivery to fail. What should you use?

- A. the Azure Active Directory admin center
- B. the Exchange admin center
- C. Azure AD Connect Health
- D. the on-premises Exchange admin center

Answer: C

Explanation:

It's likely that the new user account hasn't replicated to Azure Active Directory. Azure AD Connect is responsible for account replication between on-prem AD and Azure AD.

NEW QUESTION 247

DRAG DROP - (Topic 5)

Your network contains an Active Directory domain named contoso.com. The domain contains a Microsoft Exchange Server 2016 server named Server1. All users have an email address with a suffix of @contoso.com. You have a new Microsoft 365 subscription. You plan to configure an Exchange hybrid deployment. You need to complete the prerequisites to run the Hybrid Configuration wizard.

Actions	Answer Area
Add a new MX record to the DNS zone of the contoso.com domain.	
From Exchange Online, add contoso.com as an accepted domain.	
Deploy a new Exchange Server 2019 Edge Transport server.	
To the subscription, add contoso.com as a domain.	
Add a TXT record to the DNS zone of the contoso.com domain.	
Install and configure Azure AD Connect.	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Actions	Answer Area
Add a new MX record to the DNS zone of the contoso.com domain.	To the subscription, add contoso.com as a domain.
From Exchange Online, add contoso.com as an accepted domain.	Add a TXT record to the DNS zone of the contoso.com domain.
Deploy a new Exchange Server 2019 Edge Transport server.	Install and configure Azure AD Connect.
To the subscription, add contoso.com as a domain.	
Add a TXT record to the DNS zone of the contoso.com domain.	
Install and configure Azure AD Connect.	

NEW QUESTION 250

HOTSPOT - (Topic 5)

You create a transport rule as shown in the following exhibit.

```

Name : Rule1
State : Enabled
Mode : AuditAndNotify
Priority : 1
SentTo : {User1@contoso.com}
StopRuleProcessing : True
DeleteMessage : False
Disconnect : False
RedirectMessageTo :
RejectMessageEnhancedStatusCode : 5.7.1
RejectMessageReasonText : Please forward all sales enquiries to 'Sales@Contoso.com'.
Quarantine : False
SubjectOrBodyContainsWords : {Quote, Enquiry, Sales}
    
```

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic. NOTE: Each correct selection is worth one point.

If an email message sent to User1 contains the word **Quote** ▼

the message will be rejected

the message will be delivered

the message will be redirected to sales@contoso.com

The transport rule has ▼

the highest priority and cannot be superseded by another rule

the lowest priority. Another rule can supersede Rule1

the medium priority. Another rule can supersede Rule1

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

If an email message sent to User1 contains the word **Quote** ▼

the message will be rejected

the message will be delivered

the message will be redirected to sales@contoso.com

The transport rule has ▼

the highest priority and cannot be superseded by another rule

the lowest priority. Another rule can supersede Rule1

the medium priority. Another rule can supersede Rule1

NEW QUESTION 252

- (Topic 5)

All email sent by the users in fabrikam.com to orders@contoso.com must be delivered to manager1@fabrikam.com first for approval. What should you do?

- A. Add contoso.com as a remote domain.
- B. Grant Manager1 the Send On Behalf permission for the mailbox of order@contoso.com.
- C. Configure email forwarding for the mailbox of orders@contoso.com.
- D. Create a mail flow rule to send the emails to a moderator.
- E. Create a mail flow rule to restrict who can send email to Manager1.

Answer: D

NEW QUESTION 255

HOTSPOT - (Topic 2)

Your company named Contoso, Ltd. has a Microsoft Exchange Server 2019 organization that contains the mailbox databases shown in the following table.

NAME	Description
MBX01	Contains all the mailboxes for the managers at Contoso
MBX02	Contains all the mailboxes for the finance department of Contoso

You need to assign an offline address book (OAB) named Managers to all the users in a group named Managers.

How should you complete the PowerShell script? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Statements	Yes	No
For User1 to share contacts with the users at Fabrikam, a federation trust is required.	<input type="radio"/>	<input type="radio"/>
User2 can share free/busy hours, subject, and location with the users at Contoso.	<input type="radio"/>	<input type="radio"/>
User3 can share calendars with the users at Litware.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Statements	Yes	No
For User1 to share contacts with the users at Fabrikam, a federation trust is required.	<input type="radio"/>	<input checked="" type="radio"/>
User2 can share free/busy hours, subject, and location with the users at Contoso.	<input checked="" type="radio"/>	<input type="radio"/>
User3 can share calendars with the users at Litware.	<input checked="" type="radio"/>	<input type="radio"/>

NEW QUESTION 258

- (Topic 2)

You need to recommend a procedure for closing the Brussels office that meets the technical requirements.

What should you recommend?

- A. In the main office, deploy an Exchange Server 2016 server that has the Unified Messaging role installed, and then move the mailboxes from the Brussels office to the new server.
- B. Deploy a Microsoft Skype for Business 2019 server to the main office, and then move the mailboxes from the Brussels office to an Exchange Server 2019 server in the main office.
- C. Implement a new mailbox database on an Exchange Server 2019 server in the main office, and then move the mailboxes from the Brussels office to the new mailbox database.
- D. Implement a new database availability group (DAG) that contains the server in the Brussels office and a new Exchange Server 2019 server in the main office, and then create a mailbox database copy on the new server in the main office.

Answer: C

Explanation:

References:

<https://docs.microsoft.com/en-us/exchange/architecture/mailbox-servers/manage-mailbox-moves?view=exchserver-2019>

<https://theitbros.com/move-exchange-mailboxes-to-another-database/>

NEW QUESTION 259

- (Topic 1)

You need to configure the Exchange organization to meet the security requirements for sending email messages to distribution groups. Which cmdlet should you run?

- A. Set-OrganizationConfig
- B. Set-DistributionGroup
- C. Set-Mailbox
- D. New-PolicyipConfig

Answer: A

Explanation:

References:

<https://docs.microsoft.com/en-us/powershell/module/exchange/organization/set-organizationconfig?view=exchange-ps>

NEW QUESTION 260

- (Topic 1)

You need to recommend a solution for the public folders that supports the planned changes and meets the technical requirements. What should you recommend?

- A. Microsoft SharePoint site mailboxes
- B. Office 365 groups
- C. Resource mailboxes
- D. Public folder replicas

Answer: B

Explanation:

References:

<https://docs.microsoft.com/en-us/exchange/collaboration/public-folders/migrate-to-office-365-groups?view=exchserver-2019>

NEW QUESTION 265

.....

THANKS FOR TRYING THE DEMO OF OUR PRODUCT

Visit Our Site to Purchase the Full Set of Actual MS-203 Exam Questions With Answers.

We Also Provide Practice Exam Software That Simulates Real Exam Environment And Has Many Self-Assessment Features. Order the MS-203 Product From:

<https://www.2passeasy.com/dumps/MS-203/>

Money Back Guarantee

MS-203 Practice Exam Features:

- * MS-203 Questions and Answers Updated Frequently
- * MS-203 Practice Questions Verified by Expert Senior Certified Staff
- * MS-203 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * MS-203 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year