

VMCE2021 Dumps

Veeam Certified Engineer 2021

<https://www.certleader.com/VMCE2021-dumps.html>



NEW QUESTION 1

Veeam ONE has been installed in the typical data collection mode and historical data is the installation default. A customer is looking at performance charts in Veeam ONE Monitor.

When troubleshooting a performance event from two days ago, what will they see?

- A. Aggregated data every two hours
- B. Data does not exist
- C. Raw data every 20 seconds
- D. Aggregated data every five minutes

Answer: D

Explanation:

https://helpcenter.veeam.com/docs/one/deployment/data_collection_modes.html?ver=100

NEW QUESTION 2

which actions can be used to locate the exact extent of a scale-out backup repository containing a particular VM's backup data? Choose two options.

- A. Check scale out backup repository settings
- B. Check the specific VM in the job statistics
- C. Check the inventory view for the specific VM
- D. Open the extent repositories manually
- E. Check backup proxy settings

Answer: AB

NEW QUESTION 3

A backup administrator is creating a SureBackup environment up using Hyper-V as the hypervisor. Which virtual labs are available for Hyper-V? (Choose two.)

- A. Advanced multi-host (automatic configuration)
- B. Advanced single-host (automatic configuration)
- C. Basic single-host (automatic configuration)
- D. Advanced multi-host (manual configuration)
- E. Advanced single-host (manual configuration)

Answer: CE

NEW QUESTION 4

Which recovery verification tests can be executed when verifying both backups and replicas? Choose three options.

- A. Heartbeat test
- B. Ping test
- C. Application test
- D. Memory test
- E. Operating System test
- F. CRC check

Answer: ABC

NEW QUESTION 5

A customer currently has one backup job that runs every four hours to backup their VMs in a transaction consistent state. Which job configuration will keep all restore points safe in case the primary site and backups go down while still being able to do a point-in-time recovery of a SQL database from the backups on the second site?

- A. Configure a second VM backup job and schedule it to copy every four hours, starting at midnight, to a repository on the second site
- B. Configure a backup copy job in mirror mode, to a repository on the second site
- C. Configure a backup copy job in pruning mode and schedule it to copy every four hours, starting at midnight, to a repository on the second site
- D. Configure a backup copy job in pruning mode and have it copy data every day, starting at midnight, to a repository on the second site

Answer: B

Explanation:

<https://www.running-system.com/veeam-version-10-favorite-features-immediate-copy-mirroring/>

NEW QUESTION 6

A financial company is looking for a new backup application. One of their main requirements is the ability to have quick access to their backup data. What features in Veeam Backup & Replication support the rapid availability of data, applications and VMs? (Choose three.)

- A. Full VM recovery without quick rollback
- B. Microsoft SQL database, and Oracle database publishing
- C. Instant VM Recovery
- D. Instant VM disk recovery
- E. Bare metal recovery
- F. Restore to Amazon EC2

Answer:

BCD

NEW QUESTION 7

It the Backup Administrator has to perform a backup over a high-latency, low bandwidth network link, how can the disruptions to the backup process be avoided?

- A. By making a direct backup using WAN accelerator.
- B. By adding additional WAN accelerators to the target site.
- C. By making a backup locally and utilizing WAN accelerators for a backup copy Job.
- D. By adjusting the compression and deduplication settings for this Job.

Answer: C

NEW QUESTION 8

A company has been running off replicated, business-critical VMs at their disaster recovery location since an earthquake near the primary data center occurred. Since the threat has passed, they want to stop the replicas and switch to the VMs at the primary data center without losing data. Which of the following actions is the first step they should take?

- A. Failover
- B. Permanent failover
- C. Commit failback
- D. Failback to production
- E. Planned failover
- F. Undo failover

Answer: D

NEW QUESTION 9

Which HPE SAN storage systems are supported by the Backup from Storage Snapshots feature in Veeam Backup & Replication? Choose three options.

- A. HPE StoreVirtual and StoreVirtual VSA
- B. HPE Nimble Storage AF-series and CS-series
- C. HPE StoreEasy Storage
- D. HPE 3PAR StoreServ
- E. HPE StoreOnce

Answer: ABD

NEW QUESTION 10

Offloading backup files to the capacity tier of a scale out repository can be done automatically by leveraging what type of job?

- A. Archive Job
- B. Offload Job
- C. Backup Copy Job
- D. Backup Job

Answer: D

NEW QUESTION 10

Which backup method will always produce a full backup as the most recent restore point?

- A. Forever forward incremental backup
- B. Forward incremental backup
- C. Reverse incremental backup
- D. Forward incremental with transform

Answer: C

NEW QUESTION 11

Which of the following is required to enable tape parallel processing?

- A. The source repository for the tape job is a scale out backup repository.
- B. The tape library has multiple drives.
- C. Two tape jobs are processed at the same time.
- D. The tape drive has multiple tapes.

Answer: B

NEW QUESTION 16

Veeam Backup & Replication supports which of the following NetApp Data ONTAP modes?

- A. Only NatApp EDGE in 7-Mode
- B. Clustered Data ONTAP only
- C. Both 7-mode and Clustered Data ONTAP
- D. 7-mode only

Answer:

C

NEW QUESTION 21

A company needs to recover a domain controller from a backup file they have on premises which was created by the Veeam Agent for Microsoft Windows. Which of the following would provide the fastest access to the domain controller?

- A. Use the Veeam Explorer for Active Directory to recover the domain controller
- B. Perform an Instant VM Recovery to recover the domain controller to a VM on their VMware host
- C. Perform a bare metal recovery of their domain controller back to the original system
- D. Recover the domain controller to an AWS EC2 instance using the restore to Amazon EC2

Answer: B**NEW QUESTION 24**

A customer has a physical proxy configured for Direct Storage Access without failover to network mode. The backup fails. What could be the issue?

- A. The disks being processed are IDE and/or SATA
- B. The datastores are properly zoned and exposed to the proxy server but in read-only mode
- C. The storage is not added into the storage infrastructure, inside the backup and replication console
- D. Write access has not been enabled on the SAN
- E. One or more of the VM disk(s) are on Wols

Answer: E**NEW QUESTION 26**

Exhibit:



Look at the diagram. This daily backup job has been running for over 30 days and no active full backups have been taken since the first run. Which of the following best describes the backup job?

- A. This is a reverse incremental backup, keeping seven restore points
- B. This is a forward incremental backup with Sunday and Wednesday synthetic full, keeping seven restore points
- C. This is a forward incremental backup with transform enabled, keeping four restore points
- D. This is forever forward incremental backup, keeping seven restore points

Answer: A**NEW QUESTION 30**

What is Veeam vPower NFS Service used for?

- A. It is used to send data to the original location or to a new location specified by the user when restoring It.
- B. It allows Veeam Backup & Replication to present VM files in a native format to an ESXi host, from a compressed and deduplicated backup file.
- C. It is used to mount a compressed and deduplicated backup file directly to the backup server and perform file and item level restore.
- D. It continuously checks the configuration settings of jobs and starts them in accordance with their schedules.

Answer: C**NEW QUESTION 31**

Which of the following statements is true regarding the Veeam Backup & Replication integration with supported Storage Systems for VMware vSphere are true? (Choose three).

- A. On storage accesses through NFS, VMs with snapshots will be skipped from Backup from Storage Snapshots
- B. Veeam Backup & Replication can backup virtual machines from a supported secondary storage array
- C. On storage accessed through NFS, VMs with snapshots can be protected with Backup from Storage Snapshots
- D. When Backup from Storage Snapshots is performed, VMware snapshot is never utilized
- E. Enabling Backup from Storage Snapshots for all backup jobs are not recommended

Answer: ABE**NEW QUESTION 34**

Which of the following Veeam Backup & Replication jobs can utilize storage snapshots on VMware vSphere? Choose two options.

- A. Replication
- B. Backup copy
- C. VeeamZIP

- D. Backup
- E. Tape
- F. VM copy

Answer: AD

NEW QUESTION 39

Which of the following services are installed on every Veeam backup proxy server? Choose two options.

- A. Veeam Installer Service
- B. Veeam Backup Service
- C. Veeam Data Mover Service
- D. Veeam Distribution Service
- E. Veeam Backup Catalog Service

Answer: AC

Explanation:

Refer to https://helpcenter.veeam.com/docs/backup/vsphere/backup_proxy.html?ver=100

NEW QUESTION 42

Which is a prerequisite in order for the CRC check to be executed during a SureBackup Job?

- A. The .vbm file is corrupt.
- B. The Backup file integrity check option was enabled in the SureBackup job setting.
- C. One or more of the SureBackup recovery verification tests failed.
- D. The repository where the backup is stored is a shared folder (CIFS/SMB).

Answer: B

NEW QUESTION 46

Which of the following is NOT an advantage of Veeam ONE Monitor?

- A. Built in phone home function for better security
- B. Updates are signature based
- C. Automatic problem mediation
- D. Manual or scheduled log analytics

Answer: A

NEW QUESTION 47

When a replication job is configured to use the replica mapping feature (no seeding), what will happen during the first run of the job?

- A. The replication job creates a clone of the mapped replica to preserve the original state before synchronizing the changes from the source infrastructure
- B. The replication job calculates the differences between the original and mapped VM; only the incremental changes will be synchronized
- C. The replication job will first restore the VM from the most recent restore point and then start to synchronize the incremental changes from the source infrastructure
- D. If a VM within the replication job is not mapped, the job will fail

Answer: B

NEW QUESTION 49

A backup job has been configured to keep three incremental restore points and a synthetic full backup each Sunday. More restore points are present on disk than what was configured in the job. Why?

- A. The old restore points will be deleted after the new restore chain meets the retention policy
- B. Per VM backup files are enabled in the repository
- C. The other restore points are weekly full backups, this is expected
- D. You should configure the synthetic full backup to be performed on Mondays instead

Answer: A

Explanation:

https://helpcenter.veeam.com/docs/backup/vsphere/synthetic_full_hiw.html?ver=100

NEW QUESTION 52

A company needs to maintain and verify backups at a secondary site to meet the following requirements: RTO of two hours, RPO of 12 hours, four weeks retention. Which of the following backup copy job configurations meets these requirements?

- A. Periodic backup copy job, scheduled for a two-hour interval, with 56 restore points to retain
- B. Periodic backup copy job, scheduled for a 12-hour interval, with 56 restore points to retain
- C. Periodic backup copy job, scheduled for a two-hour interval, with 112 restore points to retain
- D. Periodic backup copy job, scheduled for a 12-hour interval, with 112 restore points to retain

Answer: B

NEW QUESTION 53

A company is required to have a daily backup with a retention of at least six weeks. The backups are running every eight hours during the day. From the options provided, what backup job would you advise based on their SLA and best practices?

- A. Forever forward incremental backup, with default job settings enabled
- B. Forever forward incremental backup, with a retention of 42 restore points, savings six weekly full backups
- C. Forever forward incremental backup, with a retention of 42 restore points
- D. Forward incremental backup with weekly synthetic full backups and a retention of 42 days

Answer: D

NEW QUESTION 55

A company has the following requirements:

Mission-critical VMs: hourly replication to disaster recovery site, daily backups of these VMs should be available at the disaster recovery site when required, the mission critical applications need to be available within 20 minutes.

Business-important VMs: daily backups should be stored at the disaster recovery site. When required, the business-important applications need to be available within four hours.

Define the RPO and RTO for the company's disaster recovery site.

- A. Mission-critical VMs: RPO = 60 minutes, RTO = one hour; business-important VMs: RPO = 60 minutes, RTO = four hours
- B. Mission-critical VMs: RPO = 24 hours, RTO = 20 minutes; business-important VMs: RPO = 24 hours, RTO = four hours
- C. Mission-critical VMs: RPO = 60 minutes, RTO = 20 minutes; business-important VMs: RPO = 24 hours, RTO = four hours
- D. Mission-critical VMs: RPO = 24 hours, RTO = four hours; business-important VMs: RPO = 24 hours, RTO = four hours

Answer: C

NEW QUESTION 58

Which of the following options describe the Veeam Data Mover Service function most accurately? Choose two options.

- A. Analyzes the system and installs and upgrades necessary components and services, depending on the role selected for the server
- B. Copies VM files
- C. Reduces load on the network and helps speed up restores
- D. Performs data compression, deduplication and data transfer

Answer: BD

NEW QUESTION 62

What is the main advantage of using the Backup from Storage Snapshots feature?

- A. It does not create VMware snapshot(s).
- B. It saves space in the repository.
- C. It speeds up the backup process.
- D. It decreases the amount of time the VM is running on a VMware snapshot.

Answer: D

Explanation:

The backup process is going to take the same amount of time, but the commit operation of the vmware snapshot has shorter duration when working with storage snapshots

NEW QUESTION 64

You want to deploy an On-Demand Sandbox. While creating the application group, which sources can be used to add virtual machines to the Application Group? (Choose three.)

- A. Backup Copy in Backup repository
- B. Replica on non-Cloud Connect VMware vSphere host
- C. Replica on Cloud Connect VMware vSphere host
- D. Backup in Cloud Repository
- E. Storage Shapshot
- F. Backup on Backup Repository

Answer: BEF

NEW QUESTION 69

If the deduplication setting are changed for an existing job, when will the new setting be applied?

- A. At the next run of the job
- B. If any kind of full backup is created
- C. If a new active full backup is created
- D. Only when you rescan the repository that stores the backup files

Answer: C

Explanation:

https://helpcenter.veeam.com/archive/backup/95/vsphere/compression_deduplication.html

To apply new deduplication settings in backup jobs, you must create an active full backup after you change deduplication settings. Veeam Backup & Replication will use the new block size for the active full backup and subsequent backup files in the backup chain.

NEW QUESTION 71

Which of the following statements regarding the Backup from Storage Snapshots feature when backing up virtual machines from a VMware vSphere environment are true? (Choose two.)

- A. Lower impact on WAN link during off-site backups
- B. Higher transfer speed from production NFS datastores
- C. A virtual machine with one virtual drive on shared storage and another drive on local storage will be processed with Backup from Storage Snapshots transport mode
- D. A virtual machine with one virtual drive on shared storage and another drive on local storage will failover to a different transport mode
- E. Reduce the impact of consolidating VM snapshots

Answer: BE

NEW QUESTION 76

You fail back a VM replica to the original location. Which of the following requirements needs to be met to be able to perform quick rollback during a failback of a replica?

- A. Perform failback to VM within the same subnet
- B. The VM replica must be created with the “Use Changed Block Tracking data” option enabled
- C. Indexing must be enabled for the original VM
- D. The VM replica must have access to the repository where the full backup of the VM resides

Answer: B

NEW QUESTION 81

Which of the following can help reduce the amount of traffic that is sent over the network during the second run of a replication job?

- A. Replica seeding
- B. Re-IP rules
- C. Replica mapping
- D. WAN acceleration for replicas

Answer: A

Explanation:

[https://helpcenter.veeam.com/docs/backup/vsphere/replica_seeding.html#:~:text=Replica%20seeding%20and%](https://helpcenter.veeam.com/docs/backup/vsphere/replica_seeding.html#:~:text=Replica%20seeding%20and%20)

NEW QUESTION 84

A backup administrator needs to restore two data drives to a VM where the operating system remains intact. The target machine must remain powered on. What recovery option is most appropriate to perform this operation?

- A. Instant VM Recovery
- B. Instant disk recovery
- C. Restore entire VM
- D. Restore VM files

Answer: B

Explanation:

https://helpcenter.veeam.com/docs/backup/vsphere/instant_disk_recovery.html?ver=100

NEW QUESTION 89

The backup administrator configured replication for a VM from Data Center 1 to Data Center 2, which runs every day at 1 a.m. A power surge takes out Data Center 1 at 7 a.m. and the administrator fails over the replica at 8 a.m. When the power comes back on, the administrator performs the “failback” action at 2 p.m. and checks the state of the original VM. They recognize that not all data is available. What is missing?

- A. Data from 1 a.m. to 7 a.m.
- B. Data from 1 a.m. to 2 p.m.
- C. Data from 8 a.m. to 2 p.m.
- D. Data from 7 a.m. to 8 a.m.

Answer: A

Explanation:

<https://helpcenter.veeam.com/docs/backup/vsphere/failback.html?ver=100>

NEW QUESTION 93

A backup administrator is planning to install Veeam ONE. Which data collection mode collects the most data per VM?

- A. For vCenter data only
- B. Optimized for advanced scalability deployment
- C. For backup data only

D. Optimized for typical deployment

Answer: D

NEW QUESTION 94

An SMB customer installed Veeam Backup & Replication in a simple deployment. How can the customer comply with the 3-2-1 rule?

- A. Create a Scale-out Backup Repository with object storage in the public cloud used as the capacity tier leveraging copy mode
- B. Create a backup to tape job to a local virtual tape library
- C. Create a Scale-out Backup Repository with object storage in the public cloud used as the capacity tier leveraging move mode
- D. Copy the backups to a separate local NAS device

Answer: A

NEW QUESTION 97

Which of the following should be considered when estimating the amount of disk space necessary to store backups? Choose two options.

- A. Retention period for backups
- B. Type of disk (thick or thin)
- C. Hypervisor and host version
- D. RAID configuration of the Backup Repository
- E. Veeam Backup & Replication edition
- F. Total size of used data for the VMs being backed up

Answer: AF

NEW QUESTION 98

.....

Thank You for Trying Our Product

* 100% Pass or Money Back

All our products come with a 90-day Money Back Guarantee.

* One year free update

You can enjoy free update one year. 24x7 online support.

* Trusted by Millions

We currently serve more than 30,000,000 customers.

* Shop Securely

All transactions are protected by VeriSign!

100% Pass Your VMCE2021 Exam with Our Prep Materials Via below:

<https://www.certleader.com/VMCE2021-dumps.html>