

CompTIA

Exam Questions FC0-U61

CompTIA IT Fundamentals+ Certification Exam



NEW QUESTION 1

Which of the following actions is the FINAL step in the standard troubleshooting methodology?

- A. Document the solution and cause.
- B. Create a new theory of cause.
- C. Research the problem online.
- D. Implement preventive measures.

Answer: A

Explanation:

The final step in the standard troubleshooting methodology is to document the solution and cause of the problem. This step involves recording the details of the problem, the steps taken to resolve it, the outcome of the solution, and any preventive measures implemented to avoid future occurrences. Documenting the solution and cause can help to create a knowledge base for future reference, improve communication among IT professionals, and facilitate continuous improvement¹². References:= CompTIA IT Fundamentals (ITF+) Study Guide, 2nd Edition, Chapter 7: Explain the Troubleshooting Methodology³; Troubleshooting Methodology | IT Support and Help Desk | CompTIA⁴

NEW QUESTION 2

Which of the following categories describes commands used to extract information from a database?

- A. DDL
- B. DDR
- C. DLL
- D. DML

Answer: D

Explanation:

DML stands for Data Manipulation Language, which is a category of commands used to extract information from a database, such as SELECT, INSERT, UPDATE, and DELETE. These commands allow a programmer to query, modify, and delete data from tables and views in a database. DDL stands for Data Definition Language, which is a category of commands used to create and modify the structure of a database, such as CREATE, ALTER, and DROP. These commands allow a programmer to define tables, views, indexes, and other objects in a database. DDR stands for Data Recovery Language, which is not a standard category of commands in SQL (Structured Query Language), the most common language for interacting with databases. DLL stands for Dynamic Link Library, which is not related to databases at all. It is a file format that contains executable code and resources that can be used by multiple applications on Windows operating systems. References: CompTIA IT Fundamentals (ITF+) Study Guide: Exam FC0-U61, Second Edition, Chapter 4: Software Development Concepts, page 142

NEW QUESTION 3

To establish a theory of probable cause, one technician investigates network issues in the server room while another technician troubleshoots the user's workstation. Which of the following troubleshooting methodologies is being performed?

- A. QUESTION NO: the obvious.
- B. Divide and conquer.
- C. Duplicate the problem
- D. Research the knowledge base.

Answer: B

Explanation:

Divide and conquer is a troubleshooting methodology that involves breaking down a complex problem into smaller and more manageable parts, and then testing each part to isolate the cause of the problem. QUESTION NO: the obvious, duplicate the problem, and research the knowledge base are not troubleshooting methodologies that involve dividing the problem into smaller parts. References: CompTIA IT Fundamentals+ Study Guide: Exam FC0-U61, Second Edition, Chapter 9: Troubleshooting Methodology, page 332.

NEW QUESTION 4

Employees of a large technology company are provided access to the internet as a work resource. Which of the following most likely represents the level of privacy employees should expect when utilizing this resource?

- A. Only the attempts to access unapproved URLs are logged.
- B. All internet usage is logged by a corporate server and may be monitored live.
- C. All internet browsing is private and anonymous.
- D. Only the attempts to access sites that include prohibited keywords are logged.

Answer: B

NEW QUESTION 5

Consider the following statements:

```
if userin = "commander"
then clearance = "topsecret"
else if userin = "analyst"
then clearance = "restricted"
else
clearance = "normal"
```

Given the input (userin) of "analyst", to which of the following would the clearance variable be set?

- A. topsecret
- B. normal
- C. analyst
- D. restricted

Answer: D

Explanation:

Float is a data type that can store decimal or fractional numbers, such as 3.14, 0.5, or -2.75. Float would be the best data type to use for storing monetary values because monetary values often involve decimals, such as \$1.99, 0.25, or -5.50. Integer is a data type that can only store whole numbers, such as 1, 0, or -2. Integer would not be suitable for storing monetary values that have decimals. The other options are not data types that can store numerical values. References: CompTIA IT Fundamentals+ Study Guide: Exam FC0-U61, Second Edition, Chapter 4: Programming Concepts and Data Structures, page 146.

NEW QUESTION 6

An administrator grants permission for a user to access data in a database. Which of the following actions was performed?

- A. Data correlation
- B. Data manipulation
- C. Data gathering
- D. Data definition

Answer: D

Explanation:

Data definition is the process of creating, modifying, or deleting the structure and objects of a database, such as tables, fields, indexes, and views. Data definition is performed using data definition language (DDL), which is a subset of SQL commands. An administrator can use DDL to grant or revoke permissions for a user to access data in a database. References : The Official CompTIA IT Fundamentals (ITF+) Study Guide (FC0-U61), page 144.

NEW QUESTION 7

Which of the following relational database constructs is used to ensure valid values are entered for a column?

- A. Schema
- B. Permissions
- C. Constraint
- D. Column

Answer: C

Explanation:

A constraint is a rule or a restriction that is applied to a column or a table in a relational database to ensure that only valid values are entered. Constraints help to maintain the integrity, accuracy, and consistency of the data. For example, a constraint can be used to specify that a column must not contain null values, or that a column must contain unique values, or that a column must match a value in another table. References: = CompTIA IT Fundamentals (ITF+) Study Guide, 2nd Edition, Chapter 5: Database Fundamentals; Constraints in Relational Database Model - Online Tutorials Library

NEW QUESTION 8

A systems administrator is setting up a new server using RAID technology. If one hard drive in the array fails, the data is stored on another drive, preventing data loss. Which of the following business continuity concepts does this explain?

- A. File backup
- B. Data restoration
- C. Fault tolerance
- D. Restoring access

Answer: C

Explanation:

Fault tolerance is the ability of a system to continue functioning even when one or more components fail. RAID (Redundant Array of Independent Disks) is a technology that uses multiple hard drives to store data in a way that improves performance and reliability. If one hard drive in the RAID array fails, the data can be recovered from another drive without losing any information. This is an example of fault tolerance.

References: CompTIA IT Fundamentals+ Study Guide: Exam FC0-U61, Second Edition, Chapter 6: Infrastructure Concepts, page 240.

NEW QUESTION 9

A user is trying to set up a new wireless access point. Which of the following should the user do first?

- A. Change the SSID to a unique name.
- B. Change the default password.
- C. Enable WPA2 encryption.
- D. Enable the highest available wireless standard.

Answer: B

Explanation:

A wireless access point (WAP) is a device that allows wireless devices to connect to a wired network using Wi-Fi or Bluetooth. A WAP usually has a default configuration that is set by the manufacturer, which may include a default password, SSID (service set identifier), encryption type, and wireless standard. The default password is often weak or well-known, which makes the WAP vulnerable to unauthorized access or hacking.

Therefore, the first thing that a user should do when setting up a new WAP is to change the default password to a strong and unique one. This will help secure the WAP and prevent unwanted changes or attacks. Changing the SSID to a unique name, enabling WPA2 encryption, and enabling the highest available wireless

standard are also important steps to improve the security and performance of the WAP, but they should be done after changing the default password.

NEW QUESTION 10

Which of the following is an example of an interpreted language?

- A. C++
- B. Java
- C. Python
- D. Go

Answer: C

Explanation:

Python is an example of an interpreted language, which is a type of programming language that does not need to be compiled before execution. Instead, an interpreter program translates and executes the source code line by line at run time. Interpreted languages are usually easier to write and debug, but slower to execute than compiled languages. C++ and Java are examples of compiled languages, which are types of programming languages that need to be translated into executable machine code by a compiler program before execution. Compiled languages are usually faster to execute but harder to write and debug than interpreted languages. Go is an example of a hybrid language, which is a type of programming language that combines features of both compiled and interpreted languages. Hybrid languages use an intermediate code that can be executed by a virtual machine or an interpreter at run time. References: CompTIA IT Fundamentals+ Study Guide: Exam FC0-U61, Second Edition, Chapter 4: Programming Concepts and Data Structures, page 140.

NEW QUESTION 10

A user wants to use a laptop outside the house and still remain connected to the Internet. Which of the following would be the BEST choice to accomplish this task?

- A. Thunderbolt cable
- B. Bluetooth module
- C. Infrared port
- D. WLAN card

Answer: D

Explanation:

A WLAN card would be the best choice for a user who wants to use a laptop outside the house and still remain connected to the Internet. A WLAN card stands for wireless local area network card, which is a device that allows a laptop to connect to a wireless network using radio waves. A WLAN card can enable a laptop to access the Internet through public or private wireless hotspots, such as cafes, libraries, airports, or homes. References : The Official CompTIA IT Fundamentals (ITF+) Study Guide (FC0-U61), page 170.

NEW QUESTION 14


Which of the following language types would a web developer MOST likely use to create a website?

- A. Interpreted
- B. Query
- C. Compiled
- D. Assembly

Answer: A

Explanation:

Interpreted is the type of language that a web developer would most likely use to create a website. Interpreted languages are languages that do not need to be compiled before execution. Instead, they are translated into machine code by an interpreter program at run time. Interpreted languages are often used for web development because they are portable, flexible, and easy to modify. Examples of interpreted languages include HTML, CSS, JavaScript, PHP, and Python. References : The Official CompTIA IT Fundamentals (ITF+) Study Guid (FC0-U61), page 132-133. edge browser The user has the page open in a Microsoft Edge browser window whose metadata is:

**NEW QUESTION 18**

Which of the following would MOST likely prevent malware sent as compromised file via email from infecting a person's computer?

- A. Email previewing
- B. Patching
- C. Clear browsing cache
- D. Kill process

Answer: B

Explanation:

Patching would be the most likely way to prevent malware sent as a compromised file via email from infecting a person's computer. Patching is the process of applying updates or fixes to software or hardware to improve performance, security, or functionality. Patching can help prevent malware infections by closing the vulnerabilities or flaws that malware exploits to infect systems. Users should regularly patch their operating systems, applications, and antivirus software to protect their computers from malware attacks. References : The Official CompTIA IT Fundamentals (ITF+) Study Guide (FC0-U61), page 202.

NEW QUESTION 21

A company will begin to allow staff to work from home by means of formal request. Which of the following is the BEST way for the company to document this change?

- A. Written procedure
- B. Written policy
- C. Written email
- D. Written memo

Answer: B

Explanation:

A written policy is the best way for a company to document a change that allows staff to work from home by means of formal request. A policy is a statement or guideline that defines the rules, standards, or procedures for an organization's actions, decisions, or behaviors. A policy can help an organization to achieve its objectives, comply with regulations, ensure consistency and quality, and communicate expectations and responsibilities. A written policy is a policy that is documented in a formal document that can be distributed, reviewed, updated, and enforced by the organization. A written policy can help a company to document a change that affects its staff, such as working from home, by specifying the criteria, process, benefits, limitations, and consequences of the change. References : The Official CompTIA IT Fundamentals (ITF+) Study Guide (FC0-U61), page 210.

NEW QUESTION 26

Which of the following best explains the reason for password expiration?

- A. To disable unused user IDs
- B. To invalidate any compromised passwords
- C. To discourage writing down passwords
- D. To enforce new password complexity rules

Answer: B

Explanation:

The best explanation for password expiration is to invalidate any compromised passwords. Password expiration is a security policy that requires users to change their passwords after a certain period of time, such as every 90 days. This reduces the risk of unauthorized access if an attacker obtains the user's password through phishing, hacking, or other means. If the user changes their password regularly, the old password becomes useless for the attacker. Password expiration does not necessarily disable unused user IDs, as the user may still be able to log in with their new password. Password expiration does not discourage writing down passwords, as some users may still do so to remember their new passwords. Password expiration does not enforce new password complexity rules, as those rules apply to any password change regardless of expiration. References: CompTIA IT Fundamentals (ITF+) Study Guide: Exam FC0-U61, Second Edition, Chapter 5: Database Fundamentals and Security Concepts, page 181

NEW QUESTION 28

Which of the following would be used to send messages using the SMTP protocol?

- A. Document sharing software
- B. Instant messaging software
- C. Conferencing software
- D. Email software

Answer: D

Explanation:

Email software would be used to send messages using the SMTP protocol. SMTP stands for Simple Mail Transfer Protocol, which is a network protocol that enables the transmission of email messages from a client to a server or from one server to another. Email software is an application that allows users to compose, send, receive, and manage email messages using SMTP or other protocols, such as POP3 or IMAP. Examples of email software include Microsoft Outlook, Gmail, Yahoo Mail, etc. References : The Official CompTIA IT Fundamentals (ITF+) Study Guide (FC0-U61), page 166.

NEW QUESTION 33

A technician is concerned that sensitive data transmitted over the Internet can be intercepted and viewed during a MITM attack. Which of the following should the technician enable to reduce the risk?

- A. DLP
- B. ACL
- C. TLS
- D. IPS

Answer: C

Explanation:

TLS (Transport Layer Security) is a protocol that should be enabled to reduce the risk of a MITM (man-in-the-middle) attack. A MITM attack is a type of cyberattack where an attacker intercepts and alters the communication between two parties without their knowledge. A MITM attack can compromise the confidentiality, integrity, and authenticity of the data being transmitted. TLS is a protocol that provides encryption, authentication, and integrity for data communication over the Internet. TLS can prevent a MITM attack by encrypting the data to make it unreadable by the attacker, authenticating the identities of the parties to prevent impersonation, and verifying the integrity of the data to detect any tampering. References : The Official CompTIA IT Fundamentals (ITF+) Study Guide (FC0-U61), page 206.

NEW QUESTION 34

A technician needs to install a wireless router for a client that supports speeds up to 11Mbps and operates on the 2.4GHz band. Which of the following should the technician select?

- A. 802.11a
- B. 802.11b

- C. 802.11g
- D. 802.11n

Answer: B

Explanation:

* 802.11 b is the wireless standard that supports speeds up to 11Mbps and operates on the 2.4GHz band. 802.11b is one of the earliest versions of the IEEE 802.11 family of standards for wireless local area networks (WLANs). 802.11b uses direct-sequence spread spectrum (DSSS) modulation to transmit data over radio waves. 802.11b has a maximum theoretical data rate of 11Mbps and a typical range of up to 150 feet indoors or 300 feet outdoors. 802.11b operates on the same frequency band as some cordless phones, microwaves, and Bluetooth devices, which may cause interference or signal degradation. References : The Official CompTIA IT Fundamentals (ITF+) Study Guide (FC0-U61), page 171.

NEW QUESTION 35

Which of the following is the BEST option for a developer to use when storing the months of a year and when performance is a key consideration?

- A. Array
- B. Vector
- C. List
- D. String

Answer: A

Explanation:

An array is a type of data structure that stores multiple values of the same data type in a fixed-size sequence. An array would be the best option for a developer to use when storing the months of a year and when performance is a key consideration because an array allows fast access to any element by using its index number. A vector, a list, and a string are not types of data structures that offer fast access to elements or store multiple values of the same data type in a fixed-size sequence. References: CompTIA IT Fundamentals+ Study Guide: Exam FC0-U61, Second Edition, Chapter 4: Programming Concepts and Data Structures, page 147.

NEW QUESTION 36

Which of the following business continuity concepts is the best example of fault tolerance?

- A. Data restoration
- B. Redundant power
- C. Disaster recovery
- D. Restoring access

Answer: B

Explanation:

Redundant power is the best example of fault tolerance among the given business continuity concepts. Fault tolerance refers to the ability of a system to continue functioning despite failures or errors in some of its components. Redundant power provides backup sources of electricity in case of power outages or surges, ensuring uninterrupted operation of critical systems. Data restoration refers to the process of recovering lost or corrupted data from backups or other sources. Disaster recovery refers to the plan and procedures for restoring normal business operations after a major disruption, such as a natural disaster or a cyberattack. Restoring access refers to the process of granting users the ability to use systems or resources that were previously unavailable or inaccessible. References: The Official CompTIA IT Fundamentals (ITF+) Student Guide (Exam FC0-U61), Chapter 7: Security Concepts1

NEW QUESTION 37

A desktop administrator just connected a printer to a workstation, but the workstation does not recognize the printer. Which of the following does the workstation MOST likely need for the printer to function?

- A. Permission
- B. Ink cartridge
- C. USB cable
- D. Driver

Answer: D

Explanation:

A driver is a software component that enables a device, such as a printer, to communicate with the operating system of a computer. Without a proper driver, the workstation will not be able to recognize or use the printer. Therefore, the workstation most likely needs a driver for the printer to function. The other options are not relevant to the problem of device recognition.

NEW QUESTION 42

Which of the following BEST describes an application running on a typical operating system?

- A. Process
- B. Thread
- C. Function
- D. Task

Answer: A

Explanation:

An application running on a typical operating system is an example of a process, which is a program or a set of instructions that is loaded into memory and executed by the CPU. A process can have one or more threads, which are subunits of execution that share the resources of the process. A process can also perform one or more tasks, which are units of work that the process needs to accomplish. A process can also call one or more functions, which are blocks of code that perform a specific operation and return a value123. References := CompTIA IT Fundamentals (ITF+) Study Guide, 2nd Edition, Chapter 2: Computing

Basics4; What is a Process? - Definition from Techopedia5; What is a Thread? - Definition from Techopedia6

NEW QUESTION 47

A technician has been asked to assign an IP address to a new desktop computer. Which of the following is a valid IP address the technician should assign?

- A. 127.0.0.1
- B. 172.16.2.189
- C. 192.168.257.1
- D. 255.255.255.0

Answer: B

Explanation:

* 172.16.2.189 is a valid IP address that a technician can assign to a new desktop computer. An IP address is a unique identifier that is assigned to a device on a network that uses the Internet Protocol (IP). An IP address consists of four numbers separated by dots, each ranging from 0 to 255. For example, 192.168.1.1 is an IP address. An IP address can be classified into different classes based on the first number: Class A (1-126), Class B (128-191), Class C (192-223), Class D (224-239), and Class E (240-255). Each class has a different range of IP addresses that can be used for public or private networks. 172.16.2.189 is a Class B IP address that belongs to the private network range of 172.16.0.0 to 172.31.255.255. References : The Official CompTIA I Fundamentals (ITF+) Study Guide (FC0-U61), page 165.

NEW QUESTION 52

Employee information is stored in a database. Which of the following BEST describes where all of an employee's information is stored?

- A. Record
- B. Report
- C. Column
- D. Procedure

Answer: A

Explanation:

A record is a collection of related fields or attributes that store information about a specific entity or object in a database. For example, an employee record would store information such as name, ID, department, salary, etc. A record would be the best description of where all of an employee's information is stored in a database. A report is a formatted presentation of data from a database, not a storage unit. A column is a vertical arrangement of fields or attributes that store the same type of information for different records, not all of an employee's information. A procedure is a set of instructions or commands that perform a specific task on a database, not a storage unit. References: CompTIA IT Fundamentals+ Study Guide: Exam FC0-U61, Second Edition, Chapter 5: Database Fundamentals, page 193.

NEW QUESTION 56

A company's team members have both old and new laptops. Which of the following connectors should be available in the conference room to ensure everyone can use the conference room projectors? (Choose two.)

- A. USB
- B. HDMI
- C. FireWire
- D. VGA
- E. Bluetooth
- F. RJ45

Answer: BD

Explanation:

HDMI and VGA are the connectors that should be available in the conference room to ensure everyone can use the conference room projectors. HDMI and VGA are types of video connectors that are used to connect a video source, such as a laptop, to a video output, such as a projector. HDMI stands for High-Definition Multimedia Interface, which is a digital connector that can transmit high-quality video and audio signals over a single cable. VGA stands for Video Graphics Array, which is an analog connector that can transmit standard-definition video signals over a 15-pin cable. HDMI and VGA are common video connectors that are found on old and new laptops, respectively. Having both HDMI and VGA connectors in the conference room can ensure compatibility and connectivity for different laptops and projectors. References : The Official CompTIA IT Fundamentals (ITF+) Study Guide (FC0-U61), page 40.

NEW QUESTION 61

Which of the following connection types is typically used for a display monitor?

- A. USB
- B. DVI
- C. Bluetooth
- D. RJ45

Answer: B

Explanation:

The connection type that is typically used for a display monitor is DVI. DVI stands for Digital Visual Interface, which is a standard that defines how digital video signals are transmitted from a source device, such as a computer or a DVD player, to a display device, such as a monitor or a projector. DVI can support various resolutions and refresh rates, depending on the type and length of the cable and the capabilities of the devices. DVI can also support analog video signals, using a DVI-A connector, or both digital and analog video signals, using a DVI-I connector. However, DVI does not support audio signals, so a separate audio cable is needed. USB is not the connection type that is typically used for a display monitor, but rather a connection type that is typically used for peripheral devices, such as keyboards, mice, printers, scanners, etc. USB stands for Universal Serial Bus, which is a standard that defines how data and power are transmitted between devices using a common interface. USB can support various types and speeds of devices, depending on the version and mode of the USB port and cable. USB

can also support video and audio signals, using a USB-C connector, which can be converted to other standards, such as HDMI or DisplayPort. Bluetooth is not the connection type that is typically used for a display monitor, but rather a connection type that is typically used for wireless devices, such as headphones, speakers, keyboards, mice, etc. Bluetooth is a technology that defines how data and audio are transmitted between devices using short-range radio waves. Bluetooth can support various profiles and protocols that enable different types of communication and functionality between devices. Bluetooth can also support video signals, using a Bluetooth Low Energy Video Streaming (BLE-VS) protocol, but it is not widely adopted or supported by most devices. RJ45 is not the connection type that is typically used for a display monitor, but rather a connection type that is typically used for network devices, such as routers, switches, computers, etc. RJ45 stands for Registered Jack 45, which is a connector that defines how data are transmitted between devices using twisted pair cables. RJ45 can support various standards and speeds of network communication, depending on the category and length of the cable and the capabilities of the devices. RJ45 can also support video signals, using an Ethernet AVB (Audio Video Bridging) protocol, but it is not widely adopted or supported by most devices. References: The Official CompTIA IT Fundamentals (ITF+) Student Guide (Exam FC0-U61), Chapter 1: IT Fundamentals

NEW QUESTION 65

Which of the following is the exact number of bytes in a gigabyte?

- A. 1,024 bytes
- B. 1,048,576 bytes
- C. 1,073,741,824 bytes
- D. 1,099,511,627,776 bytes

Answer: C

Explanation:

The exact number of bytes in a gigabyte is 1.073.741.824 bytes. A byte is a unit of digital information that consists of eight bits. A bit is a binary digit that can have one of two values: 0 or 1. A byte can store one character, such as a letter, a number, or a symbol. A gigabyte is a unit of digital information that consists of 1.073.741.824 bytes or 1.024 megabytes. A megabyte is a unit of digital information that consists of 1.048.576 bytes or 1.024 kilobytes. A kilobyte is a unit of digital information that consists of 1.024 bytes. These units are based on the binary system, which uses powers of two to represent values. However, there are also decimal units that use powers of ten to represent values, such as gigabyte (GB), megabyte (MB), and kilobyte (KB). These units are often used by storage devices and network services to measure capacity or speed. In this case, one gigabyte (GB) equals 1 billion bytes or 1.000 megabytes (MB). One megabyte (MB) equals 1 million bytes or 1.000 kilobytes (KB). One kilobyte (KB) equals 1 thousand bytes. References: The Official CompTIA IT Fundamentals (ITF+) Student Guide (Exam FC0-U61), Chapter 2: IT Concepts and Terminology

NEW QUESTION 69

A systems administrator wants to run a script at a certain time every day. Which of the following is the BEST way to achieve this?

- A. Perform process management.
- B. Perform task scheduling.
- C. Set the system date and time.
- D. Set a reminder to run the script.

Answer: B

Explanation:

Task scheduling is a function of an operating system that allows users to run a script or a program at a certain time or interval automatically. Task scheduling would be the best way for a systems administrator to run a script at a certain time every day without manual intervention. Perform process management, set the system date and time, and set a reminder to run the script are not options that would allow the systems administrator to run a script at a certain time every day automatically. References: CompTIA IT Fundamentals+ Study Guide: Exam FC0-U61, Second Edition, Chapter 3: Computing Components, page 128.

NEW QUESTION 73

A company has installed an application that only requires a workstation to function. Which of the following architecture types is this application using?

- A. One-tier
- B. Two-tier
- C. Three-tier
- D. n-tier

Answer: A

Explanation:

One-tier architecture is a type of architecture that uses only one layer or tier for an application or system. In one-tier architecture, the application logic, data, and user interface are all contained within the same layer or tier. One-tier architecture would be the best description of a technology that allows an application to run on a workstation without requiring any other components or layers. Two-tier, three-tier, and n-tier architectures are types of architectures that use more than one layer or tier for an application or system. In two-tier architecture, the application logic and data are separated into two layers or tiers. In three-tier architecture, the application logic, data, and user interface are separated into three layers or tiers. In n-tier architecture, the application logic, data, and user interface are separated into multiple layers or tiers. References: CompTIA IT Fundamentals+ Study Guide: Exam FC0-U61, Second Edition, Chapter 5: Database Fundamentals, page 198.

NEW QUESTION 75

Which of the following contains exactly four copper wires?

- A. RJ45
- B. VGA
- C. RJ11
- D. USB

Answer: C

Explanation:

RJ11 is a type of connector that is used for telephone lines. RJ11 has four copper wires that carry analog voice signals. RJ11 is smaller than RJ45, which is used for Ethernet cables. RJ11 is also different from VGA and USB, which are used for video and data transmission respectively. References: The Official CompTIA IT

Fundamentals (ITF+) Student Guide (Exam FC0-U61), Chapter 4, Section 4.2, Page 166.

NEW QUESTION 80

Which of the following is a value that uniquely identifies a database record?

- A. Foreign key
- B. Public key
- C. Primary key
- D. Private key

Answer: C

Explanation:

A primary key is a value that uniquely identifies a database record or a row in a table. A primary key can be a single column or a combination of columns that have unique values for each record. A primary key ensures that each record can be distinguished from others and prevents duplicate data. For example, in a database that stores information about employees, the employee ID column can be used as a primary key for each employee record⁵⁶. References:= CompTIA IT Fundamentals (ITF+) Study Guide, 2nd Edition, Chapter 5: Database Fundamentals³; What is Primary Key? - Definition from Techopedia⁷

NEW QUESTION 81

A company requires several reports that analyze related information from sales, inventory, marketing, and compensation data. Which of the following is the BEST place to store this data?

- A. Flat file
- B. Word processor
- C. Database
- D. Network share

Answer: C

Explanation:

A database would be the best place to store data that requires analysis from multiple sources, such as sales, inventory, marketing, and compensation data. A database is a collection of organized and related data that can be stored, accessed, manipulated, and analyzed by software applications or users. A database can store various types of data, such as text, numbers, dates, images, etc., in tables, records, fields, or other structures. A database can also support queries, reports, transactions, security, backup, and recovery functions. References The Official CompTIA IT Fundamentals (ITF+) Study Guide (FC0-U61), page 142.

NEW QUESTION 83

Which of the following is a reason why complex passwords are required?

- A. To encourage password variety
- B. To prevent someone from guessing them
- C. To make them harder to remember
- D. To reduce social engineering attacks

Answer: B

Explanation:

A managed relational database is a type of database that is hosted and maintained by a cloud service provider such as Microsoft Azure or Amazon Web Services. A relational database is a type of database that organizes data into tables that are related to each other by common fields or attributes. A managed relational database would be the best option for allowing multiple users to create and edit reports at the same time because it can handle concurrent user requests, provide high availability and scalability, and perform complex queries and operations on the data. A text file on a shared drive, an informational intranet page, and locally installed productivity software are not options that can allow multiple users to create and edit reports at the same time because they cannot handle concurrent user requests, provide high availability and scalability, or perform complex queries and operations on the data. References: CompTIA IT Fundamentals+ Study Guide: Exam FC0-U61, Second Edition, Chapter 5: Database Fundamentals, page 197.

NEW QUESTION 86

The computer language that is closest to machine code is:

- A. query language
- B. scripting language
- C. markup language
- D. assembly language

Answer: D

Explanation:

Assembly language is a low-level programming language that uses mnemonics or symbolic names to represent machine code instructions. Machine code is the binary code that is directly executed by the processor. Assembly language is the closest to machine code among the options given because it has a one-to-one correspondence with machine code instructions. Query language, scripting language, and markup language are not programming languages that are close to machine code because they use higher-level syntax or commands that need to be translated or interpreted by other programs before execution. References: CompTIA IT Fundamentals+ Study Guide: Exam FC0-U61, Second Edition, Chapter 4: Programming Concepts and Data Structures, page 139.

NEW QUESTION 88

Which of the following filesystems would a Linux computer MOST likely use?

- A. HFS
- B. NTFS
- C. FAT32

D. ext4

Answer: D

Explanation:

ext4 is a type of filesystem that is commonly used by Linux operating systems. A filesystem is a method of organizing and storing data on a storage device such as a hard disk drive or a solid state drive. A filesystem determines how data is divided into files and folders, how much space is allocated for each file or folder, how data is accessed and modified, and how data is protected from errors or corruption. ext4 is an improved version of ext3, which was the default filesystem for many Linux distributions until ext4 was introduced. ext4 offers better performance, reliability, and scalability than ext3. HFS, NTFS, and FAT32 are not filesystems that would be most likely used by a Linux computer. HFS is a filesystem that was used by older versions of Mac OS X operating systems. NTFS is a filesystem that is used by Windows operating systems. FAT32 is a filesystem that is used by older versions of Windows operating systems or removable storage devices such as USB flash drives. References: CompTIA IT Fundamentals+ Study Guide: Exam FC0-U61, Second Edition, Chapter 3: Computing Components, page 123.

NEW QUESTION 93

Which of the following filesystems is compatible with the greatest number of operating systems?

- A. ext4
- B. FAT32
- C. NTFS
- D. HFS

Answer: B

Explanation:

The filesystem that is compatible with the greatest number of operating systems is FAT32. FAT32 stands for File Allocation Table 32-bit, which is a filesystem that organizes data into clusters or groups of sectors on a storage device, such as a hard disk or a flash drive. FAT32 uses a 32-bit table to keep track of the location and status of each cluster. FAT32 can support volumes up to 2 TB and files up to 4 GB in size. FAT32 is compatible with most operating systems, such as Windows, Linux, Mac OS, Android, etc., as well as most devices, such as cameras, printers, game consoles, etc. FAT32 is one of the oldest and simplest filesystems, but it also has some limitations and drawbacks, such as fragmentation, waste of space, lack of security features, etc. ext4 is not the filesystem that is compatible with the greatest number of operating systems, but rather a filesystem that is mainly used by Linux operating systems. ext4 stands for Fourth Extended Filesystem, which is a filesystem that organizes data into blocks or groups of sectors on a storage device. ext4 uses an inode table to keep track of the location and attributes of each file or directory. ext4 can support volumes up to 1 EB and files up to 16 TB in size. ext4 has many features and advantages over FAT32, such as journaling, extents, subdirectories, encryption, etc., but it also has limited compatibility with other operating systems, such as Windows or Mac OS. NTFS is not filesystem that is compatible with greatest number of operating systems, but rather filesystem that is mainly used by Windows operating systems. NTFS stands for New Technology File System, which is filesystem that organizes data into clusters or groups of sectors on storage device. NTFS uses Master File Table (MFT) to keep track of location and attributes of each file or directory. NTFS can support volumes up to 256 TB and files up to 256 TB in size. NTFS has many features and advantages over FAT32, such as journaling, compression, encryption, security, etc., but it also has limited compatibility with other operating systems, such as Linux or Mac OS. HFS is not filesystem that is compatible with greatest number of operating systems, but rather filesystem that is mainly used by Mac OS operating systems. HFS stands for Hierarchical File System, which is filesystem that organizes data into blocks or groups of sectors on storage device. HFS uses catalog file to keep track of location and attributes of each file or directory. HFS can support volumes up to 2 TB and files up to 2 GB in size. HFS has some features and advantages over FAT32, such as resource forks, aliases, etc., but it also has some limitations and drawbacks, such as fragmentation, waste of space, lack of security features, etc. HFS also has limited compatibility with other operating systems, such as Windows or Linux. References: The Official CompTIA IT Fundamentals (ITF+) Student Guide (Exam FC0-U61), Chapter 4: Operating System Fundamentals1

NEW QUESTION 98

Which of the following is both an input and output device?

- A. Microphone
- B. Speaker
- C. Touch-screen monitor
- D. Keyboard

Answer: C

Explanation:

A touch-screen monitor is a device that can function as both an input and output device. An input device is a device that allows users to enter data or commands into a computer or system. An output device is a device that displays or produces data or information from a computer or system. A touch-screen monitor can function as an input device by detecting the touch or gesture of the user on the screen and sending the corresponding signal to the computer or system. A touch-screen monitor can also function as an output device by showing visual information on the screen. A microphone, a speaker, and a keyboard are not devices that can function as both an input and output device. A microphone is an input device that allows users to record sound or voice into a computer or system. A speaker is an output device that plays sound or voice from a computer or system.

A keyboard is an input device that allows users to type text or characters into a computer or system. References: CompTIA IT Fundamentals+ Study Guide: Exam FC0-U61, Second Edition, Chapter 3: Computing Components, page 106.

NEW QUESTION 101

Which of the following network protocols will MOST likely be used when sending and receiving Internet email?
(Select TWO.)

- A. SMTP
- B. POP3
- C. SNMP
- D. DHCP
- E. ICMP
- F. SFTP

Answer: AB

Explanation:

SMTP and POP3 are the most likely network protocols that will be used when sending and receiving Internet email. SMTP stands for Simple Mail Transfer Protocol, which is a protocol that enables the transmission of email messages from a client to a server or from one server to another. SMTP is used to send

outgoing email messages. POP3 stands for Post Office Protocol version 3, which is a protocol that enables the retrieval of email messages from a server to a client. POP3 is used to download incoming email messages. References : The Official CompTIA IT Fundamentals (ITF+) Study Guide (FC0-U61), page 166.

NEW QUESTION 106

An IP address is 32 bits long. If converted to bytes, it would be:

- A. 4 bytes
- B. 8 bytes
- C. 16 bytes
- D. 64 bytes

Answer: A

Explanation:

A byte is a unit of information that consists of eight bits. A bit is a binary digit that can have a value of either 0 or 1. An IP address is 32 bits long, which means it is composed of four groups of eight bits each. Therefore, if converted to bytes, an IP address would be four bytes long. For example, the IP address 192.168.1.1 in binary form is: 11000000.10101000.00000001.00000001

This IP address has four groups of eight bits each, which are equivalent to four bytes. References: CompTIA IT Fundamentals+ Study Guide: Exam FC0-U61, Second Edition, Chapter 6: Infrastructure Concepts, page 221.

NEW QUESTION 108

For a disaster recovery exercise, a company wants to ensure customer data is recovered before operational data. This is an example of:

- A. redundancy.
- B. replication.
- C. prioritization.
- D. fault tolerance.

Answer: C

Explanation:

Prioritization is the example of a disaster recovery exercise that involves ensuring customer data is recovered before operational data. Prioritization is the process of ranking or ordering the importance or urgency of tasks, goals, or resources. In disaster recovery, prioritization helps to determine which data, systems, or functions should be restored first based on their criticality or impact on the business continuity. For example, a company may prioritize customer data over operational data because customer data is more valuable or essential for the business operations. References : The Official CompTIA IT Fundamentals (ITF+) Study Guide (FC0-U61), page 200.

NEW QUESTION 111

A company executive wants to view company training videos from a DVD. Which of the following components would accomplish this task?

- A. Optical drive
- B. Hard disk drive
- C. Solid state drive
- D. Flash drive

Answer: A

Explanation:

An optical drive is a component that can accomplish the task of viewing company training videos from a DVD. An optical drive is a device that can read and write data from optical discs, such as CDs, DVDs, or Blu-ray discs. An optical drive uses a laser beam to access the data stored on the disc. An optical drive can play video or audio files from optical discs, as well as install software or store data.

A hard disk drive (HDD) is a component that can store large amounts of data on magnetic platters, but it cannot read or write data from optical discs. A solid state drive (SSD) is a component that can store data on flash memory chips, but it cannot read or write data from optical discs. A flash drive is a component that can store data on flash memory chips and connect to a USB port, but it cannot read or write data from optical discs.

NEW QUESTION 114

Salespeople roam around a retail store conducting transactions. Which of the following computing devices would be most ideal for point-of-sale transactions?

- A. Workstation
- B. Laptop
- C. Cellphone
- D. Thin client

Answer: C

Explanation:

A cellphone is the most ideal computing device for point-of-sale transactions in a retail store where salespeople roam around. A cellphone is portable, wireless, and has features such as cameras, scanners, and touchscreens that can facilitate payment processing and customer interaction. A workstation is a desktop computer that is designed for high-performance tasks, but it is not portable or wireless. A laptop is a portable computer that can run on battery power, but it is not as convenient or compact as a cellphone. A thin client is a computer that relies on a server for most of its processing and storage, but it is not suitable for point-of-sale transactions without network connectivity. References: The Official CompTIA IT Fundamentals (ITF+) Student Guide (Exam FC0-U61), Chapter 1: IT Fundamentals1

NEW QUESTION 119

Which of the following BEST describes the purpose of a vector in programming?

- A. Storing a collection of data
- B. Repeating a similar operation

- C. Capturing user input
- D. Performing mathematical calculations

Answer: A

Explanation:

A vector is a type of data structure that can store a collection of data of the same data type in a dynamic sequence. A vector can grow or shrink in size as data is added or removed from it. A vector would be the best option for storing a collection of data in programming because it can accommodate different amounts of data and allow fast access to any element by using its index number. Repeating a similar operation, capturing user input, and performing mathematical calculations are not purposes of a vector in programming. References: CompTIA IT Fundamentals+ Study Guide: Exam FC0-U61, Second Edition, Chapter 4: Programming Concepts and Data Structures, page 148.

NEW QUESTION 120

Ann, a user, connects to the corporate WiFi and tries to browse the Internet. Ann finds that she can only get to local (intranet) pages. Which of the following actions would MOST likely fix the problem?

- A. Renew the IP address.
- B. Configure the browser proxy settings.
- C. Clear the browser cache.
- D. Disable the pop-up blocker

Answer: A

Explanation:

Renewing the IP address would most likely fix the problem of not being able to access the Internet after connecting to the corporate WiFi. An IP address is a unique identifier that is assigned to a device on a network that uses the Internet Protocol (IP). An IP address consists of four numbers separated by dots, each ranging from 0 to 255. For example, 192.168.1.1 is an IP address. An IP address can be assigned statically (manually) or dynamically (automatically) by a DHCP (Dynamic Host Configuration Protocol) server on the network. Sometimes, an IP address may become invalid or conflict with another device on the network, which may prevent the device from accessing the Internet or other network resources. Renewing the IP address is a process of releasing the current IP address and requesting a new IP address from the DHCP server. Renewing the IP address can help resolve any IP address issues and restore network connectivity. References : The Official CompTIA IT Fundamentals (ITF+) Study Guide (FC0-U61), page 165-166.

NEW QUESTION 122

When developing a game, a developer creates a boss object that has the ability to jump. Which of the following programming concepts does jump represent?

- A. Method
- B. Object
- C. Property
- D. Attribute

Answer: A

Explanation:

A method is a programming concept that represents a function or a procedure that performs a specific task or action on an object. An object is a programming concept that represents an instance of a class or a data type that has properties and methods. A method would best describe the ability to jump for a boss object in game development because it is an action that the boss object can perform. Property, object, and attribute are not programming concepts that represent the ability to jump for a boss object in game development. Property is a programming concept that represents a characteristic or a feature of an object, such as color, size, or name. Object is a programming concept that represents an instance of a class or a data type that has properties and methods. Attribute is another term for property in some programming languages. References: CompTIA IT Fundamentals+ Study Guide: Exam FC0-U61, Second Edition, Chapter 4: Programming Concepts and Data Structures, page 143.

NEW QUESTION 124

A technician has successfully verified full system functionality after implementing the solution to a problem. Which of the following is the NEXT troubleshooting step the technician should do?

- A. Determine if anything has changed.
- B. Document lessons learned.
- C. Establish a theory of probable cause.
- D. Duplicate the problem, if possible.

Answer: B

Explanation:

Documenting lessons learned is the last step of the troubleshooting methodology, which is a systematic approach to solving problems. Documenting lessons learned involves recording the problem, the solution, and the process that was followed to resolve the problem. This can help prevent future occurrences of the same or similar problems, improve the troubleshooting skills of the technician, and provide a reference for other technicians who may encounter the same or similar problems. Documenting lessons learned would be the next troubleshooting step the technician should do after verifying full system functionality. Determining if anything has changed, establishing a theory of probable cause, and duplicating the problem are not steps that follow verifying full system functionality in the troubleshooting methodology. References: CompTIA IT Fundamentals+ Study Guide: Exam FC0-U61, Second Edition, Chapter 9: Troubleshooting and Operational Procedures, page 341.

NEW QUESTION 125

A user wants to ensure port 3389 is open for remote desktop on a PC. Which of the following describes where the user should verify the port is open?

- A. Antivirus
- B. Anti-malware
- C. Device Manager
- D. Host firewall

Answer: D

Explanation:

A host firewall is a software program that controls the incoming and outgoing network traffic on a computer. A host firewall can block or allow traffic based on rules that specify the source and destination addresses, ports, protocols, and applications. A host firewall can also monitor and log network activity for security purposes. A user can verify if a port is open or closed by checking the host firewall settings and rules on their PC. References: The Official CompTIA IT Fundamentals (ITF+) Student Guide (Exam FC0-U61), Chapter 5, Section 5.4, Page 230.

NEW QUESTION 128

Concerned with vulnerabilities on a home network, an administrator replaces the wireless router with a recently released new device. After configuring the new device utilizing the old SSID and key, some light switches are no longer communicating. Which of the following is the MOST likely cause?

- A. The light switches do not support WPA2.
- B. The router is operating on a different channel.
- C. The key does not meet password complexity requirements.
- D. The SSID is not being broadcast.

Answer: A

Explanation:

WPA2 (WiFi Protected Access II) is a WiFi security option that uses encryption and authentication to protect the wireless network from unauthorized access or eavesdropping. WPA2 is the most secure and recommended WiFi security option among the options given. If some light switches are no longer communicating after replacing the wireless router with a new device that uses WPA2, the most likely cause is that the light switches do not support WPA2. The light switches may need to be updated or replaced to be compatible with WPA2. The router operating on a different channel, the key not meeting password complexity requirements, and the SSID not being broadcast are not likely causes of the light switches not communicating after replacing the wireless router with a new device that uses WPA2. References: CompTIA IT Fundamentals+ Study Guide: Exam FC0-U61, Second Edition, Chapter 8: Security Concepts, page 311.

NEW QUESTION 133

In which of the following situations should there be some expectation of privacy?

- A. Posting a comment on a friend's social media page
- B. Submitting personal information on a school enrollment site
- C. Posting a comment on a video sharing site
- D. Sending email and pictures to a close relative

Answer: B

Explanation:

Submitting personal information on a school enrollment site is an example of a situation where there should be some expectation of privacy. Privacy is the right or ability of individuals or groups to control or limit the access or disclosure of their personal information by others. Personal information is any information that can identify or relate to a specific person, such as name, address, phone number, email, social security number, etc. A school enrollment site should have a privacy policy that explains how it collects, uses, and protects the personal information of its users. Users should read and understand the privacy policy before submitting their personal information on the site. References : The Official CompTIA IT Fundamentals (ITF+) Study Guide (FC0-U61), page 205.

NEW QUESTION 137

Which of the following are benefits of a security awareness training program? (Select two).

- A. Enhances overall security
- B. Provides information on how to avoid phishing
- C. Lowers the incidence of hardware failures
- D. Increases the availability of computers
- E. Advances end users' technical skills
- F. Creates IT security opportunities for end users

Answer: AB

Explanation:

The benefits of a security awareness training program are enhancing overall security and providing information on how to avoid phishing. Enhancing overall security is a benefit of a security awareness training program because it helps users understand the importance and value of security for themselves and their organization. It also helps users develop good security habits and behaviors, such as choosing strong passwords, locking their devices, reporting incidents, etc., which can prevent or reduce security risks and threats. Providing information on how to avoid phishing is a benefit of a security awareness training program because it helps users recognize and respond to phishing attacks, which are one of the most common and effective types of social engineering attacks. Phishing attacks involve sending fraudulent emails or messages that appear to come from legitimate sources to trick recipients into clicking on malicious links or attachments, or providing personal or financial information. A security awareness training program can teach users how to identify phishing signs, such as spelling errors, generic greetings, urgent requests, etc., and how to verify the sender, the URL, or the attachment before opening or responding. Lowering the incidence of hardware failures is not a benefit of a security awareness training program, but rather a benefit of a hardware maintenance program. A hardware maintenance program involves performing regular checks and repairs on the physical components of a system or network, such as disks, memory, CPU, power supply, etc., to ensure their proper functioning and performance. A hardware maintenance program can prevent or reduce hardware failures, which can cause data loss, corruption, or interruption for the system or network and its users. Increasing the availability of computers is not a benefit of a security awareness training program, but rather a benefit of a backup and recovery program. A backup and recovery program involves creating and restoring copies of data or systems in case of data loss, corruption, or disaster. A backup and recovery program can increase the availability of computers by ensuring that users can access their data or systems from alternative sources or locations in case of an emergency. Advancing end users' technical skills is not a benefit of a security awareness training program, but rather a benefit of a technical training program. A technical training program involves teaching users how to use various technologies or applications effectively and efficiently. A technical training program can advance end users' technical skills by increasing their knowledge, competence, and productivity with the technologies or applications they use. Creating IT security opportunities for end users is not a benefit of a security awareness training program, but rather a benefit of a career development program. A career development program involves providing users with guidance and resources to help them achieve their professional goals and aspirations. A career development program can create IT security opportunities for end users by exposing them to different IT security roles, paths, or certifications that they can pursue or obtain. References: The Official CompTIA IT Fundamentals (ITF+) Student Guide (Exam FC0-U61), Chapter 7: Security Concepts

NEW QUESTION 142

Which of the following operating systems do not require extensions on files to execute a program? (Select TWO).

- A. Windows 7
- B. Windows 8
- C. UNIX
- D. Windows Server 2012
- E. Android
- F. Linux

Answer: CF

Explanation:

UNIX and Linux are the examples of operating systems that do not require extensions on files to execute a program. UNIX and Linux are operating systems that are based on the same kernel and share many features and commands. UNIX and Linux do not rely on file extensions to determine the file type or function. Instead, they use file permissions and attributes to indicate whether a file is executable or not. File extensions are optional and mainly used for human readability or compatibility with other systems. References : The Official CompTIA IT Fundamentals (ITF+) Study Guide (FC0-U61), page 86.

NEW QUESTION 145

A technician is called to replace a display for a workstation. Which of the following would MOST likely be used to connect the display to the workstation?

- A. USB
- B. NFC
- C. DSL
- D. DVI

Answer: D

Explanation:

DVI is the most likely connector that would be used to connect a display to a workstation. DVI stands for Digital Visual Interface, which is a standard that transmits digital video signals between devices. DVI can support high-resolution displays and multiple monitors. DVI connectors have three types: DVI-A (analog), DVI-D (digital), and DVI-I (integrated). DVI connectors have different numbers of pins depending on the type and mode. References : The Official CompTIA IT Fundamentals (ITF+) Study Guide (FC0-U61), page 54.

NEW QUESTION 146

Which of the following is used to protect intellectual property while requiring the owner to provide the public with working details?

- A. Patent
- B. Trademark
- C. License
- D. Copyright

Answer: A

Explanation:

A patent is used to protect intellectual property while requiring the owner to provide the public with working details of an invention or a process. A patent grants the owner the exclusive right to make, use, or sell the invention or process for a limited period of time, usually 20 years. A trademark is used to protect a name, symbol, logo, or slogan that identifies a product or service. A trademark grants the owner the exclusive right to use the mark to distinguish their product or service from others. A license is used to grant permission to use intellectual property under certain terms and conditions. A license does not transfer ownership of the intellectual property, but only grants limited rights to use it. A license can be revoked by the owner if the terms and conditions are violated. A copyright is used to protect original works of authorship, such as books, music, movies, or software. A copyright grants the owner the exclusive right to reproduce, distribute, perform, display, or create derivative works based on their original work. References: The Official CompTIA IT Fundamentals (ITF+) Student Guide (Exam FC0-U61), Chapter 8: Software Development Concepts

NEW QUESTION 148

The process of determining the source of an issue during troubleshooting is called:

- A. researching.
- B. sourcing.
- C. diagnosing.
- D. triaging

Answer: C

Explanation:

The process of determining the source of an issue during troubleshooting is called diagnosing. Diagnosing is the third step in the troubleshooting process, after gathering information and determining if anything has changed. Diagnosing involves analyzing the symptoms and possible causes of the problem, testing hypotheses, and identifying the root cause of the problem. Researching is the process of finding relevant information or resources to help solve a problem during troubleshooting. Researching can be done before or after diagnosing, depending on the availability and reliability of the information or resources. Sourcing is not a term used in troubleshooting, but it may refer to the process of finding or obtaining materials or components for a product or service. Triaging is not a term used in troubleshooting, but it may refer to the process of prioritizing problems or tasks based on their urgency or importance. References: The Official CompTIA IT Fundamentals (ITF+) Student Guide (Exam FC0-U61), Chapter 2: IT Concepts and Terminology

NEW QUESTION 151

A corporate network just implemented a 60-day password-warning banner. Which of the following is most likely going to happen in 60 days?

- A. Password reset
- B. Password expiration

- C. Password reuse
- D. Password Implementation

Answer: B

Explanation:

The most likely thing that will happen in 60 days after implementing a 60-day password-warning banner is password expiration. A password-warning banner is a message that appears on the screen when a user logs in to a system or network, informing them of how many days are left before their password expires. A password expiration policy is a security measure that requires users to change their passwords periodically, usually every 30 to 90 days. This policy helps to prevent unauthorized access or compromise of passwords by hackers or malicious insiders. Password reset is the process of changing or creating a new password for a user account when the user forgets their password or wants to change it for security reasons. Password reset can be done by the user themselves or by an administrator, depending on the system or network settings. Password reset does not necessarily happen in 60 days after implementing a 60-day password-warning banner, unless the user forgets their password or chooses to change it before it expires. Password reuse is the practice of using the same password for multiple user accounts or systems. Password reuse is not recommended as it increases the risk of compromise if one of the accounts or systems is breached by hackers or malicious insiders. Password reuse does not necessarily happen in 60 days after implementing a 60-day password-warning banner, unless the user chooses to use their old password for their new password after it expires. Password implementation is not a term used in security, but it may refer to the process of creating or enforcing password policies for user accounts or systems. Password implementation does not necessarily happen in 60 days after implementing a 60-day password-warning banner, unless there are changes in the password policies that require users to comply with them. References: The Official CompTIA IT Fundamentals (ITF+) Student Guide (Exam FC0-U61), Chapter 7: Security Concepts1

NEW QUESTION 156

.....

Thank You for Trying Our Product

We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

FC0-U61 Practice Exam Features:

- * FC0-U61 Questions and Answers Updated Frequently
- * FC0-U61 Practice Questions Verified by Expert Senior Certified Staff
- * FC0-U61 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * FC0-U61 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year

100% Actual & Verified — Instant Download, Please Click
[Order The FC0-U61 Practice Test Here](#)