



## **Microsoft**

### **Exam Questions MS-203**

Microsoft 365 Messaging

## About ExamBible

### *Your Partner of IT Exam*

## Found in 1998

ExamBible is a company specialized on providing high quality IT exam practice study materials, especially Cisco CCNA, CCDA, CCNP, CCIE, Checkpoint CCSE, CompTIA A+, Network+ certification practice exams and so on. We guarantee that the candidates will not only pass any IT exam at the first attempt but also get profound understanding about the certificates they have got. There are so many alike companies in this industry, however, ExamBible has its unique advantages that other companies could not achieve.

## Our Advances

### \* 99.9% Uptime

All examinations will be up to date.

### \* 24/7 Quality Support

We will provide service round the clock.

### \* 100% Pass Rate

Our guarantee that you will pass the exam.

### \* Unique Gurantee

If you do not pass the exam at the first time, we will not only arrange FULL REFUND for you, but also provide you another exam of your claim, ABSOLUTELY FREE!

**NEW QUESTION 1**

- (Topic 5)

Your company has a Microsoft Exchange Server 2019 hybrid deployment.

Users in the advertising department and the editorial department of the company have mailboxes in Exchange Online.

A company policy requires that the advertising department users and the editorial department users be segmented based on the following requirements:

? The advertising department users must not see the editorial department users in the global address list

? (GAL).

? The editorial department users must not see the advertising department users in the GAL.

? The editorial department users must be treated as external recipients of the advertising department users.

? The advertising department users must be treated as external recipients of the editorial department users.

You need to recommend a solution that meets the requirements and minimize costs and effort.

What should you recommend?

- A. In the Exchange Online tenant, create separate address book policies (ABPs) for the advertising and editorial departments.
- B. Migrate all the mailboxes of the advertising department to the on-premises organization, and then enable address book policy (ABP) routing.
- C. Purchase an additional Microsoft 365 subscription, and then migrate all the mailboxes of the advertising department to the new subscription.
- D. Create two address book policies (ABPs) in Exchange Online, and then enable ABP routing for the Exchange Online tenant.

**Answer: D**

**Explanation:**

References:

<https://docs.microsoft.com/en-us/exchange/email-addresses-and-address-books/address-book-policies/address-book-policies?view=exchserver-2019>

**NEW QUESTION 2**

- (Topic 5)

You have a Microsoft Exchange Online tenant that uses a third-party email gateway device. You discover that inbound email messages are delayed.

The gateway device receives the following error message when sending email to the tenant.

\* 4.7.500 Server busy, please try again later. You need to prevent inbound email delays. What should you configure?

- A. Organization Sharing
- B. an MX record for the domain
- C. a transport rule
- D. a connector

**Answer: D**

**Explanation:**

Reference:

<https://docs.microsoft.com/en-us/exchange/mail-flow-best-practices/use-connectors-to-configure-mail-flow/use-connectors-to-configure-mail-flow>

**NEW QUESTION 3**

HOTSPOT - (Topic 5)

You have a Microsoft Exchange Online subscription that uses a namespace of litwareinc.com.

You create a connector in Exchange Online that is configured as shown in the following exhibit.

Name	: Contoso
Enabled	: True
UseMXRecord	: True
ConnectorType	: Partner
RecipientDomains	: {Contoso.com}
SmartHosts	: {}
TlsDomain	: Contoso.com
TlsSettings	: DomainValidation
IsTransportRuleScoped	: False
RouteAllMessagesViaOnPremises	: False
CloudServiceMailEnabled	: False
AllAcceptedDomains	: False

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.

NOTE: Each correct selection is worth one point.

If an email message is sent to info@contoso.com, the message [answer choice].

▼
will always be delivered by using TLS
will never be delivered by using TLS
will sometimes be delivered by using TLS

If a user attempts to send an email message to info@contoso.com, and the receiving server does not have a certificate that contains the name contoso.com, [answer choice].

▼
the message will be delivered unencrypted
the messages will not be delivered
the message will be delivered by using TLS

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

If an email message is sent to info@contoso.com, the message [answer choice].

▼
will always be delivered by using TLS
will never be delivered by using TLS
will sometimes be delivered by using TLS

If a user attempts to send an email message to info@contoso.com, and the receiving server does not have a certificate that contains the name contoso.com, [answer choice].

▼
the message will be delivered unencrypted
the messages will not be delivered
the message will be delivered by using TLS

#### NEW QUESTION 4

- (Topic 5)

You have a Microsoft 365 tenant that contains a user named User1.

User1 reports that she cannot configure a mail profile in Microsoft Outlook for Windows. User1 receives the following error message: "Encrypted connection to your mail server is not available."

You verify that User1 is assigned a Microsoft Office 365 Enterprise F3 license and can send email messages from her account by using Outlook on the web. You need to ensure that User1 can connect to Outlook successfully. What should you do?

- A. Run the Microsoft Support and Recovery Assistant for Office 365.
- B. Activate the installation of Office 365 ProPlus.
- C. Modify the license assigned to User1.
- D. Install a new certificate on the computer of User1.

**Answer:** C

**Explanation:**

Reference:

<https://docs.microsoft.com/en-us/exchange/troubleshoot/outlook-issues/encrypted-connection-unavailable>

#### NEW QUESTION 5

- (Topic 5)

You have a Microsoft Exchange Server 2019 organization. You need to import an Edge Subscription on a Mailbox server. Which cmdlet should you run?

- A. New-EdgeSubscription
- B. Start-EdgeSynchronization
- C. Set-EdgeSubscription
- D. Set-TransportAgent

**Answer:** A

#### NEW QUESTION 6

DRAG DROP - (Topic 5)

Your company has three departments name Dept1, Dept2. and Dept3 and a Microsoft Exchange Online tenant.

You need to increase security for the email messages sent from the departments. The solution must meet the following requirements:

- « Users in Dept1 must be able to digitally sign and encrypt email messages as required.
- + Email messages sent from Dept2 to an external email domain must be encrypted automatically during transit only.
- « Email messages sent from Dept3 to an external email domain must be encrypted until the recipient opens the message.
- « Implementation costs must be minimized.

'Which type of encryption should you use for each department? To answer, drag the appropriate encryption types to the correct departments. Each encryption type may be used

**Encryption types**

- IPsec
- Microsoft Purview Message Encryption
- S/MIME
- TLS

**Answer Area**

Dept1:

Dept2:

Dept3:

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

? Users in Dept1 should use S/MIME encryption<sup>1</sup>. S/MIME is a standard for public key encryption and signing of email messages<sup>1</sup>. It allows users to digitally sign and encrypt email messages as required using certificates<sup>1</sup>. S/MIME provides end-to-end encryption and ensures message integrity and sender authentication<sup>1</sup>.  
 ? Email messages sent from Dept2 to an external email domain should use TLS encryption<sup>1</sup>. TLS is a protocol that encrypts the connection or session between two servers<sup>1</sup>. It protects email messages during transit only and does not require any action from the sender or recipient<sup>1</sup>. TLS provides opportunistic encryption and ensures message confidentiality and server authentication<sup>1</sup>.  
 ? Email messages sent from Dept3 to an external email domain should use Microsoft Purview Message Encryption<sup>2</sup>. Microsoft Purview Message Encryption is an online service that encrypts email messages and attachments using rights management policies<sup>2</sup>. It allows users to send encrypted email messages to anyone inside or outside the organization using various email services<sup>2</sup>. Microsoft Purview Message Encryption provides persistent encryption and ensures message confidentiality and authorization policies<sup>2</sup>.

**NEW QUESTION 7**

- (Topic 5)

You have a Microsoft Exchange Online tenant that uses Microsoft Defender for Office 365.

You need to create a new Safe Attachments policy named Policy1 that meets the following requirements:

- ? Immediately delivers email messages that contain attachments and replaces the attachments with placeholders
- ? Reattaches the attachments after scanning is complete
- ? Quarantines malicious attachments

Which action should you select for Policy1?

- A. Monitor
- B. Block
- C. Dynamic Delivery
- D. Replace

**Answer:** C

**NEW QUESTION 8**

SIMULATION - (Topic 5)

SIMULATION


Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time.

When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.

Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.

Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.



Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username: admin@abc.com

Microsoft 365 Password: xxxxxx

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only.

Lab Instance: XXXXXX

You need to ensure that the email messages in mailboxes and the documents in Microsoft OneDrive folders of all the users in your organization are retained for only five years.

To complete this task, sign in to the Microsoft 365 admin center.

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

? From the Microsoft 365 compliance center, select Policies > Retention.

? Select New retention policy to start the Create retention policy configuration, and name your new retention policy.

? For the Choose the type of retention policy to create page, select Static. Adaptive policies don't support the locations for Exchange public folders or Skype for Business.

? Depending on your selected scope:

- On the Choose locations page, toggle on or off any of the locations except the locations for Teams and Yammer. For each location, you can leave it at the default to apply the policy to the entire location.

? Information specific to locations:

- Exchange email and Exchange public folders
- SharePoint sites and OneDrive accounts
- Microsoft 365 Groups
- Skype for Business

? For Decide if you want to retain content, delete it, or both page, specify the configuration options for retaining and deleting content.

You can create a retention policy that just retains content without deleting, retains and then deletes after a specified period of time, or just deletes content after a specified period of time.

? Complete the configuration and save your settings.

**NEW QUESTION 9**

DRAG DROP - (Topic 5)

Your company has a Microsoft 365 subscription for a domain named contoso.com.

The company acquires a company named Litware, Inc. that uses an IMAP-based messaging system. The SMTP domain of Litware is named litwareinc.com.

You need to migrate the mailboxes of Litware to Microsoft Office 365. The solution must ensure that users from Litware can receive email by using their current email address.

Which four actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

**Actions**

**Answer Area**

Add an accepted domain to Office 365.

Create a migration endpoint and a migration batch.

Create an Office 365 connector.

Start the migration batch.

Provision a mailbox in Office 365 for each Litware user.

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

**Actions**

**Answer Area**

Add an accepted domain to Office 365.

Create a migration endpoint and a migration batch.

Create an Office 365 connector.

Start the migration batch.

Provision a mailbox in Office 365 for each Litware user.

Add an accepted domain to Office 365.

Provision a mailbox in Office 365 for each Litware user.

Create a migration endpoint and a migration batch.

Start the migration batch.

**NEW QUESTION 10**

- (Topic 5)

You have a Microsoft Exchange Online tenant that has anti-spam policies configured.

You need to identify any anti-spam policy settings that were changed during the last three months and review recommendations for increase Microsoft Standard or Stria configurations for Exchange Online anti-spam policies.

What should you use?

- A. Configuration analyzer in Microsoft 365 Defender
- B. Compliance Manager
- C. Microsoft Defender for Cloud Apps
- D. the Insights dashboard in the Exchange admin center

**Answer:** A

**NEW QUESTION 10**

HOTSPOT - (Topic 5)

You have a hybrid deployment of Microsoft Exchange Server 2019. You need to configure modern attachments for Outlook on the web.

From Exchange Management Shell, which cmdlet should you run? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

▼ -Name Default	▼ Https://Contoso-
Set-CASMailbox	-Identity
Set-OutlookProvider	-internalSPMySiteHostURL
Set-ClientAccessRule	-WacExternalServicesEnabled
Set-OwaMailboxPolicy	-ThirdPartyAttachmentsEnabled

my.sharepoint.com -ExternalSPMySiteHostURL Https://Contoso-my.Contoso.com

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

▼ -Name Default	▼ Https://Contoso-
Set-CASMailbox	-Identity
Set-OutlookProvider	-internalSPMySiteHostURL
Set-ClientAccessRule	-WacExternalServicesEnabled
Set-OwaMailboxPolicy	-ThirdPartyAttachmentsEnabled

my.sharepoint.com -ExternalSPMySiteHostURL Https://Contoso-my.Contoso.com

**NEW QUESTION 12**

DRAG DROP - (Topic 5)

You have a Microsoft Exchange Server 2019 hybrid deployment. All user mailboxes are migrated to Exchange Online.

You need to migrate the public folders from the on-premises organizations to Exchange Online.

Which three actions should you perform in sequence before you create the migration batch? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions	Answer Area
From Exchange Online, create the target public folder mailboxes.	
From Exchange Online, run the Set-organizationConfig -RemotePublicFolderMailboxes \$Null -PublicFoldersEnabled Local command	
From Exchange on-premises, run the SetmailPublicFolderExternalAddress.ps1 script	
From Exchange on-premises, run the Export-ModernPublicFolderStatistics.ps1 script	
From Exchange on-premises, run the Set-OrganizationConfig -RemotePublicFolderMailboxes \$Null -PublicFoldersEnabled Local command	
From Exchange on-premises, run the ModernPublicFolderToMailboxMapgenerator.ps1 script.	

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

References:

<https://docs.microsoft.com/en-us/Exchange/collaboration/public-folders/migrate-to-exchange-online?view=exchserver-2019>

<https://docs.microsoft.com/en-us/Exchange/collaboration/public-folders/migrate-to-exchange-online?view=exchserver-2019#step-3-generate-the-csv-files>

<https://docs.microsoft.com/en-us/Exchange/collaboration/public-folders/migrate-to-exchange-online?view=exchserver-2019#step-4-create-the-public-folder-mailboxes-in-exchange-online>

**NEW QUESTION 15**

- (Topic 5)

You manage a hybrid deployment between Microsoft Exchange Online and on-premises Exchange Server 2019. The deployment contains a primary SMTP domain named contoso.com.

Users have email addresses that use a syntax of firstname.lastname@contoso.com.

A user named Ben Smith receives a new client computer. You configure the computer1 to access Ben Smith's mailbox. Ben Smith reports that he cannot connect to his mailbox from the new computer.

You verify that other users can connect successfully to their mailbox and that new users can discover their mailboxes by using Autodiscover.

You need to ensure that Ben Smith can connect to his mailbox from the new computer. What should you do?

- A. Modify the primarySmtpAddress property for the mailbox of Ben Smith.

- B. Modify the email address of Ben Smith to use a syntax of `firstname.lastname@contoso.onmicrosoft.com`
- C. Modify the `RemoteRoutingAddress` parameter for the mailbox of Ben Smith.
- D. Modify the email address of Ben Smith to use a syntax of `lastname.firstname@contoso.com`

**Answer:** C

**NEW QUESTION 19**

- (Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a

result, these questions will not appear in the review screen.

Your company has a Microsoft Exchange Server 2019 hybrid deployment that contains two Mailbox servers named MBX1 and MBX2.

The company has the departments shown in the following table.

Name	Mailbox location	Number of recipients
Sales	MBX1	300
Production	MBX2	500
Administration	MBX1	200
IT	Exchange Online	50
Managers	Exchange Online	100
Marketing	Exchange Online	350

From the on-premises organization, outbound email is sent directly to the Internet by using DNS lookups.

You are informed that some sales department users send email messages that are identified as spam.

You need to automatically block the sales department users from repeatedly sending spam.

Solution: You run the `Install-AntispamAgents.ps1` PowerShell script on the MBX1 Mailbox server.

Does this meet the goal?

- A. yes
- B. No

**Answer:** B

**Explanation:**

Reference:

<https://docs.microsoft.com/en-us/exchange/antispam-and-antimalware/antispam-protection/antispam-on-mailbox-servers?view=exchserver-2019>

**NEW QUESTION 20**

- (Topic 5)

You have a Microsoft Exchange Server 2019 hybrid deployment.

You are migrating public folder data to Exchange Online by using a migration batch of the `PublicFolder` type.

You need to identify the sync status of each move request in the batch. Which cmdlet should you run?

- A. `Gec-PublicFolderMailboxMigrationRequest`
- B. `Get-PublicFolderMigrationRequest`
- C. `Gec-PublicFolderMoveRequest`
- D. `Gee-MoveRequest`

**Answer:** A

**Explanation:**

Reference:

<https://docs.microsoft.com/en-us/powershell/module/exchange/get-publicfoldermailboxmigrationrequest?view=exchange-ps>

**NEW QUESTION 21**

HOTSPOT - (Topic 5)

You have a Microsoft Exchange Online tenant that contains a mail-enabled public folder named `CustomerSupport`

You need to create a group for the customer support team at your company. The solution must ensure that email sent to the group is also posted to the `CustomerSupport` public folder

How should you configure the group? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

**Answer Area**

Group type:

Distribution list
Microsoft 365
Security

Configuration:

Add CustomerSupport as a member of the group.
Assign the group the Contributor role for CustomerSupport.
Configure the Send As settings.
Configure the Send on Behalf settings.

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

**Answer Area**

Group type:

Distribution list
Microsoft 365
Security

Configuration:

Add CustomerSupport as a member of the group.
Assign the group the Contributor role for CustomerSupport.
Configure the Send As settings.
Configure the Send on Behalf settings.

**NEW QUESTION 23**

HOTSPOT - (Topic 5)

You have a Microsoft Exchange Online tenant that contains two users named User1 and User2.

User1 receives an email message that appears to come from User2. You discover that the message did NOT originate from User2.

You need to prevent email impersonation in the Exchange environment.

Which type of policy should you use, and which setting should you configure? To answer, select the appropriate options in the answer area.

**Answer Area**

Policy type:

Anti-phishing
Anti-malware
Anti-phishing
Anti-spam

Setting:

Enable domains to protect
Enable users to protect
Enable domains to protect
Add trusted senders and domains

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**  
**Answer Area**



**NEW QUESTION 26**

- (Topic 5)

You manage a Microsoft Exchange Server 2019 organization that contains several thousand users. All the users connect to their mailbox by using a mobile device and Exchange ActiveSync. You need to prevent the users from syncing email messages that are older than 14 days to the mobile devices. What should you use?

- A. an Outlook Web App mailbox policy
- B. a mobile device mailbox policy
- C. an ActiveSync device access rule
- D. a conditional access policy

**Answer: B**

**Explanation:**

Reference:  
<https://docs.microsoft.com/en-us/exchange/clients/exchange-activesync/mobile-device-mailbox-policies?view=exchserver-2019>

**NEW QUESTION 28**

HOTSPOT - (Topic 5)

Your company has a Microsoft 365 subscription. All users are assigned Microsoft 365 E5 licenses. The users receive email messages that appear to come from managers at the company. However, the messages are not from the managers and often include links to malicious websites. You need to provide a solution to protect the mailboxes of the managers and to inform the users when phishing occurs. Which two settings should you modify in the anti-phishing policy? To answer, select the appropriate settings in the answer area. NOTE: Each correct selection is worth one point.

**Answer Area**

Priority	1
Status	On
Last modified	December 10, 2018

Policy setting	Policy name	Test
	Description	
	Applied to	If the recipient domain is: M365x051451.onmicrosoft.com
Impersonation	Users to protect	<input type="text" value="Off"/>
	Protect all domains I own	<input type="text" value="Off"/>
	Protect specific domains	<input type="text" value="Off"/>
	Action > User impersonation	<input type="text" value="Don't apply any action"/>
	Action > Domain impersonation	<input type="text" value="Don't apply any action"/>
	Safety tips > User impersonation	<input type="text" value="Off"/>
	Safety tips > Domain impersonation	<input type="text" value="Off"/>
	Safety tips > Unusual characters	<input type="text" value="Off"/>
	Mailbox intelligence	<input type="text" value="On"/>
Spoof	Enable antispoofting protection	<input type="text" value="On"/>
	Action	<input type="text" value="Move message to the recipients' Junk Email folders"/>
Advanced settings	Advanced phishing thresholds	1 - Standard

- A. Mastered
- B. Not Mastered

**Answer: A**

**Explanation:**

**Answer Area**

Priority	1	
Status	On	
Last modified	December 10, 2018	
Policy setting	Policy name Description Applied to	Test If the recipient domain is: M365x051451.onmicrosoft.com
Impersonation	Users to protect Protect all domains I own Protect specific domains Action > User impersonation Action > Domain impersonation Safety tips > User impersonation Safety tips > Domain impersonation Safety tips > Unusual characters Mailbox intelligence	<input type="text" value="Off"/> <input type="text" value="Off"/> <input type="text" value="Off"/> <input type="text" value="Don't apply any action"/> <input type="text" value="Don't apply any action"/> <input type="text" value="Off"/> <input type="text" value="Off"/> <input type="text" value="Off"/> <input type="text" value="On"/>
Spoof	Enable antispoofting protection Action	<input type="text" value="On"/> <input type="text" value="Move message to the recipients' Junk Email folders"/>
Advanced settings	Advanced phishing thresholds	1 - Standard

**NEW QUESTION 32**

- (Topic 5)

You have a Microsoft Exchange Online tenant.

Remote users report that they receive an error message when they attempt to add their email account to Microsoft Outlook.

You need to confirm that the DNS records resolve correctly for the users.

Which two DNS records should you test? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. autodiscover.outlook.com
- B. smtp.office365.com
- C. outlook.office365.com
- D. security.microsoft365.com
- E. portal.office.com

**Answer:** AC

**Explanation:**

Reference:

<https://docs.microsoft.com/en-us/exchange/troubleshoot/administration/incorrect-settings>

**NEW QUESTION 34**

- (Topic 5)

You have a Microsoft Exchange Online tenant that uses an email domain named contoso.com.

Your company has a partnership with another company named fabrikam.com. You need to ensure that all email messages sent to and received by the users at fabrikam.com are encrypted by using TLS.

What should you create in the Exchange admin center?

- A. one connector and one remote domain
- B. one remote domain and one accepted domain
- C. one connector and one accepted domain
- D. two connectors

**Answer:** D

**Explanation:**

Reference:

<https://docs.microsoft.com/en-us/exchange/mail-flow-best-practices/use-connectors-to-configure-mail-flow/setup-connectors-for-secure-mail-flow-with-a-partner>

**NEW QUESTION 37**

HOTSPOT - (Topic 5)


You need to configure a hybrid deployment between a Microsoft Exchange Online tenant and an on-premises Exchange Server 2019 organization that contains a server named Server1. The solution must meet the following requirements:

- Support remote move migrations of mailboxes from Server1 to Exchange Online.
- Enable free/busy lookups between Server 1 and Exchange Online.

What should you do for each requirement? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area




- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Answer Area



**NEW QUESTION 39**

- (Topic 4)

You need to ensure that Alex Wilbur can recover deleted items when using Outlook on the web.

Which two actions should you perform? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

- A. Assign Sales Policy to Alex Wilbur.
- B. Modify Marketing Policy.
- C. Remove Alex Wilbur from all groups.
- D. Assign Policy2 to Alex Wilbur.
- E. Modify Policy1

**Answer:** BD

**NEW QUESTION 41**

- (Topic 4)

You need to ensure that Allan Deyoung can create a new public folder for the sales department.

Which two actions should you perform first? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Add Allan Deyoung to the Organization Management role group
- B. Create a new public folder mailbox
- C. Add Allan Deyoung to the Recipient Management role group
- D. Create a new shared mailbox
- E. Modify Sales Policy

**Answer:** B

**Explanation:**

Reference:

<https://docs.microsoft.com/en-us/exchange/permissions-exo/feature-permissions> <https://docs.microsoft.com/en-us/exchange/collaboration-exo/public-folders/set-up-public-folders>

**NEW QUESTION 46**

- (Topic 4)

Allan Deyoung must perform a message trace of the email messages sent by Isaiah Langer and provide a report that contains all the messages sent during the last 30 days.

You need to ensure that Allan Deyoung can perform the message trace. What should you do?

- A. Add Allan Deyoung to the Organization Management role group
- B. Add Allan Deyoung to the Security Administrator role group
- C. For Allan Deyoung
- D. set ElcProcessingDisabled to true
- E. For Isaiah Lange
- F. set ElcProcessingDisabled to true

**Answer:** A

**Explanation:**

Reference:

<https://docs.microsoft.com/en-us/exchange/permissions-exo/feature-permissions>

**NEW QUESTION 50**

- (Topic 4)

You need to email a list of configuration changes to the Exchange Online environment that were recently performed by Allan Deyoung. What should you do?

- A. Run the admin audit log report
- B. Run the external admin audit log report
- C. Export the admin audit log
- D. Run an administrator role group report
- E. Export the mailbox audit logs

**Answer: C**

**Explanation:**

Reference:

<https://docs.microsoft.com/en-us/exchange/security-and-compliance/exchange-auditing-reports/exchange-auditing-reports>

**NEW QUESTION 52**

- (Topic 4)

Joni Sherman reports that the Microsoft Outlook client on her Windows 10 device fails to start. You need to troubleshoot the issue.

From the device, you start the Microsoft Remote Connectivity Analyzer. What should you run next?

- A. the Exchange ActiveSync test
- B. the Outlook Connectivity test
- C. the Service Account Access test
- D. the Microsoft Support and Recovery Assistant for Office 365 client

**Answer: D**

**Explanation:**

Reference:

<https://www.sherweb.com/blog/office-365/microsoft-support-and-recovery-assistant/>

**NEW QUESTION 53**

- (Topic 4)

You discover that email messages sent to contoso.com are NOT delivered through Contoso Connector. You need to ensure that all email sent to contoso.com is delivered through Contoso Connector.

Which connector setting should you modify?

- A. Routing
- B. Security restrictions
- C. Use of connector
- D. Status

**Answer: C**

**Explanation:**

Reference:

<https://docs.microsoft.com/en-us/exchange/mail-flow-best-practices/use-connectors-to-configure-mail-flow/set-up-connectors-for-secure-mail-flow-with-a-partner>

**NEW QUESTION 57**

HOTSPOT - (Topic 5)

You have a Microsoft Exchange Online tenant.

You need to create a new policy to retain mailbox items for five years before the items are deleted. The policy must be assigned to any user that has a job title attribute of Manager.

Which type of policy should you create, and what should you create first? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area



- A. Mastered
- B. Not Mastered

**Answer: A**

**Explanation:**

Answer Area



**NEW QUESTION 62**

- (Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft 365 E5 subscription.

You need to ensure that a user named User1 can review audit reports from the Microsoft 365 security center. User1 must be prevented from tracing messages from the Security admin center.

Solution: You assign the Reports reader role to User1. Does this meet the goal?

- A. Yes
- B. No

**Answer: B**

**NEW QUESTION 66**

- (Topic 5)

You have a Microsoft Exchange Server 2019 hybrid deployment. You plan to implement Hybrid Modern Authentication (HMA).

You retrieve the Exchange virtual directory settings, and you discover the following output.

```
InternalUrl           : https://mail.contoso.com
ExternalUrl          : https://mail.contoso.com
IISAuthenticationMethods : {Ntlm, Negotiate}
InternalAuthenticationMethods : {Ntlm, Negotiate}
ExternalAuthenticationMethods : {Ntlm, Negotiate}
```

You need to prepare the virtual directories for the planned implementation of HMA. What should you do?

- A. Add OAuth as an authentication method.
- B. Remove NTLM as an authentication method.
- C. Delete https://mail.contoso.com from the ExternalUrl value.
- D. Modify the InternalUrl value to http://mail.contoso.com.

**Answer: A**

**Explanation:**

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/enterprise/configure-exchange-server-for-hybrid-modernauthentication?view=o365-worldwide>

**NEW QUESTION 71**

SIMULATION - (Topic 5)


Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time.

When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.

Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.

Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.



Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username: admin@abc.com

Microsoft 365 Password: xxxxxx

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only.

Lab Instance: XXXXXX

You need to ensure that all emails sent from the users in your company to recipients who use a suffix of @fabnkam.com are encrypted by using Microsoft Office 365 Message Encryption (OME).

To complete this task, sign in to the Exchange admin center.

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

? In the Microsoft 365 admin center, choose Admin centers > Exchange.

? In the EAC, go to Mail flow > Rules and select New + > Create a new rule.

? In Name, type a name for the rule, such as Encrypt mail for DrToniRamos@hotmail.com.

? In Apply this rule if, select a condition, and enter a value if necessary. For example, to encrypt messages going to DrToniRamos@hotmail.com:

\_ In Apply this rule if, select the recipient is.

\_ Select an existing name from the contact list or type a new email address in the check names box.

- To select an existing name, select it from the list and then click OK.

- To enter a new name, type an email address in the check names box and then select check names >OK.

? To add more conditions, choose More options and then choose add condition and select from the list.

For example, to apply the rule only if the recipient is outside your organization, select add condition and then select the recipient is external/internal >Outside the organization >OK.

? To enable encryption using the new OME capabilities, from Do the following, select Modify the message security and then choose Apply Office 365 Message Encryption and rights protection. Select an RMS template from the list, choose Save, and then choose OK.

**NEW QUESTION 73**

- (Topic 5)

You have a Microsoft Exchange Online tenant that contains a user named User1 and a shared mailbox named Mailbox.

You plan to use PowerShell to grant User1 the Send As permission for Mailbox1. Which cmdlet should you run?

- A. Add-RecipientPermission
- B. Add-MailboxPermission
- C. Set-MailboxFolderPermission
- D. Add-MailboxFolderPermission
- E. Set-Mailbox

**Answer:** E

**NEW QUESTION 74**

HOTSPOT - (Topic 5)

Your network contains an Active Directory Domain Services (AD DS) domain.

You have a Microsoft 365 subscription. All mailboxes are hosted in Microsoft Exchange Online.

You have the DNS domains shown in the following table.

Name	Description
corp.contoso.com	AD DS domain
contoso.com	Verified custom domain for Azure AD
contoso.onmicrosoft.com	Default Azure AD tenant

You need to ensure that the Autodiscover service can be used to configure Microsoft Outlook settings for devices connecting from the internet. How should you configure the DNS record for Autodiscover? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

**Answer Area**

Type of DNS record:

- A
- CNAME**
- MX
- SRV
- TXT

In DNS domains:

- contoso.com only**
- corp.contoso.com only
- contoso.onmicrosoft.com only
- contoso.com and corp.contoso.com
- contoso.com and contoso.onmicrosoft.com
- corp.contoso.com and contoso.onmicrosoft.com

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

**Answer Area**

Type of DNS record:

- A
- CNAME**
- MX
- SRV
- TXT

In DNS domains:

- contoso.com only**
- corp.contoso.com only
- contoso.onmicrosoft.com only
- contoso.com and corp.contoso.com
- contoso.com and contoso.onmicrosoft.com
- corp.contoso.com and contoso.onmicrosoft.com

**NEW QUESTION 78**

- (Topic 5)

You have a Microsoft Exchange Online tenant that uses Microsoft Defender for Office 365. You have the policies shown in the following table.

Name	Type
Standard Preset Security Policy	Preset security policy
Policy1	Anti-malware

You need to track any modifications made to Policy1 by the identifying following:

- The name of the user that modified the policy
- The old and new values of settings modified in Policy1
- How the modifications compare to the baseline settings of Standard Preset Security Policy

What should you use in the Microsoft 365 Defender portal?

- A. Threat tracker
- B. Threat analytics
- C. Audit
- D. Configuration analyzer

**Answer:** D

**NEW QUESTION 81**

HOTSPOT - (Topic 5)

HOTSPOT

Your company has the offices shown in the following table.

Location	Public NAT IP address
New York	131.107.122.22
Portland	131.107.123.120
Seattle	131.107.123.10

The company has a Microsoft Exchange Online tenant that contains the users shown in the following table.

Name	Department	Office
User1	IT	Seattle
User2	IT	New York
User3	Helpdesk	Portland

You have the following Exchange Online client access rules.

```
PS C:\> Get-ClientAccessRule|fl Name, Priority, AnyOfProtocols,UserRecipientFilter,Action
```

```
Name           : Rule1
Priority        : 1
AnyOfProtocols : {RemotePowerShell}
UserRecipientFilter :
Action         : AllowAccess

Name           : Rule2
Priority        : 2
AnyOfProtocols : {ExchangeAdminCenter}
UserRecipientFilter : Department -ne 'IT'
Action         : DenyAccess
```

You create a new client access rule by using the following command.

```
New-ClientAccessRule -Name "Rule3" -Action DenyAccess
-AnyOfProtocols ExchangeAdminCenter
-ExceptAnyOfClientIPAddressOrRanges 131.107.123.0/24 -Priority 2
```

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Statements	Yes	No
Rule2 will be evaluated before Rule3	<input type="radio"/>	<input type="radio"/>
User2 can access the Exchange admin center	<input type="radio"/>	<input type="radio"/>
User3 can access the Exchange admin center	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Statements	Yes	No
Rule2 will be evaluated before Rule3	<input type="radio"/>	<input checked="" type="radio"/>
User2 can access the Exchange admin center	<input type="radio"/>	<input checked="" type="radio"/>
User3 can access the Exchange admin center	<input checked="" type="radio"/>	<input type="radio"/>

**NEW QUESTION 82**

- (Topic 5)

You have a hybrid deployment between a Microsoft Exchange Online tenant and an on- premises Exchange Server 2019 organization.

Several users hosted in Microsoft 365 report that when they send email messages to mailboxes hosted in Exchange Server 2019, the messages fail to be

delivered.

You need to examine the non-delivery reports (NDRs) sent to the Microsoft 365 mailboxes.

Which two actions should you perform? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

- A. From an on-premises Exchange server, use the transport logs.
- B. From an on-premises Exchange server, use the SMTP logs.
- C. From the on-premises Exchange admin center, use a message trace.
- D. From the Exchange admin center, use a message trace.
- E. From the Exchange Management Shell, run the Get-Queue cmdlet.

**Answer:** CD

**Explanation:**

Explanation/Reference: Reference:

<https://docs.microsoft.com/en-us/exchange/monitoring/trace-an-email-message/message-trace-faq>

**NEW QUESTION 87**

DRAG DROP - (Topic 5)

Your company named Contoso, Ltd. has a Microsoft Exchange Server 2019 hybrid deployment.

A partner company named Fabrikam, Inc. uses an Exchange Online subscription for email. You need to ensure that all the users at Fabrikam can view the free/busy information of the users at Contoso.

What should you configure? To answer, drag the appropriate components to the correct companies. Each component may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Components	Answer Area
A connector	For Fabrikam: <span style="border: 1px solid gray; padding: 5px; margin-left: 20px;">Component</span>
A sharing policy	For Contoso: <span style="border: 1px solid gray; padding: 5px; margin-left: 20px;">Component</span>
A remote domain	
A federation trust	
An organization relationship	

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Components	Answer Area
A connector	For Fabrikam: <span style="border: 1px solid gray; padding: 5px; margin-left: 20px;">An organization relationship</span>
A sharing policy	For Contoso: <span style="border: 1px solid gray; padding: 5px; margin-left: 20px;">An organization relationship</span>
A remote domain	
A federation trust	
An organization relationship	

**NEW QUESTION 90**

HOTSPOT - (Topic 5)

You need to create an address list that contains all the users who have a title of Director.

How should you complete the command? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

	▼
New-AddressList	
New-AddressBookPolicy	
New-DistributionList	
New-GlobalAddressList	

-Name "Directors"

	▼
-RecipientFilter	
-SearchBase	
-SearchScope	
-Where-Object	

```
{{(RecipientType -eq 'UserMailbox') -and (Title -eq 'Director')}}}
```

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

	▼
New-AddressList	
New-AddressBookPolicy	
New-DistributionList	
New-GlobalAddressList	

-Name "Directors"

	▼
-RecipientFilter	
-SearchBase	
-SearchScope	
-Where-Object	

```
{{(RecipientType -eq 'UserMailbox') -and (Title -eq 'Director')}}}
```

**NEW QUESTION 95**

- (Topic 5)

Your company has a Microsoft Exchange Server 2019 organization that contains two servers in a database availability group (DAG).

The customer service department at the company uses public folders to receive customer communications.

Only users in the customer service department can read items in the folders.

For a new customer, you create a mail-enabled public folder that has the default settings. The customer reports that when she sends an email message to the email address of the

public folder, she receives a non-delivery report (NDR). You need to ensure that the public folder can receive email.

Which public permissions should you configure in Microsoft Outlook?

- A. Grant the Author permission to the Default group
- B. Grant the Author permission to the Anonymous group
- C. Grant the Create items permission to the Anonymous group
- D. Grant the Create items permission to the Default group

**Answer:** C

**Explanation:**

Reference:

<https://docs.microsoft.com/en-us/exchange/collaboration/public-folders/mail-enable-or-disable?view=exchserver-2019>

**NEW QUESTION 96**

- (Topic 5)

You have a hybrid deployment between a Microsoft Exchange Online tenant and an on- premises Exchange Server 2019 organization. Users report that email messages between the Exchange Server organization and the Exchange Online tenant are undelivered. You install and enable a new certificate from a different trusted certification authority (CA). You need to ensure that mail flow between Exchange Server and Exchange Online is restored. Which two PowerShell cmdlets should you run? Each correct answer presents part of the solution. NOTE: Each correct selection is worth one point.

- A. Set-SendConnector
- B. Set-IntraOrganizationConnector
- C. Update-Hybridconfiguration
- D. Set-ReceiveConnector

**Answer:** CD

**NEW QUESTION 101**

HOTSPOT - (Topic 5)

You have a Microsoft Exchange Server 2019 hybrid deployment.

You run the Get-HybridConfiguration cmdlet and receive the output shown in the following exhibit.

```
ClientAccessServers      : {}
EdgeTransportServers    : {}
ReceivingtransportServers : {EX01, EX02}
SendingTransportServers  : {EX01, EX02}
OnPremisesSmartHost     : mail.litware.com
Domains                  : {litware.com}
Features                  : {FreeBusy, MoveMailbox, Moiltips, MessageTracking, SecureMail, Photos}
ExternalIPAddresses     : {}
TlsCertificateName      : <I>CN=CA, O=SSLCert Inc, C=US<S>CN=mail.litware.com, OU=IT, O=User1,
                          L=Redmond, S=Washington, C=US
```

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.  
 NOTE: Each correct selection is worth one point.

To enable users who have on-premises mailboxes to access their archive mailbox in Exchange online, you must modify the [answer choice] property.

▼

ClientAccessServers
Domains
Features
ExternalIPAddresses

Depending on where the user mailbox is located, to enable automatic Microsoft Outlook on the web redirection to either the on-premises organization or Exchange Online, you must modify the [answer choice] property.

▼

ClientAccessServers
Domains
Features
ExternalIPAddresses

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

References:

<https://docs.microsoft.com/en-us/powershell/module/exchange/federation-and-hybrid/set-hybridconfiguration?view=exchange-ps>

**NEW QUESTION 103**

HOTSPOT - (Topic 5)

HOTSPOT

You have a Microsoft Exchange Online tenant.

The Exchange organization has the following configurations.


```
PS C:\> Get-OrganizationConfig | Format-list Name,Oauth*,Activity*,Basic*,Is*

Name: M365x643293.onmicrosoft.com
OAuth2ClientProfileEnabled           : False
ActivityBasedAuthenticationTimeoutEnabled : True
ActivityBasedAuthenticationTimeoutInterval : 06:00:00
ActivityBasedAuthenticationTimeoutWithSingleSignInEnabled : True
BasicAuthBlockedApps                 : None
IsProcessEhaMigratedMessagesEnabled  : False
IsAgendaMailEnabled                  : True
IsMixedMode                           : True
IsAddressListPagingEnabled            : True
IsLicensingEnforced                  : True
IsTenantAccessBlocked                 : False
IsDualWriteEnabled                    : True
IsTenantInGracePeriod                 : False
IsDehydrated                           : True
IsValid                               : True
```

The Azure Active Directory (Azure AD) Sign-ins report is shown in the following table.

User	Application	Status	Client app	Conditional access	Authentication requirement
User1	Microsoft Office	Success	Mobile Apps and Desktop clients	Not Applied	Single-factor authentication
User1	Office 365 Exchange Online	Success	Offline Address Book	Not Applied	Single-factor authentication
User1	Office 365 Exchange Online	Success	MAPI Over Http	Not Applied	Single-factor authentication
User3	Microsoft Office	Success	Mobile Apps and Desktop clients	Not Applied	Single-factor authentication
User3	Office 365 Exchange Online	Success	Offline Address Book	Not Applied	Single-factor authentication
User3	Office 365 Exchange Online	Success	Autodiscover	Not Applied	Single-factor authentication
User2	Microsoft Office	Success	Mobile Apps and Desktop clients	Not Applied	Single-factor authentication

The Outlook Connection Status for User1 is shown in the following exhibit.



For each of the following statements, select Yes if the statement is true. Otherwise, select No.  
 NOTE: Each correct selection is worth one point.

Statements	Yes	No
Microsoft Outlook connection of User1 uses Basic authentication	<input type="radio"/>	<input type="radio"/>
Modern Authentication is enabled	<input type="radio"/>	<input type="radio"/>
User3 uses the Microsoft Authenticator App to authenticate the Exchange Online	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

**Answer: A**

**Explanation:**

Box 1: Yes

The authentication in the Outlook Connection Status exhibit is "Clear". This means that Basic authentication is being used.

Box 2: No

In the first exhibit, the OAuth2ClientProfileEnabled parameter is False. This means that Modern Authentication is not enabled. A value of True means that Modern Authentication is enabled.

Box 3: No

The Authentication Requirement for User3 in the second exhibit is Single-factor authentication. This means that the Microsoft Authenticator App is not being used.

**NEW QUESTION 105**

DRAG DROP - (Topic 5)

Your company has a Microsoft Exchange Online subscription for an email domain named contoso.com.

The company works with a partner company that uses an email domain named tailspintoys.com.

You need to configure the environment only to accept email from tailspintoys.com if the email is sent from an IP address of 131.107.12.85.

How should you configure the connector from the Exchange admin center? To answer, drag the appropriate options to the correct message settings. Each option may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Options	Answer Area
Office 365	To: <input type="text"/>
Your organization's email server	From: <input type="text"/>
Partner organization	
Internet	

- A. Mastered
- B. Not Mastered

**Answer: A**

**Explanation:**

<https://docs.microsoft.com/en-us/exchange/mail-flow-best-practices/use-connectors-to-configure-mail-flow/set-up-connectors-for-secure-mail-flow-with-a-partner>

**NEW QUESTION 107**

- (Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft Exchange Server 2019 organization that contains 200 mailboxes. You need to add a second email address to each mailbox. The address must have a syntax that uses the first letter of each user's last name, followed by the user's first name, and then @fabrikam.com.

Solution: You create an email address policy that uses the %1s%g@fabrikam.com email address format.  
Does this meet the goal?

- A. Yes
- B. No

**Answer:** A

**Explanation:**

Reference:

<https://docs.microsoft.com/en-us/exchange/email-addresses-and-address-books/email-address-policies/email-address-policies?view=exchserver-2019>

**NEW QUESTION 108**

- (Topic 5)

You have a Microsoft Exchange Online tenant named contoso.com.

The Exchange configuration contains the following public folder hierarchy:

- Support
- Messages
- Calendar

You create a distribution list named HelpDesk@contoso.com.

You need to add the Messages public folder to the HelpDesk distribution list. What should you do first?

- A. Mail-enable the Support public folder
- B. Create a new public folder mailbox
- C. Mail-enable the Messages public folder
- D. Upgrade HelpDesk to a Microsoft 365 group

**Answer:** A

**Explanation:**

Reference:

<https://docs.microsoft.com/en-us/exchange/collaboration/public-folders/mail-enable-or-disable?view=exchserver-2019>

**NEW QUESTION 113**

SIMULATION - (Topic 5)

SIMULATION

Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time.


When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you

as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.

Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.

Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.



Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username: admin@abc.com

Microsoft 365 Password: xxxxxx

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to

reload the portal in a new browser tab.

The following information is for technical support purposes only.

Lab Instance: XXXXXX

You need to ensure that a user named Lee Gu can view all the Exchange Online configurations of your organization. The solution must use the principle of least privilege.

To complete this task, sign in to the Microsoft 365 admin center.

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

\* 1. Open the Microsoft 365 administration centre This can be done at: <https://admin.microsoft.com>

\* 2. Create a new user Please enter a first name Last name

Display name Username

\* 3. Add the necessary licence

For admin roles you sometimes need a licence. Especially in the security stack within Microsoft 365.

\* 4. Add the Global Reader role via Roles

You can give multiple roles to the person you want.

**NEW QUESTION 118**

- (Topic 5)

You have a Microsoft Exchange Server 2019 organization.

You need to ensure that a user named User1 can prevent mailbox content from being deleted if the content contains the words Fabrikam and Confidential.

What should you do?

- A. Add User1 to the Organization Management management role group.
- B. Add User1 to the Records Management management role group.
- C. Assign the mailbox Search and Mailbox Import Export
- D. Assign the Mailbox Search and Legal Hold management roles to User1.

**Answer:** D

**Explanation:**

References:

<https://docs.microsoft.com/en-us/exchange/policy-and-compliance/holds/holds?view=exchserver-2019>

**NEW QUESTION 121**

- (Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your company has an Exchange Online tenant that contains 2,000 mailboxes.

A partner company named Fabrikam, Inc. uses a third-party messaging solution. The outbound SMTP server for Fabrikam uses an IP address of 131.107.2.22.

You discover that several email messages from the fabrikam.com domain are erroneously marked as spam.

You need to ensure that all the email messages sent from the fabrikam.com domain are delivered successfully to the user mailboxes of your company.

Solution: You create a spam filter policy. Does this meet the goal?

- A. Yes
- B. No

**Answer:** A

**Explanation:**

Add Fabrikam.com to the 'Domain allow list' in a spam filter policy.

**NEW QUESTION 124**

HOTSPOT - (Topic 5)

Your network contains an Active Directory forest named contoso.com.

You plan to implement Microsoft 365 and use Microsoft Exchange Online services.

You need to ensure that all client computers can use Autodiscover to connect to Microsoft 365.

Which record should you create? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Record Type:  ▼

Host(A)
Alias(CNAME)
Text(TXT)

Target:  ▼

autodiscover.contoso.com
autodiscover.outlook.com
autodiscover.office365.com

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Record Type:

Target:

**NEW QUESTION 128**

- (Topic 5)

You manage a Microsoft Exchange Server 2019 hybrid deployment. All user mailboxes are located both on-premises and in the cloud. You need to configure the deployment so that the on-premises mailboxes can access the public folders. Which three commands should you run? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Sync-MailPublicFolders.ps1
- B. Set-OrganizationConfig –PublicFoldersEnabled Remote
- C. Import-PublicFolderMailboxes.ps1
- D. Sync-MailPublicFoldersCloudToOnprem.ps1
- E. Set-OrganizationConfig –PublicFoldersEnabled Local –RemotePublicFolderMailboxes PFMailbox1

**Answer:** BCD

**Explanation:**

Reference:  
<https://docs.microsoft.com/en-us/exchange/hybrid-deployment/set-up-exo-hybrid-public-folders>

**NEW QUESTION 132**

DRAG DROP - (Topic 5)

You have a Microsoft 365 subscription that has Microsoft Defender for Office 365 enabled and contains two groups named Group1 and Group 2. The members of the groups must meet the requirements shown in the following table.

Group	Requirement
Group1	Enable email impersonation protection.
Group2	Receive email containing attachments that have a .jar extension from an application that sends log files.

You need to configure threat protection policies to meet the requirements.

Which threat protection policy should you configure for each group? To answer, drag the appropriate policies to the correct groups. Each policy may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each coned selection is worth one point.

Threat protection policy

- 
- 
- 
- 

Answer Area

Group1:

Group2:

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Threat protection policy

- 
- 
- 
- 

Answer Area

Group1:

Group2:

### NEW QUESTION 133

- (Topic 5)

You have a Microsoft Exchange Server 2019 hybrid deployment.

You migrate public folders from on-premises to Exchange Online by using the batch migration process.

After the batch migration completes, additional public folders are created on-premises. You need to migrate the new on-premises public folders to Exchange Online.

What should you do?

A. Export the contents of the folders to a PST file, and then import the PST files by using Outlook PST export.

B. Create a new public folder migration batch that contains only the new folders.

C. Repeat the original batch migration process and add the new folders to the migration batch.

**Answer: A**

#### Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/collaboration/public-folders/migrate-to-exchange-online?view=exchserver-2019>

### NEW QUESTION 138

- (Topic 5)

You have a hybrid deployment that contains a Microsoft Exchange Online tenant and an on-premises Exchange Server 2019 server named Server1.

Server1 uses a certificate from a third-party certification authority (CA). The certificate is enabled for the SMTP service.

You replace the certificate with a new certificate.

You discover that delivery fails for all email messages sent from Server1 to your Microsoft 365 tenant.

You receive the following error message for all the queued email messages: "450 4.4.101 Proxy session setup failed on Frontend with 451 4.4.0 Primary target IP address responded with 451 5.7.3 STARTTLS is required to send mail."

You need to ensure that the messages are delivered successfully from Server1 to the Microsoft 365 tenant.

What should you do?

A. From the Exchange admin center, update the certificate thumbprint in the properties of a connector

B. From Server1, regenerate the certificate and select Make private keys exportable

C. From the firewall, disable SMTP content inspection

D. From Server1, enable the new certificate for the IMAP4 service

**Answer: C**

### NEW QUESTION 140

- (Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft 365 E5 subscription.

You need to ensure that a user named User1 can review audit reports from the Microsoft 365 security center. User1 must be prevented from tracing messages from the Security admin center.

Solution: You assign the Security Reader role to User1. Does this meet the goal?

A. Yes

B. No

**Answer: A**

#### Explanation:

Security Administrator can view the audit reports but cannot create a message trace.

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/security/office-365-security/message-trace-scc>

### NEW QUESTION 142

- (Topic 5)

You have a Microsoft Exchange Online subscription for an email domain named contoso.com.

A partner company has an Exchange Online subscription for an email domain named fabrikam.com.

You need to prevent out-of-office messages sent by users in contoso.com from being sent to users in fabrikam.com.

What is the best way to achieve the goal from the Exchange admin center? More than one answer choice may achieve the goal. (Choose the best answer.)

A. Create a connector

B. Create a mail flow rule

C. Create a remote domain

D. Create an accepted domain

**Answer: C**

#### Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/mail-flow-best-practices/remote-domains/remote-domains>

### NEW QUESTION 147

- (Topic 5)

You have a Microsoft 365 E3 subscription that uses Microsoft Exchange Online and contains a global administrator named Admin1.

Admin1 plans to use Attack simulation training to simulate a Malware Attachment attack. However, when a simulation is launched, only the Credential Harvest technique is

available.

You need to ensure that Admin1 can run the Malware Attachment simulation. What should you do?

- A. Assign the Attack simulation administrator role to Admin1.
- B. Create an anti-phishing policy.
- C. Create an anti-malware policy.
- D. Assign a Microsoft 365 E5 license to Admin1.

**Answer:** D

#### NEW QUESTION 151

- (Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft Exchange Online tenant that contains 1,000 users.

A user named User1 receives a non-delivery report (NDR) when attempting to send an email message to an internal group named sales@contoso.com. The NDR contains the

following text: "5.7.1 Delivery not authorized."

You need to ensure that User1 can send email to sales@contoso.com successfully. Solution: You modify the properties of a mail flow rule

- A. Yes
- B. No

**Answer:** B

#### Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/mail-flow-best-practices/non-delivery-reports-in-exchange-online/fix-error-code-550-5-7-1-in-exchange-online>

#### NEW QUESTION 155

- (Topic 5)

You have a Microsoft Exchange Server 2019 hybrid deployment.

You need to change the free/busy data access sharing level between the on-premises organization and Exchange Online.

What should you do?

- A. Run the Hybrid Configuration wizard.
- B. Modify the organization relationship.
- C. Create an organization sharing policy.
- D. Create an individual sharing policy.

**Answer:** B

#### Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/shared-free-busy>

#### NEW QUESTION 156

- (Topic 5)

You have a Microsoft 365 E3 subscription that uses Microsoft Exchange Online.

You need to ensure that Safe Links and Safe Attachments protection is enabled for users. What should you do?

- A. Create an anti-malware policy and enable the common attachments filter.
- B. Assign a Microsoft 365 E5 license to each user.
- C. Enable the Strict protection preset security policy.
- D. Create an Enhanced Filtering for Connectors rule.

**Answer:** C

#### NEW QUESTION 158

- (Topic 5)

You have a Microsoft Exchange Server 2019 organization. You run the following commands.

```
New-Management-Scope -Name "VIP Mailboxes" -RecipientRoot "Contoso.com/ Executives"
```

```
-RecipientRestrictionFilter (RecipientType -eq "UserMailbox")
```

```
New-ManagementRoleAssignment -SecurityGroup "VIP Admins" -Role "Mail Recipients"
```

```
-CustomRecipientWriteScope "VIP Mailboxes"
```

You have a user named Admin1.

You need to ensure that Admin1 can manage the mailboxes of users in the Executives organizational unit (OU) only.

What should you do?

- A. Modify the membership of VIP Admins.
- B. Create a custom role group.
- C. Add Admin1 to the Recipient Management management role group.
- D. Move Admin1 to the Executives OU.

**Answer:** A

#### Explanation:

References:

<https://social.technet.microsoft.com/Forums/exchange/en-US/b316a841-c39d-483a-ac8e-64d5904c42e6/howto-limit-recipient-management-rights-to-users-in-a-ou-in-exchange-2010-sp1?forum=exchangesvradminlegacy>

**NEW QUESTION 163**

HOTSPOT - (Topic 5)

You have a Microsoft Exchange Online tenant.

A user reports that an expected email message from an internet recipient was never delivered, and the sender never received a non-delivery report (NDR).

You need to troubleshoot inbound message delivery to meet the following requirements:

- Verify DNS and MX connectivity for the target domain.
- Verify whether the message was quarantined.

What should you use for each requirement? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Answer Area

Verify DNS and MX connectivity for the target domain:

- Microsoft Remote Connectivity Analyzer
- Message trace
- Microsoft Remote Connectivity Analyzer
- The Inbound messages mail flow report

Verify whether the message was quarantined:

- Message trace
- Message trace
- Microsoft Remote Connectivity Analyzer
- The Inbound messages mail flow report

- A. Mastered
- B. Not Mastered

Answer: A

**Explanation:**

Answer Area

Verify DNS and MX connectivity for the target domain:

- Microsoft Remote Connectivity Analyzer
- Message trace
- Microsoft Remote Connectivity Analyzer
- The Inbound messages mail flow report

Verify whether the message was quarantined:

- Message trace
- Message trace
- Microsoft Remote Connectivity Analyzer
- The Inbound messages mail flow report

**NEW QUESTION 166**

HOTSPOT - (Topic 5)

You are migrating mailboxes from a Microsoft Exchange Server 2016 organization to Exchange Online. The mailbox migrations are configured to suspend, and you plan to perform a coordinated cutover.

Which PowerShell command should you run to complete all the suspended mailbox migrations? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

`-MoveStatus Suspended |`

- Get-ADUser
- Get-Mailbox
- Get-MigrationUser
- Get-MoveRequest

- New-MoveRequest
- Resume-MoveRequest
- Set-MoveRequest
- Start-MigrationUser

- A. Mastered
- B. Not Mastered

Answer: A

**Explanation:**

Box 1: Get-MoveRequest

The Get-MoveRequest cmdlet gets the status of an ongoing asynchronous mailbox move that was initiated by using the New-MoveRequest cmdlet.

Box 2: Resume-MoveRequest

The Resume-MoveRequest cmdlet is used to resume a move request that has been suspended or has failed.

**NEW QUESTION 170**

SIMULATION - (Topic 5)

SIMULATION

Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time.


When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.

Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s)

and all other sections of the exam in the time provided.

Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.



Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username: admin@abc.com

Microsoft 365 Password: xxxxxx

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only.

Lab Instance: XXXXXX

You need to ensure that the users in your tenant can only share calendar availability information with the other users in the tenant.

To complete this task, sign in to the Microsoft 365 admin center.

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

? From the Microsoft 365 admin center dashboard, go to Admin > Exchange.

? Go to organization > sharing.

? Under Individual Sharing, select a sharing a policy. In the On column, clear the check box for the sharing policy you want to disable.

**NEW QUESTION 171**

- (Topic 5)

You have a Microsoft Exchange Server 2019 organization.

You need to ensure that a user named User1 can prevent mailbox content from being deleted if the content contains the words Fabrikam and Confidential.

What should you do?

- A. Add User1 to the Discovery Management management role group.
- B. Assign the Legal Hold and Mailbox Import Export management roles to User1.
- C. Add User1 to the Records Management management role group.
- D. Add User1 to the Compliance Management management role group.

**Answer:** A

**Explanation:**

Alternatively, assign the Mailbox Search and Legal Hold management roles to User1 Reference:

<https://docs.microsoft.com/en-us/exchange/policy-and-compliance/holds/holds?view=exchserver-2019>

**NEW QUESTION 172**

- (Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your company has a Microsoft 365 subscription.

Several users in the finance department of the company recently accessed unsafe websites by clicking on links in email messages.

Users in the marketing department of the company report that they must be able to access all the links embedded in email messages.

You need to reduce the likelihood of the finance department users accessing unsafe websites. The solution must affect only the finance department users.

Solution: You modify the content filtering settings. Does this meet the goal?

- A. Yes

B. No

**Answer:** B

**Explanation:**

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/security/office-365-security/set-up-safe-links-policies?view=o365-worldwide>

**NEW QUESTION 173**

DRAG DROP - (Topic 5)

You have a Microsoft 365 tenant.

You need to implement a compliance solution that meets the following requirements:

- A sensitivity label named ContainsCreditCardinfo must be applied to all Microsoft Office documents that contain credit card information.
- When a document that has the label applied is attached to an email by a user, the user must receive a policy tip in Microsoft Outlook.

Which three objects should you create in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.




A. Mastered

B. Not Mastered

**Answer:** A

**Explanation:**



**NEW QUESTION 178**

- (Topic 5)

You have a Microsoft 365 subscription.

A safe attachments policy that uses Dynamic Delivery is applied to all recipients who match your SMTP domains.

You need to prevent attachments from being scanned when internal users send email to one another.

What should you do?

- A. From the Security & and Compliance admin center, modify the safe attachments policy.
- B. From the Security & and Compliance admin center, modify the Service assurance settings.
- C. From the Exchange admin center, create a transport rule.
- D. From the Exchange admin center, modify the malware filter.

**Answer:** C

**Explanation:**

Create a transport rule (or mail flow rule as they are called nowadays) to configure the message header: X-MS-Exchange-Organization-SkipSafeAttachmentProcessing.

Reference:

<https://docs.microsoft.com/en-gb/archive/blogs/office365labs/eo-atp-considerations-reports-demonstrations>

**NEW QUESTION 183**

- (Topic 5)

You have a Microsoft Exchange Online tenant that has Office 365 Advanced Threat Protection (ATP) enabled.

The tenant contains a user named Ben Smith who has a UPN of ben.smith@fabrikam.com. Ben Smith is protected by using an ATP anti-phishing policy.

Ben Smith reports that emails sent from his personal account of ben.smith@relecloud.com are not delivered to his work email account.

You need to ensure that personal emails are delivered to the ben.smith@fabrikam.com What should you do?

- A. Create a transport rule to assign the MS-Exchange-Organization-PhishThresholdLevel header a value of 2 for the message received from ben.smith@relecloud.com
- B. Add ben.smith@fabrikam.com as a trusted sender to the ATP anti-phishing policy.
- C. Add ben.smith@relecloud.com as a trusted sender to the ATP anti phishing.
- D. Add relecloud.com to the ATP anti-phishing list of misted domains.

**Answer:** C

**Explanation:**

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/security/office-365-security/configure-atp-anti-phishing-policies?view=o365-worldwide>

**NEW QUESTION 187**

- (Topic 5)

You have a Microsoft Exchange Server 2019 organization that contains several thousand users. Most users connect to their mailbox by using a mobile device. A new corporate security policy requires that when connecting from a mobile device, all users on devices that run iOS must use the Outlook mobile app only. You need to modify the organization to meet the security requirement. What should you do?

- A. From the Exchange Management Shell, run the New-DeviceConditionalAccessPolicy cmdlet.
- B. From the Exchange admin center, create a mobile device access rule.
- C. From the Exchange Management Shell, run the New-DeviceConfigurationRule cmdlet.
- D. From the Exchange admin center, modify the default mobile device mailbox policy.

**Answer: D**

**Explanation:**

Reference:

<https://docs.microsoft.com/en-us/exchange/clients/exchange-activesync/mobile-device-mailbox-policies?view=exchserver-2019>

**NEW QUESTION 191**

HOTSPOT - (Topic 5)

You have a Microsoft Exchange Online tenant that contains a user named User1. User1 has a retention policy to delete Inbox messages after 30 days. User1 is going on extended leave and requires that the Inbox messages be retained during the user's absence. You need to temporarily suspend the processing of the Inbox messages for User1.

How should you complete the command? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

	"User1"	
<div style="border-bottom: 1px solid gray; padding: 2px;">Set-CASMailbox</div> <div style="border-bottom: 1px solid gray; padding: 2px;">Set-Mailbox</div> <div style="border-bottom: 1px solid gray; padding: 2px;">Set-OutlookProtectionRule</div> <div style="padding: 2px;">Set-RetentionPolicy</div>		<div style="border-bottom: 1px solid gray; padding: 2px;">-ECPEnabled \$true</div> <div style="border-bottom: 1px solid gray; padding: 2px;">-ElcProcessingDisabled \$true</div> <div style="border-bottom: 1px solid gray; padding: 2px;">-RetentionEnabled \$true</div> <div style="padding: 2px;">-RetentionHoldEnabled \$true</div>

- A. Mastered
- B. Not Mastered

**Answer: A**

**Explanation:**

	"User1"	
<div style="border-bottom: 1px solid gray; padding: 2px;">Set-CASMailbox</div> <div style="border-bottom: 1px solid gray; padding: 2px;">Set-Mailbox</div> <div style="border-bottom: 1px solid gray; padding: 2px;">Set-OutlookProtectionRule</div> <div style="padding: 2px;">Set-RetentionPolicy</div>		<div style="border-bottom: 1px solid gray; padding: 2px;">-ECPEnabled \$true</div> <div style="border-bottom: 1px solid gray; padding: 2px;">-ElcProcessingDisabled \$true</div> <div style="border-bottom: 1px solid gray; padding: 2px;">-RetentionEnabled \$true</div> <div style="padding: 2px;">-RetentionHoldEnabled \$true</div>

**NEW QUESTION 192**

- (Topic 5)

You have a Microsoft Exchange Server 2019 organization. Users access their email by using Microsoft Outlook 2019. The users report that when a mailbox is provisioned for a new user, there is a delay of many hours before the new user appears in the global address list (GAL). From Outlook on the web, the users can see the new user in the GAL immediately. You need to reduce the amount of time it takes for new users to appear in the GAL in Outlook 2019. What should you do?

- A. Modify the default email address policy.
- B. Create an address book policy (ABP).
- C. Create a scheduled task that runs the Update-GlobalAddressList cmdlet.
- D. Modify the offline address (OAB) schedule.

**Answer: D**

**Explanation:**

References:

<https://www.howto-outlook.com/howto/oabupdate.htm#syncschedules>

**NEW QUESTION 194**

HOTSPOT - (Topic 5)

You have a Microsoft 365 E5 tenant that contains the users shown in the following table.

Name	Member of
User1	Sales
User2	Managers

You have a connector for a remote domain named contoso.com as shown in the following exhibit.

### Mail flow scenario

From: Office 365

To: Partner organization

### Name

TLS to Contoso

### Description

None

### Status

Turn it on after saving

### When to use the connector

Use only when I have a transport rule set up that redirects messages to this connector.

### Routing method

Use the MX record associated with the partner's domain.

### Security restrictions

Always use Transport Layer Security (TLS) and connect only if the recipient's email server has a digital certificate.

You have a transport rule as shown in the following exhibit.

new rule

Name:

\* Apply this rule if...

\*  A recipient's domain is...   
 and

\*  The subject or body includes...

\* Do the following...

Use the following connector...

Except if...

\*  The sender is a member of...

Properties of this rule:  
 Audit this rule with severity level:

User1 sends an email message to user3@contoso.com that has a subject line containing the word Confidential.  
 User2 sends an email message to user4@contoso.com that has a subject line of New report. The body of the message contains the word confidential.  
 For each of the following statements, select Yes if the statement is true. Otherwise, select No.  
 NOTE: Each correct selection is worth one point.

Statements	Yes	No
All email sent to contoso.com is TLS-encrypted.	<input type="radio"/>	<input type="radio"/>
The message sent by User1 uses the TLS to Contoso connector.	<input type="radio"/>	<input type="radio"/>
The message sent by User2 uses the TLS to Contoso connector.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Statements	Yes	No
All email sent to contoso.com is TLS-encrypted.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
The message sent by User1 uses the TLS to Contoso connector.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
The message sent by User2 uses the TLS to Contoso connector.	<input type="checkbox"/>	<input checked="" type="checkbox"/>

**NEW QUESTION 195**

- (Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your company has an Exchange Online tenant that contains 2,000 mailboxes.

A partner company named Fabrikam, Inc. uses a third-party messaging solution. The outbound SMTP server for Fabrikam uses an IP address of 131.107.2.22.

You discover that several email messages from the fabrikam.com domain are erroneously marked as spam.

You need to ensure that all the email messages sent from the fabrikam.com domain are delivered successfully to the user mailboxes of your company.

Solution: You enable a DKIM signature. Does this meet the goal?

- A. Yes
- B. No

Answer: B

**NEW QUESTION 196**

DRAG DROP - (Topic 5)

You have a hybrid deployment between a Microsoft Exchange Online tenant and an on- premises Exchange Server 2019 organization.

You plan to block legacy authentication for the on-premises Exchange organization.

You need to validate the configuration on 10 test users, and then apply the configuration to all users.

Which three cmdlets should you run in sequence? To answer, move the appropriate cmdlets from the list of cmdlets to the answer area and arrange them in the correct order.

**Cmdlets**

Set-User

New-AuthenticationPolicy

Set-HybridConfiguration

Set-AuthConfig

Set-OrganizationConfig

Set-Mailbox

**Answer Area**

>

<

↑

↓

- A. Mastered
- B. Not Mastered

**Answer: A**

**Explanation:**

**Cmdlets**

Set-User

New-AuthenticationPolicy

Set-HybridConfiguration

Set-AuthConfig

Set-OrganizationConfig

Set-Mailbox

**Answer Area**

>

<

Set-AuthConfig

Set-OrganizationConfig

Set-Mailbox

↑

↓

**NEW QUESTION 201**

- (Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft Exchange Online tenant that contains 1,000 mailboxes.

All the users in the sales department at your company are in a group named Sales.

The company is implementing a new policy to restrict the use of email attachments for the users in the Sales group.

You need to prevent all email messages that contain attachments from being delivered to the users in the Sales group.

Solution: You configure a mailbox quota.

Does this meet the goal?

- A. Yes
- B. No

**Answer: B**

**Explanation:**

Create a mail flow rule. Reference:

<https://docs.microsoft.com/en-us/exchange/security-and-compliance/mail-flow-rules/common-attachmentblocking-scenarios>

**NEW QUESTION 206**

DRAG DROP - (Topic 5)

Your company has a Microsoft Exchange Server 2019 hybrid deployment.

The company has two departments that have the mailboxes configured as shown in the following table.

Department	Mailbox location	License
Accounting	On-premises	Exchange Server 2019 Standard CAL
Marketing	Exchange Online	Microsoft 365 E5

All the accounting department mailboxes reside in a database named ACCT-DB01. You create the mailboxes shown in the following table.

Name	Location
JRNL-MBX01	On-premises
JRNL-MBX02	Exchange Online

You need to record all the email communication of the users in each department. The solution must minimize costs.

What should you use for each department? To answer, drag the appropriate options to the correct departments. Each option may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.  
 NOTE: Each correct selection is worth one point.

**Options**

- Database journaling
- A journal rule that uses JRNL-MBX01
- A journal rule that uses JRNL-MBX02

**Answer Area**

Accounting:

Marketing:

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

**Options**

- Database journaling
- A journal rule that uses JRNL-MBX01
- A journal rule that uses JRNL-MBX02

**Answer Area**

Accounting: Database journaling

Marketing: A journal rule that uses JRNL-MBX01

**NEW QUESTION 209**

DRAG DROP - (Topic 5)

You have a Microsoft Exchange Server 2019 hybrid deployment that contains the users shown in the following table.

Name	Mailbox location
User1	Exchange Online
User2	Exchange on-premises

You need to provide each user with an archive mailbox that is stored in Exchange Online.

Which admin center should you use to perform the configuration for each user? To answer, drag the appropriate admin centers to the correct users. Each admin center may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

**Admin Centers**

- The Exchange admin center from an on-premises server
- The Exchange admin center from Exchange Online
- The Microsoft 265 admin center
- The Security and Compliance admin center

**Answer Area**

User1:

User2:

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

References:

<https://docs.microsoft.com/en-us/office365/securitycompliance/enable-archive-mailboxes> <https://docs.microsoft.com/en-us/exchange/hybrid-deployment/create-cloud-based-archive>

**NEW QUESTION 211**

- (Topic 5)

You have Microsoft Exchange Online tenant that uses Microsoft Defender for Office 365.

You have the policies shown in the following table.

Name	Type
Standard Preset Security Policy	Preset security policy
Policy1	Anti-malware

You need to track any modifications made to Policy1 by the identifying following:

- The name of the user that modified the policy
- The old and new values settings modified in Policy1
- How the modifications compare to the baseline settings of Standard Preset Security Policy

What should you use in the Microsoft 365 Defender portal?

- A. Audit
- B. Configuration analyzer
- C. Threat tracker
- D. Threat analytics

**Answer:** A

**Explanation:**

The Audit feature in the Microsoft 365 Defender portal allows you to track any modifications made to the policies in your tenant, including the Anti-malware Policy1. You can use the Audit feature to view the name of the user that modified the policy, the old and new values settings modified in Policy1 and how the modifications compare to the baseline settings of Standard Preset Security Policy.

**NEW QUESTION 216**

SIMULATION - (Topic 5)


Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time.

When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.

Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.

Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.



Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username: admin@abc.com

Microsoft 365 Password: xxxxxx

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only.

Lab Instance: XXXXXX

You need to reduce the likelihood that malicious links contained in emails received by mailboxes in @lab.CloudCredential(1).TenantName are opened.

To complete this task, sign in to the Exchange admin center.

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

? Navigate to the Exchange Admin Center, and then choose the Advanced Threats section of the EAC.

? Click the Safe Links tab to examine all existing Safe Links policies:

? After navigating to the Safe Links policy page, choose the Add button (+) to create a new policy. The New Safe Links Policy window opens.

- In the resulting window we'll be presented with the options available for creating our new Safe Links policy.

? In Name enter an appropriate, unique, name that describes this policy. In the

description enter some text that provides a little more detail for anyone trying to make sense of the options selected here.

? Next we'll choose the action to take for URLs. We can leave this Off, if for example

we are creating a policy to exclude a group of users that would otherwise be affected by another Safe Links policy.

? The checkbox Do not track user click can be selected if you do not wish to use the reporting functionality available at a later date. This is a key feature when understanding which users clicked a link that was later found to be a threat, so be careful about choosing to disable user click tracking.

? Our final check box provides options for click-through is a link is found to be dangerous. In some circumstances you may trust users to click-through links, or they may request the ability to do so. In most circumstances you will not want a user to click-through the malicious link.

? Some URLs, such as those for internal addresses or even trusted partners, may not require re-writing. Enter these URLs here.

? Finally, we will select the scope for the rule under the Applied to section.

? Using similar conditions to transport rules we can select who this rule applies to including:

- Individual recipients
- Recipient domains
- Members of distribution groups

? The same conditions can be used for exceptions. When you have configured your rule, choose Save.

After saving the new Safe Links rule it will be shown in the EAC list. Just like Transport Rules, you can use the Enabled column to enable or disable the Safe Links policy.

**NEW QUESTION 218**

- (Topic 5)  
 You have a Microsoft 365 subscription.  
 Several users report today that they cannot access email from their mobile device. They successfully accessed their email from the same device yesterday. You need to identify which mobile device access rule applies to the devices. Which cmdlet should you run?

- A. Get-MsolDevice
- B. Get-DeviceTenantRule
- C. Get-MobileDevice
- D. Get-ActiveSyncMailboxPolicy

**Answer: C**

**Explanation:**

The Get-MobileDevice cmdlet returns identification, configuration, and status information for each mobile device.  
 Note: The Get-MobileDeviceStatistics cmdlet can also be used. Reference:  
<https://docs.microsoft.com/en-us/powershell/module/exchange/devices/get-mobiledevice?view=exchange-ps>

**NEW QUESTION 220**


- (Topic 5)  
 Your network contains an Active Directory domain named corp.contoso.com. The domain contains client computers that have Microsoft Office 365 Apps installed. You have a hybrid deployment that contains a Microsoft Exchange Online tenant and an on-premises Exchange Server 2019 server named Server1. All recipients use an email address suffix of Contoso.com.  
 You migrate all the Exchange Server recipients to Exchange Online, and then decommission Server1.  
 Users connected to the internal network report that they receive an Autodiscover error when they open Microsoft Outlook.  
 You need to ensure that all users can connect successfully to their mailbox by using Outlook.  
 Which two actions should you perform? Each correct answer presents a complete solution. NOTE: Each correct selection is worth one point.

- A. From the corp.contoso.com DNS zone, modify the Autodiscover host (A) record.
- B. Add an accepted domain.
- C. From the contoso.com DNS zone, modify the Autodiscover alias (CNAME) record
- D. Modify the name of the TLS certificate.
- E. From the domain, modify the Autodiscover service connection point (SCP).

**Answer: CE**

**NEW QUESTION 222**

DRAG DROP - (Topic 5)  
 You have a Microsoft Exchange Online tenant. You enable hierarchical address books (HABs).  
 You create a new distribution group named Contoso.  
 You need to configure the Contoso group as the root of the hierarchy. The members of the group must appear in the hierarchy.  
 How should you complete the PowerShell commands?



- A. Mastered
- B. Not Mastered

**Answer: A**

**Explanation:**

Set-OrganizationConfig Set-Group  
<https://docs.microsoft.com/en-us/exchange/address-books/hierarchical-address-books/enable-or-disable-hierarchical-address-books>

**NEW QUESTION 227**

DRAG DROP - (Topic 5)

Your network contains an Active Directory domain named contoso.com. The domain contains a Microsoft Exchange Server 2016 server named Server1. All users have an email address with a suffix of @contoso.com. You have a new Microsoft 365 subscription. You plan to configure an Exchange hybrid deployment. You need to complete the prerequisites to run the Hybrid Configuration wizard.

Actions	Answer Area
Add a new MX record to the DNS zone of the contoso.com domain.	
From Exchange Online, add contoso.com as an accepted domain.	
Deploy a new Exchange Server 2019 Edge Transport server.	
To the subscription, add contoso.com as a domain.	
Add a TXT record to the DNS zone of the contoso.com domain.	
Install and configure Azure AD Connect.	

- A. Mastered
- B. Not Mastered

**Answer: A**

**Explanation:**

Actions	Answer Area
Add a new MX record to the DNS zone of the contoso.com domain.	To the subscription, add contoso.com as a domain.
From Exchange Online, add contoso.com as an accepted domain.	Add a TXT record to the DNS zone of the contoso.com domain.
Deploy a new Exchange Server 2019 Edge Transport server.	Install and configure Azure AD Connect.
To the subscription, add contoso.com as a domain.	
Add a TXT record to the DNS zone of the contoso.com domain.	
Install and configure Azure AD Connect.	

**NEW QUESTION 232**

SIMULATION - (Topic 5)

Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time.


When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you

as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.

Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.

Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.



Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username: admin@abc.com

Microsoft 365 Password: xxxxxx

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only.

Lab Instance: XXXXXX

Users report that email disclaimers are no longer being appended to email messages sent to external recipients.

You need to ensure that all email sent to external recipients contains your corporate disclaimer.

To complete this task, sign in to the Microsoft 365 admin center.

- A. Mastered
- B. Not Mastered

**Answer: A**


**Explanation:**

? In the Microsoft 365 admin center, choose Admin centers > Exchange.

? Open the EAC and go to Mail flow > Rules.

? Click Add +, and then click Apply disclaimers.

**Exchange admin center**



? In the New rule window that appears, enter a unique name the rule.

? In the Apply this rule if box, select the conditions for displaying the disclaimer. For example, select The recipient is located condition, and then select Outside the organization. If you want this rule to apply to every message that enters or leaves your organization, select [Apply to all messages].

? Next to the Do the following box, select Enter text to enter the text of your disclaimer.

? Click Select one, and select one of the Fallback options if the disclaimer can't be added.

? Specify the audit severity level to assign the severity level that appears in the message log.

? Select the mode for the rule. Select Enforce to turn on the disclaimer immediately, or select Test without Policy Tips to put a message in the message tracking log instead of adding the disclaimer.

? If you have additional conditions or exceptions that you want to add, select More options at the bottom of the page, which will show additional settings. For example, to add the exception that prevents multiple disclaimers being added in an email conversation, select Add exception and then select The subject or body > Subject or body matches these text patterns, and then specify the words or phrases in your disclaimer. Or, to put your disclaimer at the top of the email message instead of the bottom, in Do the following, select Apply a disclaimer to the message > prepend a disclaimer.11. When you're finished, click Save.

**NEW QUESTION 237**

HOTSPOT - (Topic 5)

You create a transport rule as shown in the following exhibit.

```

Name : Rule1
State : Enabled
Mode : AuditAndNotify
Priority : 1
SentTo : {User1@contoso.com}
StopRuleProcessing : True
DeleteMessage : False
Disconnect : False
RedirectMessageTo :
RejectMessageEnhancedStatusCode : 5.7.1
RejectMessageReasonText : Please forward all sales enquiries to 'Sales@Contoso.com'.
Quarantine : False
SubjectOrBodyContainsWords : {Quote, Enquiry, Sales}
    
```

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.

NOTE: Each correct selection is worth one point.

If an email message sent to User1 contains the word **Quote**

the message will be rejected  
 the message will be delivered  
 the message will be redirected to sales@contoso.com

The transport rule has

the highest priority and cannot be superseded by another rule  
 the lowest priority. Another rule can supersede Rule1  
 the medium priority. Another rule can supersede Rule1

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

If an email message sent to User1 contains the word **Quote**

the message will be rejected  
 the message will be delivered  
 the message will be redirected to sales@contoso.com

The transport rule has

the highest priority and cannot be superseded by another rule  
 the lowest priority. Another rule can supersede Rule1  
 the medium priority. Another rule can supersede Rule1

**NEW QUESTION 239**

- (Topic 5)

You have a Microsoft Exchange Online tenant that uses an email domain named contoso.com.

An incoming email messages route through an third-party filtering service named Filter1 to connector named Connector1.

You discover that incoming messages contain headers that specify the source IP address as Filter1.

You to ensure that incoming email messages contain headers that specify source IP address of the original sender. The solution must prevent any charges to the service.

What should you do?

- A. From Microsoft 365 Defender portal configure enhanced filtering for Connector1.
- B. Configure Connector1 to authenticate messages by using the IP address of Filter1 service.
- C. Configure the MX Of contoso.com to point to contoso-can.mailgotection.outbok.com.
- D. From the Exchange admin cente
- E. create a transport rule to rewrite header for incoming messages.

**Answer:** C

**NEW QUESTION 241**

- (Topic 5)

You have a Microsoft Exchange Online tenant.

You need to identify any changes made to the Recipient Management role group during the past month.

What should you do?

- A. Run the Get-ManagementRole cmdlet.
- B. Run a non-owner mailbox access report.
- C. Run an administrator role group report.
- D. Run the Get-AuditLogSearch cmdlet

**Answer:** D

**NEW QUESTION 242**

HOTSPOT - (Topic 2)

Your company named Contoso, Ltd. has a Microsoft Exchange Server 2019 organization that contains the mailbox databases shown in the following table.

NAME	Description
MBX01	Contains all the mailboxes for the managers at Contoso
MBX02	Contains all the mailboxes for the finance department of Contoso

You need to assign an offline address book (OAB) named Managers to all the users in a group named Managers.

How should you complete the PowerShell script? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Statements	Yes	No
For User1 to share contacts with the users at Fabrikam, a federation trust is required.	<input type="radio"/>	<input type="radio"/>
User2 can share free/busy hours, subject, and location with the users at Contoso.	<input type="radio"/>	<input type="radio"/>
User3 can share calendars with the users at Litware.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Statements	Yes	No
For User1 to share contacts with the users at Fabrikam, a federation trust is required.	<input type="radio"/>	<input checked="" type="radio"/>
User2 can share free/busy hours, subject, and location with the users at Contoso.	<input checked="" type="radio"/>	<input type="radio"/>
User3 can share calendars with the users at Litware.	<input checked="" type="radio"/>	<input type="radio"/>

**NEW QUESTION 247**

- (Topic 2)

You need to recommend a procedure for closing the Brussels office that meets the technical requirements. What should you recommend?

- A. In the main office, deploy an Exchange Server 2016 server that has the Unified Messaging role installed, and then move the mailboxes from the Brussels office to the new server.
- B. Deploy a Microsoft Skype for Business 2019 server to the main office, and then move the mailboxes from the Brussels office to an Exchange Server 2019 server in the main office.
- C. Implement a new mailbox database on an Exchange Server 2019 server in the main office, and then move the mailboxes from the Brussels office to the new mailbox database.
- D. Implement a new database availability group (DAG) that contains the server in the Brussels office and a new Exchange Server 2019 server in the main office, and then create a mailbox database copy on the new server in the main office.

**Answer:** C

**Explanation:**

References:

<https://docs.microsoft.com/en-us/exchange/architecture/mailbox-servers/manage-mailbox-moves?view=exchserver-2019>

<https://theitbros.com/move-exchange-mailboxes-to-another-database/>

**NEW QUESTION 248**

- (Topic 1)

You need to recommend an Office 365 solution that meets the technical requirements for email from adatum.com.

Which two components should you recommend configuring from the Exchange admin center in Exchange Online? Each correct presents a complete solution.

NOTE: Each correct selection is worth one point.

- A. DKIM signatures
- B. a spam filter
- C. a malware filter
- D. data loss prevention (DLP) policies
- E. a connection filter

**Answer:** BE

**NEW QUESTION 251**

.....

## Relate Links

**100% Pass Your MS-203 Exam with ExamBible Prep Materials**

<https://www.exambible.com/MS-203-exam/>

## Contact us

We are proud of our high-quality customer service, which serves you around the clock 24/7.

Viste - <https://www.exambible.com/>