



Amazon

Exam Questions AWS-Certified-Developer-Associate

Amazon AWS Certified Developer - Associate

NEW QUESTION 1

A company has a multi-node Windows legacy application that runs on premises. The application uses a network shared folder as a centralized configuration repository to store configuration files in .xml format. The company is migrating the application to Amazon EC2 instances. As part of the migration to AWS, a developer must identify a solution that provides high availability for the repository.

Which solution will meet this requirement MOST cost-effectively?

- A. Mount an Amazon Elastic Block Store (Amazon EBS) volume onto one of the EC2 instance
- B. Deploy a file system on the EBS volum
- C. Use the host operating system to share a folde
- D. Update the application code to read and write configuration files from the shared folder.
- E. Deploy a micro EC2 instance with an instance store volum
- F. Use the host operating system to share a folde
- G. Update the application code to read and write configuration files from the shared folder.
- H. Create an Amazon S3 bucket to host the repositor
- I. Migrate the existing .xml files to the S3 bucke
- J. Update the application code to use the AWS SDK to read and write configuration files from Amazon S3.
- K. Create an Amazon S3 bucket to host the repositor
- L. Migrate the existing .xml files to the S3 bucke
- M. Mount the S3 bucket to the EC2 instances as a local volum
- N. Update the application code to read and write configuration files from the disk.

Answer: C

Explanation:

Amazon S3 is a service that provides highly scalable, durable, and secure object storage. The developer can create an S3 bucket to host the repository and migrate the existing .xml files to the S3 bucket. The developer can update the application code to use the AWS SDK to read and write configuration files from S3. This solution will meet the requirement of high availability for the repository in a cost-effective way.

References:

? [Amazon Simple Storage Service (S3)]

? [Using AWS SDKs with Amazon S3]

NEW QUESTION 2

An application that runs on AWS receives messages from an Amazon Simple Queue Service (Amazon SQS) queue and processes the messages in batches. The application sends the data to another SQS queue to be consumed by another legacy application. The legacy system can take up to 5 minutes to process some transaction data.

A developer wants to ensure that there are no out-of-order updates in the legacy system. The developer cannot alter the behavior of the legacy system.

Which solution will meet these requirements?

- A. Use an SQS FIFO queu
- B. Configure the visibility timeout value.
- C. Use an SQS standard queue with a SendMessageBatchRequestEntry data typ
- D. Configure the DelaySeconds values.
- E. Use an SQS standard queue with a SendMessageBatchRequestEntry data typ
- F. Configure the visibility timeout value.
- G. Use an SQS FIFO queu
- H. Configure the DelaySeconds value.

Answer: A

Explanation:

? An SQS FIFO queue is a type of queue that preserves the order of messages and ensures that each message is delivered and processed only once¹. This is suitable for the scenario where the developer wants to ensure that there are no out-of-order updates in the legacy system.

? The visibility timeout value is the amount of time that a message is invisible in the queue after a consumer receives it². This prevents other consumers from processing the same message simultaneously. If the consumer does not delete the message before the visibility timeout expires, the message becomes visible again and another consumer can receive it².

? In this scenario, the developer needs to configure the visibility timeout value to be longer than the maximum processing time of the legacy system, which is 5 minutes. This will ensure that the message remains invisible in the queue until the legacy system finishes processing it and deletes it. This will prevent duplicate or out-of-order processing of messages by the legacy system.

NEW QUESTION 3

A developer is creating an AWS Lambda function that needs credentials to connect to an Amazon RDS for MySQL database. An Amazon S3 bucket currently stores the credentials. The developer needs to improve the existing solution by implementing credential rotation and secure storage. The developer also needs to provide integration with the Lambda function.

Which solution should the developer use to store and retrieve the credentials with the LEAST management overhead?

- A. Store the credentials in AWS Systems Manager Parameter Stor
- B. Select the database that the parameter will acces
- C. Use the default AWS Key Management Service (AWS KMS) key to encrypt the paramete
- D. Enable automatic rotation for the paramete
- E. Use the parameter from Parameter Store on the Lambda function to connect to the database.
- F. Encrypt the credentials with the default AWS Key Management Service (AWS KMS) ke
- G. Store the credentials as environment variables for the Lambda functio
- H. Create a second Lambda function to generate new credentials and to rotate the credentials by updating the environment variables of the first Lambda functio
- I. Invoke the second Lambda function by using an Amazon EventBridge rule that runs on a schedul
- J. Update the database to use the new credential
- K. On the first Lambda function, retrieve the credentials from the environment variable
- L. Decrypt the credentials by using AWS KMS, Connect to the database.
- M. Store the credentials in AWS Secrets Manage

- N. Set the secret type to Credentials for Amazon RDS databases
- O. Select the database that the secret will access
- P. Use the default AWS Key Management Service (AWS KMS) key to encrypt the secret
- Q. Enable automatic rotation for the secret
- R. Use the secret from Secrets Manager on the Lambda function to connect to the database.
- S. Encrypt the credentials by using AWS Key Management Service (AWS KMS). Store the credentials in an Amazon DynamoDB table
- T. Create a second Lambda function to rotate the credential
- . Invoke the second Lambda function by using an Amazon EventBridge rule that runs on a schedule
- . Update the DynamoDB table
- . Update the database to use the generated credential
- . Retrieve the credentials from DynamoDB with the first Lambda function
- . Connect to the database.

Answer: C

Explanation:

AWS Secrets Manager is a service that helps you protect secrets needed to access your applications, services, and IT resources. Secrets Manager enables you to store, retrieve, and rotate secrets such as database credentials, API keys, and passwords. Secrets Manager supports a secret type for RDS databases, which allows you to select an existing RDS database instance and generate credentials for it. Secrets Manager encrypts the secret using AWS Key Management Service (AWS KMS) keys and enables automatic rotation of the secret at a specified interval. A Lambda function can use the AWS SDK or CLI to retrieve the secret from Secrets Manager and use it to connect to the database. Reference: Rotating your AWS Secrets Manager secrets

NEW QUESTION 4

A developer has observed an increase in bugs in the AWS Lambda functions that a development team has deployed in its Node.js application. To minimize these bugs, the developer wants to implement automated testing of Lambda functions in an environment that closely simulates the Lambda environment. The developer needs to give other developers the ability to run the tests locally. The developer also needs to integrate the tests into the team's continuous integration and continuous delivery (CI/CD) pipeline before the AWS Cloud Development Kit (AWS CDK) deployment. Which solution will meet these requirements?

- A. Create sample events based on the Lambda documentation
- B. Create automated test scripts that use the `cdk local invoke` command to invoke the Lambda function
- C. Check the response. Document the test scripts for the other developers on the team. Update the CI/CD pipeline to run the test scripts.
- D. Install a unit testing framework that reproduces the Lambda execution environment
- E. Create sample events based on the Lambda Documentation. Invoke the handler function by using a unit testing framework for the other developers on the team
- F. Check the response. Document how to run the unit testing framework.
- G. Update the CI/CD pipeline to run the unit testing framework.
- H. Install the AWS Serverless Application Model (AWS SAM) CLI tool. Use the `Sam local generate-event` command to generate sample events for automated test
- I. Create automated test scripts that use the `Sam local invoke` command to invoke the Lambda function
- J. Check the response. Document the test scripts for the other developers on the team. Update the CI/CD pipeline to run the test scripts.
- K. Create sample events based on the Lambda documentation
- L. Create a Docker container from the Node.js base image to invoke the Lambda function
- M. Check the response. Document how to run the Docker container for the other developers on the team. Update the CI/CD pipeline to run the Docker container.

Answer: C

Explanation:

This solution will meet the requirements by using AWS SAM CLI tool, which is a command line tool that lets developers locally build, test, debug, and deploy serverless applications defined by AWS SAM templates. The developer can use `sam local generate-event` command to generate sample events for different event sources such as API Gateway or S3. The developer can create automated test scripts that use `sam local invoke` command to invoke Lambda functions locally in an environment that closely simulates Lambda environment. The developer can check the response from Lambda functions and document how to run the test scripts for other developers on the team. The developer can also update CI/CD pipeline to run these test scripts before deploying with AWS CDK. Option A is not optimal because it will use `cdk local invoke` command, which does not exist in AWS CDK CLI tool. Option B is not optimal because it will use a unit testing framework that reproduces Lambda execution environment, which may not be accurate or consistent with Lambda environment. Option D is not optimal because it will create a Docker container from Node.js base image to invoke Lambda functions, which may introduce additional overhead and complexity for creating and running Docker containers.

References: [AWS Serverless Application Model (AWS SAM)], [AWS Cloud Development Kit (AWS CDK)]

NEW QUESTION 5

A company uses Amazon API Gateway to expose a set of APIs to customers. The APIs have caching enabled in API Gateway. Customers need a way to invalidate the cache for each API when they test the API. What should a developer do to give customers the ability to invalidate the API cache?

- A. Ask the customers to use AWS credentials to call the `InvalidateCache` API operation.
- B. Attach an `InvalidateCache` policy to the IAM execution role that the customers use to invoke the API
- C. Ask the customers to send a request that contains the `HTTP` header when they make an API call.
- D. Ask the customers to use the AWS SDK API Gateway class to invoke the `InvalidateCache` API operation.
- E. Attach an `InvalidateCache` policy to the IAM execution role that the customers use to invoke the API
- F. Ask the customers to add the `INVALIDATE_CACHE` query string parameter when they make an API call.

Answer: D

NEW QUESTION 6

A developer is creating a new REST API by using Amazon API Gateway and AWS Lambda. The development team tests the API and validates responses for the known use cases before deploying the API to the production environment.

The developer wants to make the REST API available for testing by using API Gateway locally. Which AWS Serverless Application Model Command Line Interface (AWS SAM CLI) subcommand will meet these requirements?

- A. `Sam local invoke`
- B. `Sam local generate-event`

- C. Sam local start-lambda
- D. Sam local start-api

Answer: D

Explanation:

? The sam local start-api subcommand allows you to run your serverless application locally for quick development and testing¹. It creates a local HTTP server that acts as a proxy for API Gateway and invokes your Lambda functions based on the AWS SAM template¹. You can use the sam local start-api subcommand to test your REST API locally by sending HTTP requests to the local endpoint¹.

NEW QUESTION 7

A company is using an AWS Lambda function to process records from an Amazon Kinesis data stream. The company recently observed slow processing of the records. A developer notices that the iterator age metric for the function is increasing and that the Lambda run duration is constantly above normal. Which actions should the developer take to increase the processing speed? (Choose two.)

- A. Increase the number of shards of the Kinesis data stream.
- B. Decrease the timeout of the Lambda function.
- C. Increase the memory that is allocated to the Lambda function.
- D. Decrease the number of shards of the Kinesis data stream.
- E. Increase the timeout of the Lambda function.

Answer: AC

Explanation:

Increasing the number of shards of the Kinesis data stream will increase the throughput and parallelism of the data processing. Increasing the memory that is allocated to the Lambda function will also increase the CPU and network performance of the function, which will reduce the run duration and improve the processing speed. Option B is not correct because decreasing the timeout of the Lambda function will not affect the processing speed, but may cause some records to fail if they exceed the timeout limit. Option D is not correct because decreasing the number of shards of the Kinesis data stream will decrease the throughput and parallelism of the data processing, which will slow down the processing speed. Option E is not correct because increasing the timeout of the Lambda function will not affect the processing speed, but may increase the cost of running the function.

References: [Amazon Kinesis Data Streams Scaling], [AWS Lambda Performance Tuning]

NEW QUESTION 8

A developer is creating an AWS CloudFormation template to deploy Amazon EC2 instances across multiple AWS accounts. The developer must choose the EC2 instances from a list of approved instance types.

How can the developer incorporate the list of approved instance types in the CloudFormation template?

- A. Create a separate CloudFormation template for each EC2 instance type in the list.
- B. In the Resources section of the CloudFormation template, create resources for each EC2 instance type in the list.
- C. In the CloudFormation template, create a separate parameter for each EC2 instance type in the list.
- D. In the CloudFormation template, create a parameter with the list of EC2 instance types as AllowedValues.

Answer: D

Explanation:

In the CloudFormation template, the developer should create a parameter with the list of approved EC2 instance types as AllowedValues. This way, users can select the instance type they want to use when launching the CloudFormation stack, but only from the approved list.

NEW QUESTION 9

A developer is using AWS Step Functions to automate a workflow. The workflow defines each step as an AWS Lambda function task. The developer notices that runs of the Step Functions state machine fail in the GetResource task with either an ULegalArgumentException error or a TooManyRequestsException error. The developer wants the state machine to stop running when the state machine encounters an ULegalArgumentException error. The state machine needs to retry the GetResource task one additional time after 10 seconds if the state machine encounters a TooManyRequestsException error. If the second attempt fails, the developer wants the state machine to stop running.

How can the developer implement the Lambda retry functionality without adding unnecessary complexity to the state machine'?

- A. Add a Delay task after the GetResource tas
- B. Add a catcher to the GetResource tas
- C. Configure the catcher with an error type of TooManyRequestsExceptio
- D. Configure the next step to be the Delay task. Configure the Delay task to wait for an interval of 10 seconds. Configure the next step to be the GetResource task.
- E. Add a catcher to the GetResource task. Configure the catcher with an error type of TooManyRequestsExceptio
- F. an interval of 10 seconds, and a maximum attempts value of 1. Configure the next step to be the GetResource task.
- G. Add a retrier to the GetResource task. Configure the retrier with an error type of TooManyRequestsException, an interval of 10 seconds, and a maximum attempts value of 1.
- H. Duplicate the GetResource task. Rename the new GetResource task to TryAgain. Add a catcher to the original GetResource task. Configure the catcher with an error type of TooManyRequestsExceptio
- I. Configure the next step to be TryAgain.

Answer: C

Explanation:

The best way to implement the Lambda retry functionality is to use the Retry field in the state definition of the GetResource task. The Retry field allows the developer to specify an array of retriers, each with an error type, an interval, and a maximum number of attempts. By setting the error type to TooManyRequestsException, the interval to 10 seconds, and the maximum attempts to 1, the developer can achieve the desired behavior of retrying the GetResource task once after 10 seconds if it encounters a TooManyRequestsException error. If the retry fails, the state machine will stop running. If the GetResource task encounters an ULegalArgumentException error, the state machine will also stop running without retrying, as this error type is not specified in the Retry field. References

- ? Error handling in Step Functions
- ? Handling Errors, Retries, and adding Alerting to Step Function State Machine Executions
- ? The Jitter Strategy for Step Functions Error Retries on the New Workflow Studio

NEW QUESTION 10

A company has an existing application that has hardcoded database credentials. A developer needs to modify the existing application. The application is deployed in two AWS Regions with an active-passive failover configuration to meet company's disaster recovery strategy. The developer needs a solution to store the credentials outside the code. The solution must comply with the company's disaster recovery strategy. Which solution will meet these requirements in the MOST secure way?

- A. Store the credentials in AWS Secrets Manager in the primary Region.
- B. Enable secret replication to the secondary Region. Update the application to use the Amazon Resource Name (ARN) based on the Region.
- C. Store credentials in AWS Systems Manager Parameter Store in the primary Region.
- D. Enable parameter replication to the secondary Region.
- E. Update the application to use the Amazon Resource Name (ARN) based on the Region.
- F. Store credentials in a config file.
- G. Upload the config file to an S3 bucket in the primary Region.
- H. Enable Cross-Region Replication (CRR) to an S3 bucket in the secondary region.
- I. Update the application to access the config file from the S3 bucket based on the Region.
Store credentials in a config file.
- J. Upload the config file to an Amazon Elastic File System (Amazon EFS) file system.
- L. Update the application to use the Amazon EFS file system Regional endpoints to access the config file in the primary and secondary Regions.

Answer: A

Explanation:

AWS Secrets Manager is a service that allows you to store and manage secrets, such as database credentials, API keys, and passwords, in a secure and centralized way. It also provides features such as automatic secret rotation, auditing, and monitoring¹. By using AWS Secrets Manager, you can avoid hardcoding credentials in your code, which is a bad security practice and makes it difficult to update them. You can also replicate your secrets to another Region, which is useful for disaster recovery purposes². To access your secrets from your application, you can use the ARN of the secret, which is a unique identifier that includes the Region name. This way, your application can use the appropriate secret based on the Region where it is deployed³.

References:

- ? AWS Secrets Manager
- ? Replicating and sharing secrets
- ? Using your own encryption keys

NEW QUESTION 10

A developer is working on an ecommerce platform that communicates with several third-party payment processing APIs. The third-party payment services do not provide a test environment.

The developer needs to validate the ecommerce platform's integration with the third-party payment processing APIs. The developer must test the API integration code without invoking the third-party payment processing APIs.

Which solution will meet these requirements?

- A. Set up an Amazon API Gateway REST API with a gateway response configured for status code 200. Add response templates that contain sample responses captured from the real third-party API.
- B. Set up an AWS AppSync GraphQL API with a data source configured for each third-party API. Specify an integration type of Mock. Configure integration responses by using sample responses captured from the real third-party API.
- C. Create an AWS Lambda function for each third-party API.
- D. Embed responses captured from the real third-party API.
- E. Configure Amazon Route 53 Resolver with an inbound endpoint for each Lambda function's Amazon Resource Name (ARN).
- F. Set up an Amazon API Gateway REST API for each third-party API. Specify an integration request type of Mock. Configure integration responses by using sample responses captured from the real third-party API.

Answer: D

Explanation:

Amazon API Gateway can mock responses for testing purposes without requiring any integration backend. This allows the developer to test the API integration code without invoking the third-party payment processing APIs. The developer can configure integration responses by using sample responses captured from the real third-party API. References:

- ? Mocking Integration Responses in API Gateway
- ? Set up Mock Integrations for an API in API Gateway

NEW QUESTION 15

A company is building a web application on AWS. When a customer sends a request, the application will generate reports and then make the reports available to the customer within one hour. Reports should be accessible to the customer for 8 hours. Some reports are larger than 1 MB. Each report is unique to the customer. The application should delete all reports that are older than 2 days.

Which solution will meet these requirements with the LEAST operational overhead?

- A. Generate the reports and then store the reports as Amazon DynamoDB items that have a specified TTL.
- B. Generate a URL that retrieves the reports from DynamoDB.
- C. Provide the URL to customers through the web application.
- D. Generate the reports and then store the reports in an Amazon S3 bucket that uses server-side encryption.
- E. Attach the reports to an Amazon Simple Notification Service (Amazon SNS) message.
- F. Subscribe the customer to email notifications from Amazon SNS.
- G. Generate the reports and then store the reports in an Amazon S3 bucket that uses server-side encryption.
- H. Generate a presigned URL that contains an expiration date. Provide the URL to customers through the web application.
- I. Add S3 Lifecycle configuration rules to the S3 bucket to delete old reports.
- J. Generate the reports and then store the reports in an Amazon RDS database with a date stamp.
- K. Generate a URL that retrieves the reports from the RDS database.
- L. Provide the URL to customers through the web application.
- M. Schedule an hourly AWS Lambda function to delete database records that have expired date stamps.

Answer: C

Explanation:

This solution will meet the requirements with the least operational overhead because it uses Amazon S3 as a scalable, secure, and durable storage service for the reports. The presigned URL will allow customers to access their reports for a limited time (8 hours) without requiring additional authentication. The S3 Lifecycle configuration rules will automatically delete the reports that are older than 2 days, reducing storage costs and complying with the data retention policy. Option A is not optimal because it will incur additional costs and complexity to store the reports as DynamoDB items, which have a size limit of 400 KB. Option B is not optimal because it will not provide customers with access to their reports within one hour, as Amazon SNS email delivery is not guaranteed. Option D is not optimal because it will require more operational overhead to manage an RDS database and a Lambda function for storing and deleting the reports.
 References: Amazon S3 Presigned URLs, Amazon S3 Lifecycle

NEW QUESTION 18

A developer has observed an increase in bugs in the AWS Lambda functions that a development team has deployed in its Node.js application. To minimize these bugs, the developer wants to implement automated testing of Lambda functions in an environment that closely simulates the Lambda environment. The developer needs to give other developers the ability to run the tests locally. The developer also needs to integrate the tests into the team's continuous integration and continuous delivery (CI/CD) pipeline before the AWS Cloud Development Kit (AWS CDK) deployment. Which solution will meet these requirements?

- A. Create sample events based on the Lambda documentatio
- B. Create automated test scripts that use the cdk local invoke command to invoke the Lambda function
- C. Check the respons
- D. Document the test scripts for the other developers on the tea
- E. Update the CI/CD pipeline to run the test scripts.
- F. Install a unit testing framework that reproduces the Lambda execution environment.
- G. Invoke the handler function by using a unit testing framewor
- H. Check the respons
- I. Document how to run the unit testing framework for the other developers on the tea
- J. Update the CI/CD pipeline to run the unit testing framework.
- K. Install the AWS Serverless Application Model (AWS SAM) CLI too
- L. Use the sam local generate-event command to generate sample events for the automated test
- M. Create automated test scripts that use the sam local invoke command to invoke the Lambda function
- N. Check the respons
- O. Document the test scripts for the other developers on the tea
- P. Update the CI/CD pipeline to run the test scripts.
- Q. Create sample events based on the Lambda documentatio
- R. Create a Docker container from the Node.js base image to invoke the Lambda function
- S. Check the respons
- T. Document how to run the Docker container for the other developers on the tea
- . Update the CI/CD pipeline to run the Docker container.

Answer: C

Explanation:

The AWS Serverless Application Model Command Line Interface (AWS SAM CLI) is a command-line tool for local development and testing of Serverless applications³. The sam local generate-event command of AWS SAM CLI generates sample events for automated tests³. The sam local invoke command is used to invoke Lambda functions³. Therefore, option C is correct.

NEW QUESTION 23

A company wants to share information with a third party. The third party has an HTTP API endpoint that the company can use to share the information. The company has the required API key to access the HTTP API. The company needs a way to manage the API key by using code. The integration of the API key with the application code cannot affect application performance. Which solution will meet these requirements MOST securely?

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

AWS Secrets Manager is a service that helps securely store, rotate, and manage secrets such as API keys, passwords, and tokens. The developer can store the API credentials in AWS Secrets Manager and retrieve them at runtime by using the AWS SDK. This solution will meet the requirements of security, code management, and performance. Storing the API credentials in a local code variable or an S3 object is not secure, as it exposes the credentials to unauthorized access or leakage. Storing the API credentials in a DynamoDB table is also not secure, as it requires additional encryption and access control measures. Moreover, retrieving the credentials from S3 or DynamoDB may affect application performance due to network latency.

References:

- ? [What Is AWS Secrets Manager? - AWS Secrets Manager]
- ? [Retrieving a Secret - AWS Secrets Manager]

NEW QUESTION 27

An application uses Lambda functions to extract metadata from files uploaded to an S3 bucket; the metadata is stored in Amazon DynamoDB. The application starts behaving unexpectedly, and the developer wants to examine the logs of the Lambda function code for errors. Based on this system configuration, where would the developer find the logs?

- A. Amazon S3
- B. AWS CloudTrail
- C. Amazon CloudWatch
- D. Amazon DynamoDB

Answer: C

Explanation:

Amazon CloudWatch is the service that collects and stores logs from AWS Lambda functions. The developer can use CloudWatch Logs Insights to query and analyze the logs for errors and metrics. Option A is not correct because Amazon S3 is a storage service that does not store Lambda function logs. Option B is not correct because AWS CloudTrail is a service that records API calls and events for AWS services, not Lambda function logs. Option D is not correct because Amazon DynamoDB is a database service that does not store Lambda function logs.

References: AWS Lambda Monitoring, [CloudWatch Logs Insights]

NEW QUESTION 31

A developer is migrating some features from a legacy monolithic application to use AWS Lambda functions instead. The application currently stores data in an Amazon Aurora DB cluster that runs in private subnets in a VPC. The AWS account has one VPC deployed. The Lambda functions and the DB cluster are deployed in the same AWS Region in the same AWS account.

The developer needs to ensure that the Lambda functions can securely access the DB cluster without crossing the public internet.

Which solution will meet these requirements?

- A. Configure the DB cluster's public access setting to Yes.
- B. Configure an Amazon RDS database proxy for the Lambda functions.
- C. Configure a NAT gateway and a security group for the Lambda functions.
- D. Configure the VPC, subnets, and a security group for the Lambda functions.

Answer: D

Explanation:

This solution will meet the requirements by allowing the Lambda functions to access the DB cluster securely within the same VPC without crossing the public internet. The developer can configure a VPC endpoint for RDS in a private subnet and assign it to the Lambda functions. The developer can also configure a security group for the Lambda functions that allows inbound traffic from the DB cluster on port 3306 (MySQL). Option A is not optimal because it will expose the DB cluster to public access, which may compromise its security and data integrity. Option B is not optimal because it will introduce additional latency and complexity to use an RDS database proxy for accessing the DB cluster from Lambda functions within the same VPC. Option C is not optimal because it will require additional costs and configuration to use a NAT gateway for accessing resources in private subnets from Lambda functions.

References: [Configuring a Lambda Function to Access Resources in a VPC]

NEW QUESTION 33

A developer has written an AWS Lambda function. The function is CPU-bound. The developer wants to ensure that the function returns responses quickly. How can the developer improve the function's performance?

- A. Increase the function's CPU core count.
- B. Increase the function's memory.
- C. Increase the function's reserved concurrency.
- D. Increase the function's timeout.

Answer: B

Explanation:

The amount of memory you allocate to your Lambda function also determines how much CPU and network bandwidth it gets. Increasing the memory size can improve the performance of CPU-bound functions by giving them more CPU power. The CPU allocation is proportional to the memory allocation, so a function with 1 GB of memory has twice the CPU power of a function with 512 MB of memory. Reference: AWS Lambda execution environment

NEW QUESTION 36

A developer must analyze performance issues with production-distributed applications written as AWS Lambda functions. These distributed Lambda applications invoke other components that make up the applications. How should the developer identify and troubleshoot the root cause of the performance issues in production?

- A. Add logging statements to the Lambda function
- B. then use Amazon CloudWatch to view the logs.
- C. Use AWS CloudTrail and then examine the logs.
- D. Use AWS X-Ray
- E. then examine the segments and errors.
- F. Run Amazon inspector agents and then analyze performance.

Answer: C

Explanation:

This solution will meet the requirements by using AWS X-Ray to analyze and debug the performance issues with the distributed Lambda applications. AWS X-Ray is a service that collects data about requests that the applications serve, and provides tools to view, filter, and gain insights into that data. The developer can use AWS X-Ray to identify the root cause of the performance issues by examining the segments and errors that show the details of each request and the components that make up the applications. Option A is not optimal because it will use logging statements and Amazon CloudWatch, which may not provide enough information or visibility into the distributed applications. Option B is not

optimal because it will use AWS CloudTrail, which is a service that records API calls and events for AWS services, not application performance data. Option D is not optimal because it will use Amazon Inspector, which is a service that helps improve the security and compliance of applications on Amazon EC2 instances, not Lambda functions. References: AWS X-Ray, Using AWS X-Ray with AWS Lambda

NEW QUESTION 40

A developer is creating an AWS Lambda function that searches for items from an Amazon DynamoDB table that contains customer contact information- The DynamoDB table items have the customer's email_address as the partition key and additional properties such as customer_type, name, and job_title.

The Lambda function runs whenever a user types a new character into the customer_type text input The developer wants the search to return partial matches of all the email_address property of a particular customer_type The developer does not want to recreate the DynamoDB table.

What should the developer do to meet these requirements?

- A. Add a global secondary index (GSI) to the DynamoDB table with customer_type as the partition key and email_address as the sort key Perform a query operation on the GSI by using the begins_with key condition expression With the email_address property
- B. Add a global secondary index (GSI) to the DynamoDB table With email_address as the partition key and customer_type as the sort key Perform a query operation on the GSI by using the begins_with key condition expression With the email_address property.
- C. Add a local secondary index (LSI) to the DynamoDB table With customer_type as the partition key and email_address as the sort key Perform a query operation on the LSI by using the begins_with key condition expression With the email_address property
- D. Add a local secondary Index (LSI) to the DynamoDB table With job_title as the partition key and email_address as the sort key Perform a query operation on the LSI by using the begins_with key condition expression With the email_address property

Answer: A

Explanation:

By adding a global secondary index (GSI) to the DynamoDB table with customer_type as the partition key and email_address as the sort key, the developer can perform a query operation on the GSI using the Begins_with key condition expression with the email_address property. This will return partial matches of all email_address properties of a specific customer_type.

NEW QUESTION 44

A company is building a micro services application that consists of many AWS Lambda functions. The development team wants to use AWS Serverless Application Model (AWS SAM) templates to automatically test the Lambda functions. The development team plans to test a small percentage of traffic that is directed to new updates before the team commits to a full deployment of the application.

Which combination of steps will meet these requirements in the MOST operationally efficient way? (Select TWO.)

- A. Use AWS SAM CLI commands in AWS CodeDeploy to invoke the Lambda functions to test the deployment
- B. Declare the EventInvokeConfig on the Lambda functions in the AWS SAM templates with OnSuccess and OnFailure configurations. Enable gradual deployments through AWS SAM templates.
- C. Set the deployment preference type to Canary10Percent130Minutes Use hooks to test the deployment.**
- D. Set the deployment preference type to Linear10PercentEvery10Minutes Use hooks to test the deployment.

Answer: CD

Explanation:

This solution will meet the requirements by using AWS Serverless Application Model (AWS SAM) templates and gradual deployments to automatically test the Lambda functions. AWS SAM templates are configuration files that define serverless applications and resources such as Lambda functions. Gradual deployments are a feature of AWS SAM that enable deploying new versions of Lambda functions incrementally, shifting traffic gradually, and performing validation tests during deployment. The developer can enable gradual deployments through AWS SAM templates by adding a DeploymentPreference property to each Lambda function resource in the template. The developer can set the deployment preference type to Canary10Percent30Minutes, which means that 10 percent of traffic will be shifted to the new version of the Lambda function for 30 minutes before shifting 100 percent of traffic. The developer can also use hooks to test the deployment, which are custom Lambda functions that run before or after traffic shifting and perform validation tests or rollback actions.

References: [AWS Serverless Application Model (AWS SAM)], [Gradual Code Deployment]

NEW QUESTION 45

A developer is creating a service that uses an Amazon S3 bucket for image uploads. The service will use an AWS Lambda function to create a thumbnail of each image Each time an image is uploaded the service needs to send an email notification and create the thumbnail The developer needs to configure the image processing and email notifications setup.

Which solution will meet these requirements?

- A. Create an Amazon Simple Notification Service (Amazon SNS) topic Configure S3 event notifications with a destination of the SNS topic Subscribe the Lambda function to the SNS topic Create an email notification subscription to the SNS topic
- B. Create an Amazon Simple Notification Service (Amazon SNS) topic
- C. Configure S3 event notifications with a destination of the SNS topic
- D. Subscribe the Lambda function to the SNS topic
- E. Create an Amazon Simple Queue Service (Amazon SQS) queue Subscribe the SQS queue to the SNS topic Create an email notification subscription to the SQS queue.
- F. Create an Amazon Simple Queue Service (Amazon SQS) queue Configure S3 event notifications with a destination of the SQS queue Subscribe the Lambda function to the SQS queue Create an email notification subscription to the SQS queue.
- G. Create an Amazon Simple Queue Service (Amazon SQS) queue
- H. Send S3 event notifications to Amazon EventBridge
- I. Create an EventBridge rule that runs the Lambda function when images are uploaded to the S3 bucket Create an EventBridge rule that sends notifications to the SQS queue Create an email notification subscription to the SQS queue

Answer: A

Explanation:

This solution will allow the developer to receive notifications for each image uploaded to the S3 bucket, and also create a thumbnail using the Lambda function. The SNS topic will serve as a trigger for both the Lambda function and the email notification subscription. When an image is uploaded, S3 will send a notification to the SNS topic, which will trigger the Lambda function to create the thumbnail and also send an email notification to the specified email address.

NEW QUESTION 49

A developer is trying get data from an Amazon DynamoDB table called demoman-table. The developer configured the AWS CLI to use a specific IAM user's credentials and ran the following command.

```
aws dynamodb get-item --table-name demoman-table --key '{"id": {"N": "1993"}}'
```

The command returned errors and no rows were returned. What is the MOST likely cause of these issues?

- A. The command is incorrect; it should be rewritten to use put-item with a string argument
- B. The developer needs to log a ticket with AWS Support to enable access to the demoman-table
- C. Amazon DynamoDB cannot be accessed from the AWS CLI and needs to be called via the REST API
- D. The IAM user needs an associated policy with read access to demoman-table

Answer: D

Explanation:

This solution will most likely solve the issues because it will grant the IAM user the necessary permission to access the DynamoDB table using the AWS CLI command. The error message indicates that the IAM user does not have sufficient access rights to perform the scan operation on the table. Option A is not optimal because it will change the command to use put-item instead of scan, which will not achieve the desired result of getting data from the table. Option B is not optimal because it will involve contacting AWS Support, which may not be necessary or efficient for this issue. Option C is not optimal because it will state that DynamoDB cannot be accessed from the AWS CLI, which is incorrect as DynamoDB supports AWS CLI commands.

References: AWS CLI for DynamoDB, [IAM Policies for DynamoDB]

NEW QUESTION 50

A developer is building a serverless application by using AWS Serverless Application Model (AWS SAM) on multiple AWS Lambda functions. When the application is deployed, the developer wants to shift 10% of the traffic to the new deployment of the application for the first 10 minutes after deployment. If there are no issues, all traffic must switch over to the new version. Which change to the AWS SAM template will meet these requirements?

- A. Set the Deployment Preference Type to Canary10Percent10Minute
AutoPublishAlias property to the Lambda alias.
- B. Set the Deployment Preference Type to LinearIOPercentEvery10Minute
- D. Set AutoPublishAlias property to the Lambda alias.
- E. Set the Deployment Preference Type to CanaryIOPercentIOMinute
- F. Set the PreTraffic and PostTraffic properties to the Lambda alias.
- G. Set the Deployment Preference Type to LinearIOPercentEveryIOMinute
- H. Set PreTraffic and Post Traffic properties to the Lambda alias.

Answer: A

Explanation:

The AWS Serverless Application Model (AWS SAM) comes built-in with CodeDeploy to provide gradual AWS Lambda deployments. The DeploymentPreference property in AWS SAM allows you to specify the type of deployment that you want. The Canary10Percent10Minutes option means that 10 percent of your customer traffic is immediately shifted to your new version. After 10 minutes, all traffic is shifted to the new version. The AutoPublishAlias property in AWS SAM allows AWS SAM to automatically create an alias that points to the updated version of the Lambda function. Therefore, option A is correct.

NEW QUESTION 51

A company is running Amazon EC2 instances in multiple AWS accounts. A developer needs to implement an application that collects all the lifecycle events of the EC2 instances. The application needs to store the lifecycle events in a single Amazon Simple Queue Service (Amazon SQS) queue in the company's main AWS account for further processing. Which solution will meet these requirements?

- A. Configure Amazon EC2 to deliver the EC2 instance lifecycle events from all accounts to the Amazon EventBridge event bus of the main account
- B. Add an EventBridge rule to the event bus of the main account that matches all EC2 instance lifecycle event
- C. Add the SQS queue as a target of the rule.
- D. Use the resource policies of the SQS queue in the main account to give each account permissions to write to that SQS queue
- E. Add to the Amazon EventBridge event bus of each account an EventBridge rule that matches all EC2 instance lifecycle event
- F. Add the SQS queue in the main account as a target of the rule.
- G. Write an AWS Lambda function that scans through all EC2 instances in the company accounts to detect EC2 instance lifecycle change
- H. Configure the Lambda function to write a notification message to the SQS queue in the main account if the function detects an EC2 instance lifecycle change
- I. Add an Amazon EventBridge scheduled rule that invokes the Lambda function every minute.
- J. Configure the permissions on the main account event bus to receive events from all account
- K. Create an Amazon EventBridge rule in each account to send all the EC2 instance lifecycle events to the main account event bus
- L. Add an EventBridge rule to the main account event bus that matches all EC2 instance lifecycle event
- M. Set the SQS queue as a target for the rule.

Answer: D

Explanation:

Amazon EC2 instances can send the state-change notification events to Amazon EventBridge. <https://docs.aws.amazon.com/AWSEC2/latest/UserGuide/monitoring-instance-state-changes.html> Amazon EventBridge can send and receive events between event buses in AWS accounts. <https://docs.aws.amazon.com/eventbridge/latest/userguide/eb-cross-account.html>

NEW QUESTION 54

A company is migrating legacy internal applications to AWS. Leadership wants to rewrite the internal employee directory to use native AWS services. A developer needs to create a solution for storing employee contact details and high-resolution photos for use with the new application. Which solution will enable the search and retrieval of each employee's individual details and high-resolution photos using AWS APIs?

- A. Encode each employee's contact information and photos using Base64. Store the information in an Amazon DynamoDB table using a sort key.
- B. Store each employee's contact information in an Amazon DynamoDB table along with the object keys for the photos stored in Amazon S3.
- C. Use Amazon Cognito user pools to implement the employee directory in a fully managed software-as-a-service (SaaS) method.
- D. Store employee contact information in an Amazon RDS DB instance with the photos stored in Amazon Elastic File System (Amazon EFS).

Answer: B

Explanation:

Amazon DynamoDB is a fully managed NoSQL database service that provides fast and consistent performance with seamless scalability. The developer can store each employee's contact information in a DynamoDB table along with the object keys for the photos stored in Amazon S3. Amazon S3 is an object storage service that offers industry-leading scalability, data availability, security, and performance. The developer can use AWS APIs to search and retrieve the employee details and photos from DynamoDB and S3.

References:

- ? [Amazon DynamoDB]
- ? [Amazon Simple Storage Service (S3)]

NEW QUESTION 57

A developer uses AWS CloudFormation to deploy an Amazon API Gateway API and an AWS Step Functions state machine. The state machine must reference the API Gateway API after the CloudFormation template is deployed. The developer needs a solution that uses the state machine to reference the API Gateway endpoint.

Which solution will meet these requirements MOST cost-effectively?

- A. Configure the CloudFormation template to reference the API endpoint in the DefinitionSubstitutions property for the AWS StepFunctions StateMachine resource.
- B. Configure the CloudFormation template to store the API endpoint in an environment variable for the AWS::StepFunctions::StateMachine resource. Configure the state machine to reference the environment variable.
- C. Configure the CloudFormation template to store the API endpoint in a standard AWS: SecretsManager Secret resource. Configure the state machine to reference the resource.
- D. Configure the CloudFormation template to store the API endpoint in a standard AWS::AppConfig::ConfigurationProfile resource. Configure the state machine to reference the resource.

Answer: A

Explanation:

The most cost-effective solution is to use the DefinitionSubstitutions property of the AWS::StepFunctions::StateMachine resource to inject the API endpoint as a variable in the state machine definition. This way, the developer can use the intrinsic function Fn::GetAtt to get the API endpoint from the AWS::ApiGateway::RestApi resource, and pass it to the state machine without creating any additional resources or environment variables. The other solutions involve creating and managing extra resources, such as Secrets Manager secrets or AppConfig configuration profiles, which incur additional costs and complexity.

References:

- ? AWS::StepFunctions::StateMachine - AWS CloudFormation
- ? Call API Gateway with Step Functions - AWS Step Functions
- ? amazon-web-services aws-api-gateway terraform aws-step-functions

NEW QUESTION 61

A company is running a custom application on a set of on-premises Linux servers that are accessed using Amazon API Gateway. AWS X-Ray tracing has been enabled on the API test stage.

How can a developer enable X-Ray tracing on the on-premises servers with the LEAST amount of configuration?

- A. Install and run the X-Ray SDK on the on-premises servers to capture and relay the data to the X-Ray service.
- B. Install and run the X-Ray daemon on the on-premises servers to capture and relay the data to the X-Ray service.
- C. Capture incoming requests on-premises and configure an AWS Lambda function to pull, process, and relay relevant data to X-Ray using the PutTraceSegments API call.
- D. Capture incoming requests on-premises and configure an AWS Lambda function to pull, process, and relay relevant data to X-Ray using the PutTelemetryRecords API call.

Answer: B

Explanation:

The X-Ray daemon is a software that collects trace data from the X-Ray SDK and relays it to the X-Ray service. The X-Ray daemon can run on any platform that supports Go, including Linux, Windows, and macOS. The developer can install and run the X-Ray daemon on the on-premises servers to capture and relay the data to the X-Ray service with minimal configuration. The X-Ray SDK is used to instrument the application code, not to capture and relay data. The Lambda function solutions are more complex and require additional configuration.

References:

- ? [AWS X-Ray concepts - AWS X-Ray]
- ? [Setting up AWS X-Ray - AWS X-Ray]

NEW QUESTION 65

A developer has a legacy application that is hosted on-premises. Other applications hosted on AWS depend on the on-premises application for proper functioning. In case of any application errors, the developer wants to be able to use Amazon CloudWatch to monitor and troubleshoot all applications from one place.

How can the developer accomplish this?

- A. Install an AWS SDK on the on-premises server to automatically send logs to CloudWatch.
- B. Download the CloudWatch agent to the on-premises server.
- C. Configure the agent to use IAM user credentials with permissions for CloudWatch.
- D. Upload log files from the on-premises server to Amazon S3 and have CloudWatch read the files.
- E. Upload log files from the on-premises server to an Amazon EC2 instance and have the instance forward the logs to CloudWatch.

Answer: B

Explanation:

Amazon CloudWatch is a service that monitors AWS resources and applications. The developer can use CloudWatch to monitor and troubleshoot all applications from one place. To do so, the developer needs to download the CloudWatch agent to the on-premises server and configure the agent to use IAM user credentials with permissions for CloudWatch. The agent will collect logs and metrics from the on-premises server and send them to CloudWatch.

References:

- ? [What Is Amazon CloudWatch? - Amazon CloudWatch]
- ? [Installing and Configuring the CloudWatch Agent - Amazon CloudWatch]

NEW QUESTION 68

A team of developers is using an AWS CodePipeline pipeline as a continuous integration and continuous delivery (CI/CD) mechanism for a web application. A developer has written unit tests to programmatically test the functionality of the application code. The unit tests produce a test report that shows the results of each individual check. The developer now

wants to run these tests automatically during the CI/CD process.

- A. Write a Git pre-commit hook that runs the test before every commit.

- B. Ensure that each developer who is working on the project has the pre-commit hook instated locally
- C. Review the test report and resolve any issues before pushing changes to AWS CodeCommit.
- D. Add a new stage to the pipeline
- E. Use AWS CodeBuild as the provider
- F. Add the new stage after the stage that deploys code revisions to the test environment
- G. Write a buildspec that fails the CodeBuild stage if any test does not pass
- H. Use the test reports feature of CodeBuild to integrate the report with the CodeBuild console
- I. View the test results in CodeBuild. Resolve any issues.
- J. Add a new stage to the pipeline
- K. Use AWS CodeBuild as the provider
- L. Add the new stage before the stage that deploys code revisions to the test environment
- M. Write a buildspec that fails the CodeBuild stage if any test does not pass
- N. Use the test reports feature of CodeBuild to integrate the report with the CodeBuild console
- O. View the test results in CodeBuild. Resolve any issues.
- P. Add a new stage to the pipeline
- Q. Use Jenkins as the provider
- R. Configure CodePipeline to use Jenkins to run the unit test
- S. Write a Jenkinsfile that fails the stage if any test does not pass
- T. Use the test report plugin for Jenkins to integrate the report with the Jenkins dashboard
- U. View the test results in Jenkins
- V. Resolve any issues.

Answer: C

Explanation:

The solution that will meet the requirements is to add a new stage to the pipeline. Use AWS CodeBuild as the provider. Add the new stage before the stage that deploys code revisions to the test environment. Write a buildspec that fails the CodeBuild stage if any test does not pass. Use the test reports feature of CodeBuild to integrate the report with the CodeBuild console. View the test results in CodeBuild. Resolve any issues. This way, the developer can run the unit tests automatically during the CI/CD process and catch any bugs before deploying to the test environment. The developer can also use the test reports feature of CodeBuild to view and analyze the test results in a graphical interface. The other options either involve running the tests manually, running them after deployment, or using a different provider that requires additional configuration and integration.

Reference: Test reports for CodeBuild

NEW QUESTION 69

A developer is creating an AWS Lambda function in VPC mode. An Amazon S3 event will invoke the Lambda function when an object is uploaded into an S3 bucket. The Lambda function will process the object and produce some analytic results that will be recorded into a file. Each processed object will also generate a log entry that will be recorded into a file.

Other Lambda functions, AWS services, and on-premises resources must have access to the result files and log file. Each log entry must also be appended to the same shared log file. The developer needs a solution that can share files and append results into an existing file.

Which solution should the developer use to meet these requirements?

- A. Create an Amazon Elastic File System (Amazon EFS) file system
- B. Mount the EFS file system in Lambda
- C. Store the result files and log file in the mount point
- D. Append the log entries to the log file.
- E. Create an Amazon Elastic Block Store (Amazon EBS) Multi-Attach enabled volume. Attach the EBS volume to all Lambda functions. download the log file, append the log entries, and upload the modified log file to Amazon EBS
- F. Update the Lambda function code to
- G. Create a reference to the /tmp local directory
- H. Store the result files and log file by using the directory reference
- I. Append the log entry to the log file.
- J. Create a reference to the /opt storage directory. Store the result files and log file by using the directory reference. Append the log entry to the log file

Answer: A

Explanation:

<https://aws.amazon.com/blogs/compute/using-amazon-efs-for-aws-lambda-in-your-serverless-applications/>

NEW QUESTION 72

A developer is troubleshooting an application in an integration environment. In the application, an Amazon Simple Queue Service (Amazon SQS) queue consumes messages and then an AWS Lambda function processes the messages. The Lambda function transforms the messages and makes an API call to a third-party service.

There has been an increase in application usage. The third-party API frequently returns an HTTP 429 Too Many Requests error message. The error message prevents a significant number of messages from being processed successfully.

How can the developer resolve this issue?

- A. Increase the SQS event source's batch size setting.
- B. Configure provisioned concurrency for the Lambda function based on the third-party API's documented rate limits.
- C. Increase the retry attempts and maximum event age in the Lambda function's asynchronous configuration.
- D. Configure maximum concurrency on the SQS event source based on the third-party service's documented rate limits.

Answer: D

Explanation:

? Maximum concurrency for SQS as an event source allows customers to control the maximum concurrent invokes by the SQS event source. When multiple SQS event sources are configured to a function, customers can control the maximum concurrent invokes of individual SQS event sources.

? In this scenario, the developer needs to resolve the issue of the third-party API frequently returning an HTTP 429 Too Many Requests error message, which prevents a significant number of messages from being processed successfully. To achieve this, the developer can follow these steps:

? By using this solution, the developer can reduce the frequency of HTTP 429 errors and improve the message processing success rate. The developer can also avoid throttling or blocking by the third-party API.

NEW QUESTION 77

A company is planning to use AWS CodeDeploy to deploy an application to Amazon Elastic Container Service (Amazon ECS) During the deployment of a new version of the application, the company initially must expose only 10% of live traffic to the new version of the deployed application. Then, after 15 minutes elapse, the company must route all the remaining live traffic to the new version of the deployed application.

Which CodeDeploy predefined configuration will meet these requirements?

- A. CodeDeployDefault ECSCanary10Percent15Minutes
- B. CodeDeployDefault LambdaCanary10Percent5Minutes
- C. CodeDeployDefault LambdaCanary10Percent15Minutes
- D. CodeDeployDefault ECSLinear10PercentEvery1 Minutes

Answer: A

Explanation:

The predefined configuration "CodeDeployDefault.ECSCanary10Percent15Minutes" is designed for Amazon Elastic Container Service (Amazon ECS) deployments and meets the specified requirements. It will perform a canary deployment, which means it will initially route 10% of live traffic to the new version of the application, and then after 15 minutes elapse, it will automatically route all the remaining live traffic to the new version. This gradual deployment approach allows

the company to verify the health and performance of the new version with a small portion of traffic before fully deploying it to all users.

NEW QUESTION 80

A developer is creating a template that uses AWS CloudFormation to deploy an application. The application is serverless and uses Amazon API Gateway, Amazon DynamoDB, and AWS Lambda.

Which AWS service or tool should the developer use to define serverless resources in YAML?

- A. CloudFormation serverless intrinsic functions
- B. AWS Elastic Beanstalk
- C. AWS Serverless Application Model (AWS SAM)
- D. AWS Cloud Development Kit (AWS CDK)

Answer: C

Explanation:

AWS Serverless Application Model (AWS SAM) is an open-source framework that enables developers to build and deploy serverless applications on AWS. AWS SAM uses a template specification that extends AWS CloudFormation to simplify the

definition of serverless resources such as API Gateway, DynamoDB, and Lambda. The developer can use AWS SAM to define serverless resources in YAML and deploy them using the AWS SAM CLI.

References:

? [What Is the AWS Serverless Application Model (AWS SAM)? - AWS Serverless Application Model]

? [AWS SAM Template Specification - AWS Serverless Application Model]

NEW QUESTION 85

A developer wants to add request validation to a production environment Amazon API Gateway API. The developer needs to test the changes before the API is deployed to the production environment. For the test, the developer will send test requests to the API through a testing tool. Which solution will meet these requirements with the LEAST operational overhead?

- A. Export the existing API to an OpenAPI file.
- B. Create a new API.
- C. Import the OpenAPI file.
- D. Perform the test.
- E. Modify the existing API to add request validation.
- F. Deploy the existing API to production.
- G. Modify the existing API to add request validation.
- H. Deploy the updated API to a new API Gateway stage.
- I. Perform the test.
- J. Deploy the updated API to the API Gateway production stage.
- K. Create a new API.
- L. Add the necessary resources and methods, including new request validation.
- M. Perform the test.
- N. Modify the existing API to add request validation.
- O. Deploy the existing API to production.
- P. Clone the existing API.
- Q. Modify the new API to add request validation.
- R. Perform the test.
- S. Modify the existing API to add request validation.
- T. Deploy the existing API to production.

Answer: B

Explanation:

Amazon API Gateway allows you to create, deploy, and manage a RESTful API to expose backend HTTP endpoints, AWS Lambda functions, or other AWS services¹. You can use API Gateway to perform basic validation of an API request before proceeding with the integration request¹. When the validation fails, API Gateway immediately fails the request, returns a 400 error response to the caller, and publishes the validation results in CloudWatch Logs¹. To test changes before deploying to a production environment, you can modify the existing API to add request validation and deploy the updated API to a new API Gateway stage¹. This allows you to perform tests without affecting the production environment. Once testing is complete and successful, you can then deploy the updated API to the API Gateway production stage¹. This approach has the least operational overhead as it avoids unnecessary creation of new APIs or exporting and importing of APIs. It leverages the existing infrastructure and only requires changes in the configuration of the existing API¹.

NEW QUESTION 89

A developer is incorporating AWS X-Ray into an application that handles personal identifiable information (PII). The application is hosted on Amazon EC2 instances. The application trace messages include encrypted PII and go to Amazon CloudWatch. The developer needs to ensure that no PII goes outside of the EC2 instances. Which solution will meet these requirements?

- A. Manually instrument the X-Ray SDK in the application code.
- B. Use the X-Ray auto-instrumentation agent.

- C. Use Amazon Macie to detect and hide PII
- D. Call the X-Ray API from AWS Lambda.
- E. Use AWS Distro for Open Telemetry.

Answer: A

Explanation:

This solution will meet the requirements by allowing the developer to control what data is sent to X-Ray and CloudWatch from the application code. The developer can filter out any PII from the trace messages before sending them to X-Ray and CloudWatch, ensuring that no PII goes outside of the EC2 instances. Option B is not optimal because it will automatically instrument all incoming and outgoing requests from the application, which may include PII in the trace messages. Option C is not optimal because it will require additional services and costs to use Amazon Macie and AWS Lambda, which may not be able to detect and hide all PII from the trace messages. Option D is not optimal because it will use Open Telemetry instead of X-Ray, which may not be compatible with CloudWatch and other AWS services.

References: [AWS X-Ray SDKs]

NEW QUESTION 90

A developer is deploying a company's application to Amazon EC2 instances. The application generates gigabytes of data files each day. The files are rarely accessed but the files must be available to the application's users within minutes of a request during the first year of storage. The company must retain the files for 7 years.

How can the developer implement the application to meet these requirements MOST cost-effectively?

- A. Store the files in an Amazon S3 bucket. Use the S3 Glacier Instant Retrieval storage class. Create an S3 Lifecycle policy to transition the files to the S3 Glacier Deep Archive storage class after 1 year.
- B. Store the files in an Amazon S3 bucket.
- C. Use the S3 Standard storage class.
- D. Create an S3 Lifecycle policy to transition the files to the S3 Glacier Flexible Retrieval storage class after 1 year.
- E. Store the files on an Amazon Elastic Block Store (Amazon EBS) volume. Use Amazon Data Lifecycle Manager (Amazon DLM) to create snapshots of the EBS volumes and to store those snapshots in Amazon S3.
- F. Store the files on an Amazon Elastic File System (Amazon EFS) mount.
- G. Configure EFS lifecycle management to transition the files to the EFS Standard-Infrequent Access (Standard-IA) storage class after 1 year.

Answer: A

Explanation:

Amazon S3 Glacier Instant Retrieval is an archive storage class that delivers the lowest-cost storage for long-lived data that is rarely accessed and requires retrieval in

milliseconds. With S3 Glacier Instant Retrieval, you can save up to 68% on storage costs compared to using the S3 Standard-Infrequent Access (S3 Standard-IA) storage class, when your data is accessed once per quarter. <https://aws.amazon.com/s3/storage-classes/glacier/instant-retrieval/>

NEW QUESTION 94

A developer needs to perform geographic load testing of an API. The developer must deploy resources to multiple AWS Regions to support the load testing of the API.

How can the developer meet these requirements without additional application code?

- A. Create and deploy an AWS Lambda function in each desired Region.
- B. Configure the Lambda function to create a stack from an AWS CloudFormation template in that Region when the function is invoked.
Create an AWS CloudFormation template that defines the load test resource.
- C. Use the AWS CLI create-stack-set command to create a stack set in the desired Regions.
- E. Create an AWS Systems Manager document that defines the resource.
- F. Use the document to create the resources in the desired Regions.
- G. Create an AWS CloudFormation template that defines the load test resource.
- H. Use the AWS CLI deploy command to create a stack from the template in each Region.

Answer: B

Explanation:

AWS CloudFormation is a service that allows developers to model and provision AWS resources using templates. A CloudFormation template can define the load test resources, such as EC2 instances, load balancers, and Auto Scaling groups. A CloudFormation stack set is a collection of stacks that can be created and managed from a single template in multiple Regions and accounts. The AWS CLI create-stack-set command can be used to create a stack set from a template and specify the Regions where the stacks should be created. Reference: Working with AWS CloudFormation stack sets

NEW QUESTION 95

A developer is creating an application that includes an Amazon API Gateway REST API in the us-east-2 Region. The developer wants to use Amazon CloudFront and a custom domain name for the API. The developer has acquired an SSL/TLS certificate for the domain from a third-party provider. How should the developer configure the custom domain for the application?

- A. Import the SSL/TLS certificate into AWS Certificate Manager (ACM) in the same Region as the API.
- B. Create a DNS A record for the custom domain.
- C. Import the SSL/TLS certificate into CloudFront.
- D. Create a DNS CNAME record for the custom domain.
- E. Import the SSL/TLS certificate into AWS Certificate Manager (ACM) in the same Region as the API.
- F. Create a DNS CNAME record for the custom domain.
- G. Import the SSL/TLS certificate into AWS Certificate Manager (ACM) in the us-east-1 Region.
- H. Create a DNS CNAME record for the custom domain.

Answer: D

Explanation:

Amazon API Gateway is a service that enables developers to create, publish, maintain, monitor, and secure APIs at any scale. Amazon CloudFront is a content

delivery network (CDN) service that can improve the performance and security of web applications. The developer can use CloudFront and a custom domain name for the API Gateway REST API. To do so, the developer needs to import the SSL/TLS certificate into AWS Certificate Manager (ACM) in the us-east-1 Region. This is because CloudFront requires certificates from ACM to be in this Region. The developer also needs to create a DNS CNAME record for the custom domain that points to the CloudFront distribution.

References:

- ? [What Is Amazon API Gateway? - Amazon API Gateway]
- ? [What Is Amazon CloudFront? - Amazon CloudFront]
- ? [Custom Domain Names for APIs - Amazon API Gateway]

NEW QUESTION 100

A company is offering APIs as a service over the internet to provide unauthenticated read access to statistical information that is updated daily. The company uses Amazon API Gateway and AWS Lambda to develop the APIs. The service has become popular, and the company wants to enhance the responsiveness of the APIs.

Which action can help the company achieve this goal?

- A. Enable API caching in API Gateway.
- B. Configure API Gateway to use an interface VPC endpoint.
- C. Enable cross-origin resource sharing (CORS) for the APIs.
- D. Configure usage plans and API keys in API Gateway.

Answer: A

Explanation:

Amazon API Gateway is a service that enables developers to create, publish, maintain, monitor, and secure APIs at any scale. The developer can enable API caching in API Gateway to cache responses from the backend integration point for a specified time-to-live (TTL) period. This can improve the responsiveness of the APIs by reducing the number

of calls made to the backend service. References:

- ? [What Is Amazon API Gateway? - Amazon API Gateway]
- ? [Enable API Caching to Enhance Responsiveness - Amazon API Gateway]

NEW QUESTION 104

A developer at a company recently created a serverless application to process and show data from business reports. The application's user interface (UI) allows users to select and start processing the files. The UI displays a message when the result is available to view. The application uses AWS Step Functions with AWS Lambda functions to process the files. The developer used Amazon API Gateway and Lambda functions to create an API to support the UI.

The company's UI team reports that the request to process a file is often returning timeout errors because of the size or complexity of the files. The UI team wants the API to provide an immediate response so that the UI can display a message while the files are being processed. The backend process that is invoked by the API needs to send an email message when the report processing is complete.

What should the developer do to configure the API to meet these requirements?

- A. Change the API Gateway route to add an X-Amz-Invocation-Type header with a static value of 'Event' in the integration request. Deploy the API Gateway stage to apply the changes.
- B. Change the configuration of the Lambda function that implements the request to process a file.
- C. Configure the maximum age of the event so that the Lambda function will run asynchronously.
- D. Change the API Gateway timeout value to match the Lambda function timeout value.
- E. Deploy the API Gateway stage to apply the changes.
- F. Change the API Gateway route to add an X-Amz-Target header with a static value of 'A sync' in the integration request. Deploy the API Gateway stage to apply the changes.

Answer: A

Explanation:

This solution allows the API to invoke the Lambda function asynchronously, which means that the API will return an immediate response without waiting for the function to complete. The X-Amz-Invocation-Type header specifies the invocation type of the Lambda function, and setting it to 'Event' means that the function will be invoked asynchronously. The function can then use Amazon Simple Email Service (SES) to send an email message when the report processing is complete.

Reference: [Asynchronous invocation], [Set up Lambda proxy integrations in API Gateway]

NEW QUESTION 109

A developer is investigating an issue in part of a company's application. In the application messages are sent to an Amazon Simple Queue Service (Amazon SQS) queue. The AWS Lambda function polls messages from the SQS queue and sends email messages by using Amazon Simple Email Service (Amazon SES). Users have been receiving duplicate email messages during periods of high traffic.

Which reasons could explain the duplicate email messages? (Select TWO.)

- A. Standard SQS queues support at-least-once message delivery.
- B. Standard SQS queues support exactly-once processing, so the duplicate email messages are because of user error.
- C. Amazon SES has the DomainKeys Identified Mail (DKIM) authentication incorrectly configured.
- D. The SQS queue's visibility timeout is lower than or the same as the Lambda function's timeout.
- E. The Amazon SES bounce rate metric is too high.

Answer: AD

Explanation:

Standard SQS queues support at-least-once message delivery, which means that a message can be delivered more than once to the same or different consumers. This can happen if the message is not deleted from the queue before the visibility timeout expires, or if there is a network issue or a system failure. The SQS queue's visibility timeout is the period of time that a message is invisible to other consumers after it is received by one consumer. If the visibility timeout is lower than or the same as the Lambda function's timeout, the Lambda function might not be able to process and delete the message before it becomes visible again, leading to duplicate processing and email messages. To avoid this, the visibility timeout should be set to at least 6 times the length of the Lambda function's timeout. The other options are not related to the issue of duplicate email messages. References:

- ? Using the Amazon SQS message deduplication ID
- ? Exactly-once processing - Amazon Simple Queue Service

- ? Amazon SQS duplicated messages in queue - Stack Overflow
- ? amazon web services - How long can duplicate SQS messages persist ...
- ? Standard SQS - Duplicate message | AWS re:Post - Amazon Web Services, Inc.

NEW QUESTION 114

A developer is building a microservices-based application by using Python on AWS and several AWS services. The developer must use AWS X-Ray. The developer views the service map by using the console to view the service dependencies. During testing, the developer notices that some services are missing from the service map.

What can the developer do to ensure that all services appear in the X-Ray service map?

- A. Modify the X-Ray Python agent configuration in each service to increase the sampling rate
- B. Instrument the application by using the X-Ray SDK for Python
- C. Install the X-Ray SDK for all the services that the application uses
- D. Enable X-Ray data aggregation in Amazon CloudWatch Logs for all the services that the application uses
- E. Increase the X-Ray service map timeout value in the X-Ray console

Answer: B

Explanation:

The X-Ray SDK for Python provides libraries and tools for instrumenting Python applications that use AWS services and other AWS X-Ray integrations. By installing the X-Ray SDK for all the services that the application uses, the developer can ensure that all the service dependencies are captured and displayed in the X-Ray service map. The other options are not relevant or effective for this scenario. References

- ? AWS X-Ray SDK for Python
- ? Instrumenting a Python Application

NEW QUESTION 117

A developer is building a serverless application that is based on AWS Lambda. The developer initializes the AWS software development kit (SDK) outside of the Lambda handler function.

What is the PRIMARY benefit of this action?

- A. Improves legibility and stylistic convention
- B. Takes advantage of runtime environment reuse
- C. Provides better error handling
- D. Creates a new SDK instance for each invocation

Answer: B

Explanation:

This benefit occurs when initializing the AWS SDK outside of the Lambda handler function because it allows the SDK instance to be reused across multiple invocations of the same function. This can improve performance and reduce latency by avoiding unnecessary initialization overhead. If the SDK is initialized inside the handler function, it will create a new SDK instance for each invocation, which can increase memory usage and execution time.

Reference: [AWS Lambda execution environment], [Best Practices for Working with AWS Lambda Functions]

NEW QUESTION 122

A company is preparing to migrate an application to the company's first AWS environment. Before this migration, a developer is creating a proof-of-concept application to validate a model for building and deploying container-based applications on AWS.

Which combination of steps should the developer take to deploy the containerized proof-of-concept application with the LEAST operational effort? (Select TWO.)

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

To deploy a containerized application on AWS with the least operational effort, the developer should package the application into a container image by using the Docker CLI and upload the image to Amazon ECR, which is a fully managed container registry service. Then, the developer should deploy the application to Amazon ECS on AWS Fargate, which is a serverless compute engine for containers that eliminates the need to provision and manage servers or clusters. Amazon ECS will automatically scale, load balance, and monitor the application. References

- ? How to Deploy Docker Containers | AWS
- ? Deploy a Web App Using AWS App Runner
- ? How to Deploy Containerized Apps on AWS Using ECR and Docker

NEW QUESTION 123

A company has a social media application that receives large amounts of traffic. User posts and interactions are continuously updated in an Amazon RDS database. The data changes frequently, and the data types can be complex. The application must serve read requests with minimal latency.

The application's current architecture struggles to deliver these rapid data updates efficiently. The company needs a solution to improve the application's performance.

Which solution will meet these requirements?

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Creating an Amazon ElastiCache for Redis cluster is the best solution for improving the application's performance. Redis is an in-memory data store that can serve read requests with minimal latency and handle complex data types, such as lists, sets, hashes, and streams. By using a write-through caching strategy, the application can ensure that the data in Redis is always consistent with the data in RDS. The application can read the data from Redis instead of RDS, reducing the

load on the database and improving the response time. The other solutions are either not feasible or not effective. Amazon DynamoDB Accelerator (DAX) is a caching service that works only with DynamoDB, not RDS. Amazon S3 Transfer Acceleration is a feature that speeds up data transfers between S3 and clients across the internet, not between RDS and the application. Amazon CloudFront is a content delivery network that can cache static content, such as images, videos, or HTML files, but not dynamic content, such as user posts and interactions. References

- ? Amazon ElastiCache for Redis
- ? Caching Strategies and Best Practices - Amazon ElastiCache for Redis
- ? Using Amazon ElastiCache for Redis with Amazon RDS
- ? Amazon DynamoDB Accelerator (DAX)
- ? Amazon S3 Transfer Acceleration
- ? Amazon CloudFront

NEW QUESTION 127

.....

Thank You for Trying Our Product

We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

AWS-Certified-Developer-Associate Practice Exam Features:

- * AWS-Certified-Developer-Associate Questions and Answers Updated Frequently
- * AWS-Certified-Developer-Associate Practice Questions Verified by Expert Senior Certified Staff
- * AWS-Certified-Developer-Associate Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * AWS-Certified-Developer-Associate Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year

100% Actual & Verified — Instant Download, Please Click
[Order The AWS-Certified-Developer-Associate Practice Test Here](#)