

200-201 Dumps

Understanding Cisco Cybersecurity Operations Fundamentals

<https://www.certleader.com/200-201-dumps.html>



NEW QUESTION 1

Which data format is the most efficient to build a baseline of traffic seen over an extended period of time?

- A. syslog messages
- B. full packet capture
- C. NetFlow
- D. firewall event logs

Answer: C

NEW QUESTION 2

Which two elements are assets in the role of attribution in an investigation? (Choose two.)

- A. context
- B. session
- C. laptop
- D. firewall logs
- E. threat actor

Answer: AE

NEW QUESTION 3

Refer to the exhibit.

Interface: 192.168.1.29 — 0x11		
Internet Address	Physical Address	Type
192.168.1.10	d8-a7-56-d7-19-ea	dynamic
192.168.1.67	d8-a7-56-d7-19-ea	dynamic
192.168.1.1	01-00-5e-00-00-16	static

What is occurring in this network?

- A. ARP cache poisoning
- B. DNS cache poisoning
- C. MAC address table overflow
- D. MAC flooding attack

Answer: A

NEW QUESTION 4

You have identified a malicious file in a sandbox analysis tool. Which piece of file information from the analysis is needed to search for additional downloads of this file by other hosts?

- A. file name
- B. file hash value
- C. file type
- D. file size

Answer: B

NEW QUESTION 5

Refer to the exhibit.

No.	Time	Source	Destination	Protocol	Length	Info
1878	6.473353	173.37.145.84	10.0.2.15	TCP	62	80→49522 [ACK] Seq=14404 Ack=2987 Win=65535 Len=0
1986	6.736855	173.37.145.84	10.0.2.15	HTTP	245	HTTP/1.1 304 Not Modified
1987	6.736873	10.0.2.15	173.37.145.84	TCP	56	49522→80 [ACK] Seq=2987 Ack=14593 Win=59640 Len=0
2317	7.245088	10.0.2.15	173.37.145.84	TCP	2976	[TCP segment of a reassembled PDU]
2318	7.245192	10.0.2.15	173.37.145.84	HTTP	1020	GET /web/fw/i/ntpamettag.gif?js=1&ts=147629607552.286&tc
2321	7.246633	173.37.145.84	10.0.2.15	TCP	62	80→49522 [ACK] Seq=14593 Ack=4447 Win=65535 Len=0
2322	7.246640	173.37.145.84	10.0.2.15	TCP	62	80→49522 [ACK] Seq=14593 Ack=5907 Win=65535 Len=0
2323	7.246642	173.37.145.84	10.0.2.15	TCP	62	80→49522 [ACK] Seq=14593 Ack=6871 Win=65535 Len=0
2542	7.512750	173.37.145.84	10.0.2.15	HTTP	442	HTTP/1.1 200 OK (GIF89a)
2543	7.512781	10.0.2.15	173.37.145.84	TCP	56	49522→80 [ACK] Seq=6871 Ack=14979 Win=62480 Len=0

Which packet contains a file that is extractable within Wireshark?

- A. 2317
- B. 1986
- C. 2318
- D. 2542

Answer: D

NEW QUESTION 6

Which type of evidence supports a theory or an assumption that results from initial evidence?

- A. probabilistic
- B. indirect
- C. best
- D. corroborative

Answer: D

NEW QUESTION 7

Which process is used when IPS events are removed to improve data integrity?

- A. data availability
- B. data normalization
- C. data signature
- D. data protection

Answer: B

NEW QUESTION 8

Refer to the exhibit.

```
Mar 6 10:35:34 user sshd[12900]: pam_unix(sshd:auth):authentication failure;
logname= uid=0 euid=0 tty=ssh ruser= rhost=127.0.0.1
Mar 6 10:35:36 user sshd[12900]: Failed password for invalid user not_bill from
127.0.0.1 port 38346 ssh2
```

In which Linux log file is this output found?

- A. /var/log/authorization.log
- B. /var/log/dmesg
- C. var/log/var.log
- D. /var/log/auth.log

Answer: D

NEW QUESTION 9

Drag and drop the access control models from the left onto the correct descriptions on the right.

MAC	object owner determines permissions
ABAC	OS determines permissions
RBAC	role of the subject determines permissions
DAC	attributes of the subject determines permissions

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

MAC	DAC
ABAC	MAC
RBAC	RBAC
DAC	ABAC

NEW QUESTION 10

Which piece of information is needed for attribution in an investigation?

- A. proxy logs showing the source RFC 1918 IP addresses
- B. RDP allowed from the Internet
- C. known threat actor behavior

D. 802.1x RADIUS authentication pass and fail logs

Answer: C

NEW QUESTION 10

An organization has recently adjusted its security stance in response to online threats made by a known hacktivist group. What is the initial event called in the NIST SP800-61?

- A. online assault
- B. precursor
- C. trigger
- D. instigator

Answer: B

NEW QUESTION 11

Which incidence response step includes identifying all hosts affected by an attack'?

- A. post-incident activity
- B. detection and analysis
- C. containment eradication and recovery
- D. preparation

Answer: A

NEW QUESTION 13

Refer to the exhibit.

```
GET /item.php?id=34' or sleep(10)
```

This request was sent to a web application server driven by a database. Which type of web server attack is represented?

- A. parameter manipulation
- B. heap memory corruption
- C. command injection
- D. blind SQL injection

Answer: D

NEW QUESTION 16

What does an attacker use to determine which network ports are listening on a potential target device?

- A. man-in-the-middle
- B. port scanning
- C. SQL injection
- D. ping sweep

Answer: B

NEW QUESTION 17

Which regular expression matches "color" and "colour"?

- A. colo?ur
- B. col[08]+our
- C. colou?r
- D. col[09]+our

Answer: C

NEW QUESTION 22

What is the difference between mandatory access control (MAC) and discretionary access control (DAC)?

- A. MAC is controlled by the discretion of the owner and DAC is controlled by an administrator
- B. MAC is the strictest of all levels of control and DAC is object-based access
- C. DAC is controlled by the operating system and MAC is controlled by an administrator
- D. DAC is the strictest of all levels of control and MAC is object-based access

Answer: B

NEW QUESTION 23

What is a difference between inline traffic interrogation and traffic mirroring?

- A. Inline inspection acts on the original traffic data flow
- B. Traffic mirroring passes live traffic to a tool for blocking
- C. Traffic mirroring inspects live traffic for analysis and mitigation

D. Inline traffic copies packets for analysis and security

Answer: B

NEW QUESTION 28

What are two differences in how tampered and untampered disk images affect a security incident? (Choose two.)

- A. Untampered images are used in the security investigation process
- B. Tampered images are used in the security investigation process
- C. The image is tampered if the stored hash and the computed hash match
- D. Tampered images are used in the incident recovery process
- E. The image is untampered if the stored hash and the computed hash match

Answer: BE

NEW QUESTION 31

Refer to the exhibit.

The screenshot shows the Cisco Stealthwatch interface. The top navigation bar includes 'Dashboards', 'Monitor', 'Analyze', and 'Jobs'. The main section is titled 'Flow Search Results (1,166)'. Below this, there are filters for 'Subject' (10.201.3.149), 'Connection' (All (Flow Direction)), and 'Peer' (Outside Hosts). The search criteria are set to '05/06/2020 06:00 AM - 05/06/2020 1:20 PM (Time Range)' with a limit of '2,000 (Max Records)'. The results table shows a flow starting on May 6, 2020, at 6:46:42 AM, with a duration of 15min 13s. The subject IP is 10.201.3.149, and the peer IP is 152.46.6.91. The application is 'Undefined UDP', and the total bytes transferred are 132.53 M. Below the table, there is a 'General' tab with a 'View URL Data' link. The 'Subject' section shows statistics: Packets: 60.06 K, Packet Rate: 65.78 pps, Bytes: 6.42 MB, Byte Rate: 7.37 Kbps, Percent Transfer: 4.64%, Host Groups: End User Devices, Desktops, Atlanta, Sales and Marketing, and Payload: -. The 'Totals' section shows: Packets: 165.87 K, Packet Rate: 181.67 pps, Bytes: 132.53 MB, Byte Rate: 152.2 Kbps, Subject Byte Ratio: 4.84%, RTT: -, and SRT: -. The 'Peer' section shows: Packets: 105.81 K, Packet Rate: 115.89 pps, Bytes: 126.11 MB, Byte Rate: 144.83 Kbps, Percent Transfer: 95.16%, Host Groups: United States, and Payload: -.

What is the potential threat identified in this Stealthwatch dashboard?

- A. Host 10.201.3.149 is sending data to 152.46.6.91 using TCP/443.
- B. Host 152.46.6.91 is being identified as a watchlist country for data transfer.
- C. Traffic to 152.46.6.149 is being denied by an Advanced Network Control policy.
- D. Host 10.201.3.149 is receiving almost 19 times more data than is being sent to host 152.46.6.91.

Answer: D

NEW QUESTION 33

What is rule-based detection when compared to statistical detection?

- A. proof of a user's identity
- B. proof of a user's action
- C. likelihood of user's action
- D. falsification of a user's identity

Answer: B

NEW QUESTION 34

What are the two characteristics of the full packet captures? (Choose two.)

- A. Identifying network loops and collision domains.
- B. Troubleshooting the cause of security and performance issues.
- C. Reassembling fragmented traffic from raw data.
- D. Detecting common hardware faults and identify faulty assets.
- E. Providing a historical record of a network transaction.

Answer: CE

NEW QUESTION 36

Which step in the incident response process researches an attacking host through logs in a SIEM?

- A. detection and analysis
- B. preparation
- C. eradication
- D. containment

Answer: A

NEW QUESTION 37

Refer to the exhibit.

File name	CVE-2009-4324 PDF 2009-11-30 note200911.pdf
File size	400918 bytes
File type	PDF document, version 1.6
CRC32	11638A9B
MD5	61baabd6fc12e01ff73ceacc07c84f9a
SHA1	0805d0ae62f5358b9a3f4c1868d552fc3561b17
SHA256	27cced58a0fcbb0bbe3894f74d3014611039fefdf3bd2b0ba7ad85b18194c
SHA512	5a43bc7eef279b209e2590432cc3e2eb480d0f78004e265f00b98b4afdc9a
Ssdeep	1536:p0AAH2KthGBjcdBj8VETeePxsT65ZZ3pdx/ves/QR/875+.prahGV6B
PEID	None matched
Yara	<ul style="list-style-type: none"> • embedded_pe (Contains an embedded PE32 file) • embedded_win_api (A non-Windows executable contains win32 API) • vmdetect (Possibly employs anti-virtualization techniques)
VirusTotal	Permalink VirusTotal Scan Date: 2013-12-27 06:51:52 Detection Rate: 32/46 (collapse)

An engineer is analyzing this Cuckoo Sandbox report for a PDF file that has been downloaded from an email. What is the state of this file?

- A. The file has an embedded executable and was matched by PEiD threat signatures for further analysis.
- B. The file has an embedded non-Windows executable but no suspicious features are identified.
- C. The file has an embedded Windows 32 executable and the Yara field lists suspicious features for further analysis.
- D. The file was matched by PEiD threat signatures but no suspicious features are identified since the signature list is up to date.

Answer: C

NEW QUESTION 38

Which evasion technique is indicated when an intrusion detection system begins receiving an abnormally high volume of scanning from numerous sources?

- A. resource exhaustion
- B. tunneling
- C. traffic fragmentation
- D. timing attack

Answer: A

NEW QUESTION 40

Which artifact is used to uniquely identify a detected file?

- A. file timestamp
- B. file extension
- C. file size
- D. file hash

Answer: D

NEW QUESTION 44

Refer to the exhibit.

```
10.44.101.23 - - [20/Nov/2017:14:18:06 -0500] "GET / HTTP/1.1"
200 1254 "-" "Mozilla/5.0(X11; Ubuntu; Linux x86_64; rv:54.0)
Gecko/20100101 Firefox/54.0"
```

What does the message indicate?

- A. an access attempt was made from the Mosaic web browser
- B. a successful access attempt was made to retrieve the password file
- C. a successful access attempt was made to retrieve the root of the website
- D. a denied access attempt was made to retrieve the password file

Answer: C

NEW QUESTION 48

How does an SSL certificate impact security between the client and the server?

- A. by enabling an authenticated channel between the client and the server
- B. by creating an integrated channel between the client and the server
- C. by enabling an authorized channel between the client and the server
- D. by creating an encrypted channel between the client and the server

Answer: D

NEW QUESTION 51

What is the virtual address space for a Windows process?

- A. physical location of an object in memory
- B. set of pages that reside in the physical memory
- C. system-level memory protection feature built into the operating system
- D. set of virtual memory addresses that can be used

Answer: D

NEW QUESTION 53

Which system monitors local system operation and local network access for violations of a security policy?

- A. host-based intrusion detection
- B. systems-based sandboxing
- C. host-based firewall
- D. antivirus

Answer: C

NEW QUESTION 55

What makes HTTPS traffic difficult to monitor?

- A. SSL interception
- B. packet header size
- C. signature detection time
- D. encryption

Answer: D

NEW QUESTION 60

Which NIST IR category stakeholder is responsible for coordinating incident response among various business units, minimizing damage, and reporting to regulatory agencies?

- A. CSIRT
- B. PSIRT
- C. public affairs
- D. management

Answer: D

NEW QUESTION 62

Refer to the exhibit.

Severity	Date	Time	Sig ID	Source IP	Source Port	Dest IP	Dest Port	Description
6	Jan 15 2020	05:15:22	33883	62.5.22.54	22557	198.168.5.22	53	*

Which type of log is displayed?

- A. IDS

- B. proxy
- C. NetFlow
- D. sys

Answer: D

NEW QUESTION 67

A security engineer deploys an enterprise-wide host/endpoint technology for all of the company's corporate PCs. Management requests the engineer to block a selected set of applications on all PCs.

Which technology should be used to accomplish this task?

- A. application whitelisting/blacklisting
- B. network NGFW
- C. host-based IDS
- D. antivirus/antispysware software

Answer: A

NEW QUESTION 71

Which two pieces of information are collected from the IPv4 protocol header? (Choose two.)

- A. UDP port to which the traffic is destined
- B. TCP port from which the traffic was sourced
- C. source IP address of the packet
- D. destination IP address of the packet
- E. UDP port from which the traffic is sourced

Answer: CD

NEW QUESTION 74

What does cyber attribution identify in an investigation?

- A. exploit of an attack
- B. threat actors of an attack
- C. vulnerabilities exploited
- D. cause of an attack

Answer: B

NEW QUESTION 79

Refer to the exhibit.

```
$ cuckoo submit --machine cuckoo1 /path/to/binary
```

Which event is occurring?

- A. A binary named "submit" is running on VM cuckoo1.
- B. A binary is being submitted to run on VM cuckoo1
- C. A binary on VM cuckoo1 is being submitted for evaluation
- D. A URL is being evaluated to see if it has a malicious binary

Answer: C

NEW QUESTION 83

Which HTTP header field is used in forensics to identify the type of browser used?

- A. referrer
- B. host
- C. user-agent
- D. accept-language

Answer: C

NEW QUESTION 84

What is the difference between the ACK flag and the RST flag in the NetFlow log session?

- A. The RST flag confirms the beginning of the TCP connection, and the ACK flag responds when the data for the payload is complete
- B. The ACK flag confirms the beginning of the TCP connection, and the RST flag responds when the data for the payload is complete
- C. The RST flag confirms the receipt of the prior segment, and the ACK flag allows for the spontaneous termination of a connection
- D. The ACK flag confirms the receipt of the prior segment, and the RST flag allows for the spontaneous termination of a connection

Answer: D

NEW QUESTION 86

Which two elements are used for profiling a network? (Choose two.)

- A. total throughout
- B. session duration
- C. running processes
- D. OS fingerprint
- E. listening ports

Answer: DE

NEW QUESTION 90

When communicating via TLS, the client initiates the handshake to the server and the server responds back with its certificate for identification. Which information is available on the server certificate?

- A. server name, trusted subordinate CA, and private key
- B. trusted subordinate CA, public key, and cipher suites
- C. trusted CA name, cipher suites, and private key
- D. server name, trusted CA, and public key

Answer: D

NEW QUESTION 95

Which security principle requires more than one person is required to perform a critical task?

- A. least privilege
- B. need to know
- C. separation of duties
- D. due diligence

Answer: C

NEW QUESTION 97

Which list identifies the information that the client sends to the server in the negotiation phase of the TLS handshake?

- A. ClientStart, ClientKeyExchange, cipher-suites it supports, and suggested compression methods
- B. ClientStart, TLS versions it supports, cipher-suites it supports, and suggested compression methods
- C. ClientHello, TLS versions it supports, cipher-suites it supports, and suggested compression methods
- D. ClientHello, ClientKeyExchange, cipher-suites it supports, and suggested compression methods

Answer: C

NEW QUESTION 102

A SOC analyst is investigating an incident that involves a Linux system that is identifying specific sessions. Which identifier tracks an active program?

- A. application identification number
- B. active process identification number
- C. runtime identification number
- D. process identification number

Answer: D

NEW QUESTION 104

A system administrator is ensuring that specific registry information is accurate. Which type of configuration information does the HKEY_LOCAL_MACHINE hive contain?

- A. file extension associations
- B. hardware, software, and security settings for the system
- C. currently logged in users, including folders and control panel settings
- D. all users on the system, including visual settings

Answer: B

NEW QUESTION 107

What is an example of social engineering attacks?

- A. receiving an unexpected email from an unknown person with an uncharacteristic attachment from someone in the same company
- B. receiving an email from human resources requesting a visit to their secure website to update contact information
- C. sending a verbal request to an administrator who knows how to change an account password
- D. receiving an invitation to the department's weekly WebEx meeting

Answer: B

NEW QUESTION 111

An analyst is investigating an incident in a SOC environment. Which method is used to identify a session from a group of logs?

- A. sequence numbers
- B. IP identifier

- C. 5-tuple
- D. timestamps

Answer: C

NEW QUESTION 112

Which event artifact is used to identify HTTP GET requests for a specific file?

- A. destination IP address
- B. URI
- C. HTTP status code
- D. TCP ACK

Answer: B

NEW QUESTION 113


Which access control model does SELinux use?

- A. RBAC
- B. DAC
- C. MAC
- D. ABAC

Answer: C

NEW QUESTION 115

Refer to the exhibit.



What is the expected result when the "Allow subdissector to reassemble TCP streams" feature is enabled?

- A. insert TCP subdissectors
- B. extract a file from a packet capture
- C. disable TCP streams
- D. unfragment TCP

Answer: D

NEW QUESTION 116

Which attack is the network vulnerable to when a stream cipher like RC4 is used twice with the same key?

- A. forgery attack
- B. plaintext-only attack
- C. ciphertext-only attack
- D. meet-in-the-middle attack

Answer: C

NEW QUESTION 121

What is personally identifiable information that must be safeguarded from unauthorized access?

- A. date of birth
- B. driver's license number
- C. gender
- D. zip code

Answer: B

NEW QUESTION 122

An analyst is exploring the functionality of different operating systems.

What is a feature of Windows Management Instrumentation that must be considered when deciding on an operating system?

- A. queries Linux devices that have Microsoft Services for Linux installed
- B. deploys Windows Operating Systems in an automated fashion
- C. is an efficient tool for working with Active Directory
- D. has a Common Information Model, which describes installed hardware and software

Answer: D

NEW QUESTION 125

Which type of data consists of connection level, application-specific records generated from network traffic?

- A. transaction data
- B. location data
- C. statistical data
- D. alert data

Answer: A

NEW QUESTION 130

.....

Thank You for Trying Our Product

* 100% Pass or Money Back

All our products come with a 90-day Money Back Guarantee.

* One year free update

You can enjoy free update one year. 24x7 online support.

* Trusted by Millions

We currently serve more than 30,000,000 customers.

* Shop Securely

All transactions are protected by VeriSign!

100% Pass Your 200-201 Exam with Our Prep Materials Via below:

<https://www.certleader.com/200-201-dumps.html>