

Amazon-Web-Services

Exam Questions MLS-C01

AWS Certified Machine Learning - Specialty



NEW QUESTION 1

A Data Science team within a large company uses Amazon SageMaker notebooks to access data stored in Amazon S3 buckets. The IT Security team is concerned that internet-enabled notebook instances create a security vulnerability where malicious code running on the instances could compromise data privacy. The company mandates that all instances stay within a secured VPC with no internet access, and data communication traffic must stay within the AWS network. How should the Data Science team configure the notebook instance placement to meet these requirements?

- A. Associate the Amazon SageMaker notebook with a private subnet in a VP
- B. Place the Amazon SageMaker endpoint and S3 buckets within the same VPC.
- C. Associate the Amazon SageMaker notebook with a private subnet in a VP
- D. Use IAM policies to grant access to Amazon S3 and Amazon SageMaker.
- E. Associate the Amazon SageMaker notebook with a private subnet in a VP
- F. Ensure the VPC has S3 VPC endpoints and Amazon SageMaker VPC endpoints attached to it.
- G. Associate the Amazon SageMaker notebook with a private subnet in a VP
- H. Ensure the VPC has a NAT gateway and an associated security group allowing only outbound connections to Amazon S3 and Amazon SageMaker

Answer: D

NEW QUESTION 2

A Machine Learning Specialist is implementing a full Bayesian network on a dataset that describes public transit in New York City. One of the random variables is discrete, and represents the number of minutes New Yorkers wait for a bus given that the buses cycle every 10 minutes, with a mean of 3 minutes. Which prior probability distribution should the ML Specialist use for this variable?

- A. Poisson distribution ,
- B. Uniform distribution
- C. Normal distribution
- D. Binomial distribution

Answer: D

NEW QUESTION 3

A Machine Learning Specialist is building a convolutional neural network (CNN) that will classify 10 types of animals. The Specialist has built a series of layers in a neural network that will take an input image of an animal, pass it through a series of convolutional and pooling layers, and then finally pass it through a dense and fully connected layer with 10 nodes. The Specialist would like to get an output from the neural network that is a probability distribution of how likely it is that the input image belongs to each of the 10 classes. Which function will produce the desired output?

- A. Dropout
- B. Smooth L1 loss
- C. Softmax
- D. Rectified linear units (ReLU)

Answer: D

NEW QUESTION 4

A city wants to monitor its air quality to address the consequences of air pollution. A Machine Learning Specialist needs to forecast the air quality in parts per million of contaminants for the next 2 days in the city. As this is a prototype, only daily data from the last year is available. Which model is MOST likely to provide the best results in Amazon SageMaker?

- A. Use the Amazon SageMaker k-Nearest-Neighbors (kNN) algorithm on the single time series consisting of the full year of data with a predictor_type of regressor.
- B. Use Amazon SageMaker Random Cut Forest (RCF) on the single time series consisting of the full year of data.
- C. Use the Amazon SageMaker Linear Learner algorithm on the single time series consisting of the full year of data with a predictor_type of regressor.
- D. Use the Amazon SageMaker Linear Learner algorithm on the single time series consisting of the full year of data with a predictor_type of classifier.

Answer: C

NEW QUESTION 5

A Machine Learning Specialist wants to determine the appropriate SageMakerVariant Invocations Per Instance setting for an endpoint automatic scaling configuration. The Specialist has performed a load test on a single instance and determined that peak requests per second (RPS) without service degradation is about 20 RPS. As this is the first deployment, the Specialist intends to set the invocation safety factor to 0.5. Based on the stated parameters and given that the invocations per instance setting is measured on a per-minute basis, what should the Specialist set as the sageMakervariantinvocationsPerinstance setting?

- A. 10
- B. 30
- C. 600
- D. 2,400

Answer: C

NEW QUESTION 6

An Machine Learning Specialist discovers the following statistics while experimenting on a model.

Experiment 1
Baseline model
Train error = 5%
Test error = 16%

Experiment 2
The Specialist added more layers and neurons to the model and received the following results:
Train error = 5.2%
Test error = 15.7%

Experiment 3
The Specialist reverted back to the original number of neurons from Experiment 1 and implemented regularization in the neural network, which yielded the following results:
Train error = 4.7%
Test error = 9.5%

What can the Specialist learn from the experiments?

- A. The model in Experiment 1 had a high variance error that was reduced in Experiment 3 by regularization. Experiment 2 shows that there is minimal bias error in Experiment 1.
- B. The model in Experiment 1 had a high bias error that was reduced in Experiment 3 by regularization. Experiment 2 shows that there is minimal variance error in Experiment 1.
- C. The model in Experiment 1 had a high bias error and a high variance error that were reduced in Experiment 3 by regularization. Experiment 2 shows that high bias cannot be reduced by increasing layers and neurons in the model.
- D. The model in Experiment 1 had a high random noise error that was reduced in Experiment 3 by regularization. Experiment 2 shows that random noise cannot be reduced by increasing layers and neurons in the model.

Answer: C

NEW QUESTION 7

A Machine Learning Specialist is preparing data for training on Amazon SageMaker. The Specialist is transformed into a numpy .array, which appears to be negatively affecting the speed of the training.

What should the Specialist do to optimize the data for training on SageMaker?

- A. Use the SageMaker batch transform feature to transform the training data into a DataFrame.
- B. Use AWS Glue to compress the data into the Apache Parquet format.
- C. Transform the dataset into the RecordIO protobuf format.
- D. Use the SageMaker hyperparameter optimization feature to automatically optimize the data.

Answer: C

NEW QUESTION 8

A gaming company has launched an online game where people can start playing for free but they need to pay if they choose to use certain features. The company needs to build an automated system to predict whether or not a new user will become a paid user within 1 year. The company has gathered a labeled dataset from 1 million users.

The training dataset consists of 1,000 positive samples (from users who ended up paying within 1 year) and 999.1 negative samples (from users who did not use any paid features). Each data sample consists of 200 features including user age, device, location, and play patterns.

Using this dataset for training, the Data Science team trained a random forest model that converged with over 99% accuracy on the training set. However, the prediction results on a test dataset were not satisfactory.

Which of the following approaches should the Data Science team take to mitigate this issue? (Select TWO.)

- A. Add more deep trees to the random forest to enable the model to learn more features.
- B. Indicate a copy of the samples in the test database in the training dataset.
- C. Generate more positive samples by duplicating the positive samples and adding a small amount of noise to the duplicated data.
- D. Change the cost function so that false negatives have a higher impact on the cost value than false positives.
- E. Change the cost function so that false positives have a higher impact on the cost value than false negatives.

Answer: BD

NEW QUESTION 9

A Machine Learning Specialist deployed a model that provides product recommendations on a company's website. Initially, the model was performing very well and resulted in customers buying more products on average. However, within the past few months, the Specialist has noticed that the effect of product recommendations has diminished and customers are starting to return to their original habits of spending less. The Specialist is unsure of what happened, as the model has not changed from its initial deployment over a year ago.

Which method should the Specialist try to improve model performance?

- A. The model needs to be completely re-engineered because it is unable to handle product inventory changes.
- B. The model's hyperparameters should be periodically updated to prevent drift.
- C. The model should be periodically retrained from scratch using the original data while adding a regularization term to handle product inventory changes.
- D. The model should be periodically retrained using the original training data plus new data as product inventory changes.

Answer: D

NEW QUESTION 10

A Machine Learning Specialist was given a dataset consisting of unlabeled data. The Specialist must create a model that can help the team classify the data into different buckets. What model should be used to complete this work?

- A. K-means clustering
- B. Random Cut Forest (RCF)

- C. XGBoost
- D. BlazingText

Answer: A

NEW QUESTION 10

A Machine Learning Specialist is working for a credit card processing company and receives an unbalanced dataset containing credit card transactions. It contains 99,000 valid transactions and 1,000 fraudulent transactions. The Specialist is asked to score a model that was run against the dataset. The Specialist has been advised that identifying valid transactions is equally as important as identifying fraudulent transactions. What metric is BEST suited to score the model?

- A. Precision
- B. Recall
- C. Area Under the ROC Curve (AUC)
- D. Root Mean Square Error (RMSE)

Answer: A

NEW QUESTION 15

An agency collects census information within a country to determine healthcare and social program needs by province and city. The census form collects responses for approximately 500 questions from each citizen.

Which combination of algorithms would provide the appropriate insights? (Select TWO.)

- A. The factorization machines (FM) algorithm
- B. The Latent Dirichlet Allocation (LDA) algorithm
- C. The principal component analysis (PCA) algorithm
- D. The k-means algorithm
- E. The Random Cut Forest (RCF) algorithm

Answer: CD

Explanation:

The PCA and K-means algorithms are useful in collection of data using census form.

NEW QUESTION 17

A Machine Learning Specialist working for an online fashion company wants to build a data ingestion solution for the company's Amazon S3-based data lake. The Specialist wants to create a set of ingestion mechanisms that will enable future capabilities comprised of:

- Real-time analytics
- Interactive analytics of historical data
- Clickstream analytics
- Product recommendations

Which services should the Specialist use?

- A. AWS Glue as the data catalog; Amazon Kinesis Data Streams and Amazon Kinesis Data Analytics for real-time data insights; Amazon Kinesis Data Firehose for delivery to Amazon ES for clickstream analytics; Amazon EMR to generate personalized product recommendations
- B. Amazon Athena as the data catalog; Amazon Kinesis Data Streams and Amazon Kinesis Data Analytics for near-realtime data insights; Amazon Kinesis Data Firehose for clickstream analytics; AWS Glue to generate personalized product recommendations
- C. AWS Glue as the data catalog; Amazon Kinesis Data Streams and Amazon Kinesis Data Analytics for historical data insights; Amazon Kinesis Data Firehose for delivery to Amazon ES for clickstream analytics; Amazon EMR to generate personalized product recommendations
- D. Amazon Athena as the data catalog; Amazon Kinesis Data Streams and Amazon Kinesis Data Analytics for historical data insights; Amazon DynamoDB streams for clickstream analytics; AWS Glue to generate personalized product recommendations

Answer: A

NEW QUESTION 22

Which of the following metrics should a Machine Learning Specialist generally use to compare/evaluate machine learning classification models against each other?

- A. Recall
- B. Misclassification rate
- C. Mean absolute percentage error (MAPE)
- D. Area Under the ROC Curve (AUC)

Answer: A

NEW QUESTION 27

A Machine Learning Specialist is packaging a custom ResNet model into a Docker container so the company can leverage Amazon SageMaker for training. The Specialist is using Amazon EC2 P3 instances to train the model and needs to properly configure the Docker container to leverage the NVIDIA GPUs. What does the Specialist need to do?

- A. Bundle the NVIDIA drivers with the Docker image
- B. Build the Docker container to be NVIDIA-Docker compatible
- C. Organize the Docker container's file structure to execute on GPU instances.
- D. Set the GPU flag in the Amazon SageMaker Create TrainingJob request body

Answer: A

NEW QUESTION 31

A company has raw user and transaction data stored in Amazon S3, a MySQL database, and Amazon Redshift. A Data Scientist needs to perform an analysis by

joining the three datasets from Amazon S3, MySQL, and Amazon RedShift, and then calculating the average-of a few selected columns from the joined data
Which AWS service should the Data Scientist use?

- A. Amazon Athena
- B. Amazon Redshift Spectrum
- C. AWS Glue
- D. Amazon QuickSight

Answer: A

NEW QUESTION 36

When submitting Amazon SageMaker training jobs using one of the built-in algorithms, which common parameters MUST be specified? (Select THREE.)

- A. The training channel identifying the location of training data on an Amazon S3 bucket.
- B. The validation channel identifying the location of validation data on an Amazon S3 bucket.
- C. The IAM role that Amazon SageMaker can assume to perform tasks on behalf of the users.
- D. Hyperparameters in a JSON array as documented for the algorithm used.
- E. The Amazon EC2 instance class specifying whether training will be run using CPU or GPU.
- F. The output path specifying where on an Amazon S3 bucket the trained model will persist.

Answer: AEF

NEW QUESTION 37

A Machine Learning Specialist is working with multiple data sources containing billions of records that need to be joined. What feature engineering and model development approach should the Specialist take with a dataset this large?

- A. Use an Amazon SageMaker notebook for both feature engineering and model development
- B. Use an Amazon SageMaker notebook for feature engineering and Amazon ML for model development
- C. Use Amazon EMR for feature engineering and Amazon SageMaker SDK for model development
- D. Use Amazon ML for both feature engineering and model development.

Answer: B

NEW QUESTION 40

A Data Scientist wants to gain real-time insights into a data stream of GZIP files. Which solution would allow the use of SQL to query the stream with the LEAST latency?

- A. Amazon Kinesis Data Analytics with an AWS Lambda function to transform the data.
- B. AWS Glue with a custom ETL script to transform the data.
- C. An Amazon Kinesis Client Library to transform the data and save it to an Amazon ES cluster.
- D. Amazon Kinesis Data Firehose to transform the data and put it into an Amazon S3 bucket.

Answer: A

NEW QUESTION 42


A Machine Learning Specialist is building a model that will perform time series forecasting using Amazon SageMaker The Specialist has finished training the model and is now planning to perform load testing on the endpoint so they can configure Auto Scaling for the model variant
Which approach will allow the Specialist to review the latency, memory utilization, and CPU utilization during the load test"?

- A. Review SageMaker logs that have been written to Amazon S3 by leveraging Amazon Athena and Amazon QuickSight to visualize logs as they are being produced
- B. Generate an Amazon CloudWatch dashboard to create a single view for the latency, memory utilization, and CPU utilization metrics that are outputted by Amazon SageMaker
- C. Build custom Amazon CloudWatch Logs and then leverage Amazon ES and Kibana to query and visualize the data as it is generated by Amazon SageMaker
- D. Send Amazon CloudWatch Logs that were generated by Amazon SageMaker to Amazon ES and use Kibana to query and visualize the log data.

Answer: B

NEW QUESTION 44

A Machine Learning Specialist prepared the following graph displaying the results of k-means for k = [1:10]




Considering the graph, what is a reasonable selection for the optimal choice of k?

- A. 1
- B. 4
- C. 7
- D. 10

Answer: C

NEW QUESTION 45

Given the following confusion matrix for a movie classification model, what is the true class frequency for Romance and the predicted class frequency for Adventure?



- A. The true class frequency for Romance is 77.56% and the predicted class frequency for Adventure is 20.85%
- B. The true class frequency for Romance is 57.92% and the predicted class frequency for Adventure is 13.12%
- C. The true class frequency for Romance is 0.78 and the predicted class frequency for Adventure is (0.47 - 0.32).
- D. The true class frequency for Romance is 77.56% * 0.78 and the predicted class frequency for Adventure is 20.85% ' 0.32

Answer: A

NEW QUESTION 47

A Machine Learning Specialist needs to be able to ingest streaming data and store it in Apache Parquet files for exploration and analysis. Which of the following services would both ingest and store this data in the correct format?

- A. AWS DMS
- B. Amazon Kinesis Data Streams
- C. Amazon Kinesis Data Firehose
- D. Amazon Kinesis Data Analytics

Answer: C

NEW QUESTION 52

A Machine Learning Specialist trained a regression model, but the first iteration needs optimizing. The Specialist needs to understand whether the model is more frequently overestimating or underestimating the target.
What option can the Specialist use to determine whether it is overestimating or underestimating the target value?

- A. Root Mean Square Error (RMSE)
- B. Residual plots
- C. Area under the curve
- D. Confusion matrix

Answer: C

NEW QUESTION 54

A Machine Learning Specialist receives customer data for an online shopping website. The data includes demographics, past visits, and locality information. The Specialist must develop a machine learning approach to identify the customer shopping patterns, preferences and trends to enhance the website for better service and smart recommendations.

Which solution should the Specialist recommend?

- A. Latent Dirichlet Allocation (LDA) for the given collection of discrete data to identify patterns in the customer database.
- B. A neural network with a minimum of three layers and random initial weights to identify patterns in the customer database
- C. Collaborative filtering based on user interactions and correlations to identify patterns in the customer database
- D. Random Cut Forest (RCF) over random subsamples to identify patterns in the customer database

Answer: C

NEW QUESTION 58

A Machine Learning Specialist is using an Amazon SageMaker notebook instance in a private subnet of a corporate VPC. The ML Specialist has important data stored on the Amazon SageMaker notebook instance's Amazon EBS volume, and needs to take a snapshot of that EBS volume. However the ML Specialist cannot find the Amazon SageMaker notebook instance's EBS volume or Amazon EC2 instance within the VPC.

Why is the ML Specialist not seeing the instance visible in the VPC?

- A. Amazon SageMaker notebook instances are based on the EC2 instances within the customer account, but they run outside of VPCs.
- B. Amazon SageMaker notebook instances are based on the Amazon ECS service within customer accounts.
- C. Amazon SageMaker notebook instances are based on EC2 instances running within AWS service accounts.
- D. Amazon SageMaker notebook instances are based on AWS ECS instances running within AWS service accounts.

Answer: C

NEW QUESTION 59

A manufacturing company has structured and unstructured data stored in an Amazon S3 bucket A Machine Learning Specialist wants to use SQL to run queries on this data. Which solution requires the LEAST effort to be able to query this data?

- A. Use AWS Data Pipeline to transform the data and Amazon RDS to run queries.
- B. Use AWS Glue to catalogue the data and Amazon Athena to run queries
- C. Use AWS Batch to run ETL on the data and Amazon Aurora to run the queries
- D. Use AWS Lambda to transform the data and Amazon Kinesis Data Analytics to run queries

Answer: D

NEW QUESTION 63

An Amazon SageMaker notebook instance is launched into Amazon VPC The SageMaker notebook references data contained in an Amazon S3 bucket in another account The bucket is encrypted using SSE-KMS The instance returns an access denied error when trying to access data in Amazon S3.

Which of the following are required to access the bucket and avoid the access denied error? (Select THREE)

- A. An AWS KMS key policy that allows access to the customer master key (CMK)
- B. A SageMaker notebook security group that allows access to Amazon S3
- C. An IAM role that allows access to the specific S3 bucket
- D. A permissive S3 bucket policy
- E. An S3 bucket owner that matches the notebook owner
- F. A SageMaker notebook subnet ACL that allow traffic to Amazon S3.

Answer: ACF

NEW QUESTION 65

A Data Engineer needs to build a model using a dataset containing customer credit card information.

How can the Data Engineer ensure the data remains encrypted and the credit card information is secure? Use a custom encryption algorithm to encrypt the data and store the data on an Amazon SageMaker instance in a VPC. Use the SageMaker DeepAR algorithm to randomize the credit card numbers.

- A. Use an IAM policy to encrypt the data on the Amazon S3 bucket and Amazon Kinesis to automatically discard credit card numbers and insert fake credit card numbers.
- B. Use an Amazon SageMaker launch configuration to encrypt the data once it is copied to the SageMaker instance in a VPC
- C. Use the SageMaker principal component analysis (PCA) algorithm to reduce the length of the credit card numbers.
- D. Use AWS KMS to encrypt the data on Amazon S3

Answer: C

NEW QUESTION 69

A company is using Amazon Polly to translate plaintext documents to speech for automated company announcements However company acronyms are being mispronounced in the current documents How should a Machine Learning Specialist address this issue for future documents'?

- A. Convert current documents to SSML with pronunciation tags
- B. Create an appropriate pronunciation lexicon.

- C. Output speech marks to guide in pronunciation
- D. Use Amazon Lex to preprocess the text files for pronunciation

Answer: A

NEW QUESTION 74

.....

Thank You for Trying Our Product

We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

MLS-C01 Practice Exam Features:

- * MLS-C01 Questions and Answers Updated Frequently
- * MLS-C01 Practice Questions Verified by Expert Senior Certified Staff
- * MLS-C01 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * MLS-C01 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year

100% Actual & Verified — Instant Download, Please Click
[Order The MLS-C01 Practice Test Here](#)