

# Exam Questions Professional-Data-Engineer

Google Professional Data Engineer Exam

<https://www.2passeasy.com/dumps/Professional-Data-Engineer/>



### NEW QUESTION 1

- (Exam Topic 1)

Your weather app queries a database every 15 minutes to get the current temperature. The frontend is powered by Google App Engine and server millions of users. How should you design the frontend to respond to a database failure?

- A. Issue a command to restart the database servers.
- B. Retry the query with exponential backoff, up to a cap of 15 minutes.
- C. Retry the query every second until it comes back online to minimize staleness of data.
- D. Reduce the query frequency to once every hour until the database comes back online.

**Answer:** B

#### Explanation:

<https://cloud.google.com/sql/docs/mysql/manage-connections#backoff>

### NEW QUESTION 2

- (Exam Topic 1)

You are designing a basket abandonment system for an ecommerce company. The system will send a message to a user based on these rules:

- No interaction by the user on the site for 1 hour
- Has added more than \$30 worth of products to the basket
- Has not completed a transaction

You use Google Cloud Dataflow to process the data and decide if a message should be sent. How should you design the pipeline?

- A. Use a fixed-time window with a duration of 60 minutes.
- B. Use a sliding time window with a duration of 60 minutes.
- C. Use a session window with a gap time duration of 60 minutes.
- D. Use a global window with a time based trigger with a delay of 60 minutes.

**Answer:** C

### NEW QUESTION 3

- (Exam Topic 1)

You are building a model to make clothing recommendations. You know a user's fashion preference is likely to change over time, so you build a data pipeline to stream new data back to the model as it becomes available. How should you use this data to train the model?

- A. Continuously retrain the model on just the new data.
- B. Continuously retrain the model on a combination of existing data and the new data.
- C. Train on the existing data while using the new data as your test set.
- D. Train on the new data while using the existing data as your test set.

**Answer:** C

#### Explanation:

<https://cloud.google.com/automl-tables/docs/prepare>

### NEW QUESTION 4

- (Exam Topic 1)

Your company handles data processing for a number of different clients. Each client prefers to use their own suite of analytics tools, with some allowing direct query access via Google BigQuery. You need to secure the data so that clients cannot see each other's data. You want to ensure appropriate access to the data. Which three steps should you take? (Choose three.)

- A. Load data into different partitions.
- B. Load data into a different dataset for each client.
- C. Put each client's BigQuery dataset into a different table.
- D. Restrict a client's dataset to approved users.
- E. Only allow a service account to access the datasets.
- F. Use the appropriate identity and access management (IAM) roles for each client's users.

**Answer:** BDF

### NEW QUESTION 5

- (Exam Topic 1)

You need to store and analyze social media postings in Google BigQuery at a rate of 10,000 messages per minute in near real-time. Initially, design the application to use streaming inserts for individual postings. Your application also performs data aggregations right after the streaming inserts. You discover that the queries after streaming inserts do not exhibit strong consistency, and reports from the queries might miss in-flight data. How can you adjust your application design?

- A. Re-write the application to load accumulated data every 2 minutes.
- B. Convert the streaming insert code to batch load for individual messages.
- C. Load the original message to Google Cloud SQL, and export the table every hour to BigQuery via streaming inserts.
- D. Estimate the average latency for data availability after streaming inserts, and always run queries after waiting twice as long.

**Answer:** D

#### Explanation:

The data is first comes to buffer and then written to Storage. If we are running queries in buffer we will face above mentioned issues. If we wait for the bigquery to write the data to storage then we won't face the issue. So We need to wait till it's written tio storage

#### NEW QUESTION 6

- (Exam Topic 1)

Your startup has never implemented a formal security policy. Currently, everyone in the company has access to the datasets stored in Google BigQuery. Teams have freedom to use the service as they see fit, and they have not documented their use cases. You have been asked to secure the data warehouse. You need to discover what everyone is doing. What should you do first?

- A. Use Google Stackdriver Audit Logs to review data access.
- B. Get the identity and access management (IAM) policy of each table.
- C. Use Stackdriver Monitoring to see the usage of BigQuery query slots.
- D. Use the Google Cloud Billing API to see what account the warehouse is being billed to.

**Answer:** A

#### NEW QUESTION 7

- (Exam Topic 1)

Your software uses a simple JSON format for all messages. These messages are published to Google Cloud Pub/Sub, then processed with Google Cloud Dataflow to create a real-time dashboard for the CFO. During testing, you notice that some messages are missing in the dashboard. You check the logs, and all messages are being published to Cloud Pub/Sub successfully. What should you do next?

- A. Check the dashboard application to see if it is not displaying correctly.
- B. Run a fixed dataset through the Cloud Dataflow pipeline and analyze the output.
- C. Use Google Stackdriver Monitoring on Cloud Pub/Sub to find the missing messages.
- D. Switch Cloud Dataflow to pull messages from Cloud Pub/Sub instead of Cloud Pub/Sub pushing messages to Cloud Dataflow.

**Answer:** B

#### NEW QUESTION 8

- (Exam Topic 1)

You are working on a sensitive project involving private user data. You have set up a project on Google Cloud Platform to house your work internally. An external consultant is going to assist with coding a complex transformation in a Google Cloud Dataflow pipeline for your project. How should you maintain users' privacy?

- A. Grant the consultant the Viewer role on the project.
- B. Grant the consultant the Cloud Dataflow Developer role on the project.
- C. Create a service account and allow the consultant to log on with it.
- D. Create an anonymized sample of the data for the consultant to work with in a different project.

**Answer:** C

#### NEW QUESTION 9

- (Exam Topic 1)

Your company is migrating their 30-node Apache Hadoop cluster to the cloud. They want to re-use Hadoop jobs they have already created and minimize the management of the cluster as much as possible. They also want to be able to persist data beyond the life of the cluster. What should you do?

- A. Create a Google Cloud Dataflow job to process the data.
- B. Create a Google Cloud Dataproc cluster that uses persistent disks for HDFS.
- C. Create a Hadoop cluster on Google Compute Engine that uses persistent disks.
- D. Create a Cloud Dataproc cluster that uses the Google Cloud Storage connector.
- E. Create a Hadoop cluster on Google Compute Engine that uses Local SSD disks.

**Answer:** D

#### NEW QUESTION 10

- (Exam Topic 1)

An external customer provides you with a daily dump of data from their database. The data flows into Google Cloud Storage GCS as comma-separated values (CSV) files. You want to analyze this data in Google BigQuery, but the data could have rows that are formatted incorrectly or corrupted. How should you build this pipeline?

- A. Use federated data sources, and check data in the SQL query.
- B. Enable BigQuery monitoring in Google Stackdriver and create an alert.
- C. Import the data into BigQuery using the gcloud CLI and set max\_bad\_records to 0.
- D. Run a Google Cloud Dataflow batch pipeline to import the data into BigQuery, and push errors to another dead-letter table for analysis.

**Answer:** D

#### NEW QUESTION 10

- (Exam Topic 1)

You work for a car manufacturer and have set up a data pipeline using Google Cloud Pub/Sub to capture anomalous sensor events. You are using a push subscription in Cloud Pub/Sub that calls a custom HTTPS endpoint that you have created to take action of these anomalous events as they occur. Your custom HTTPS endpoint keeps getting an inordinate amount of duplicate messages. What is the most likely cause of these duplicate messages?

- A. The message body for the sensor event is too large.
- B. Your custom endpoint has an out-of-date SSL certificate.
- C. The Cloud Pub/Sub topic has too many messages published to it.
- D. Your custom endpoint is not acknowledging messages within the acknowledgement deadline.

**Answer:** B

#### NEW QUESTION 15

- (Exam Topic 1)

You designed a database for patient records as a pilot project to cover a few hundred patients in three clinics. Your design used a single database table to represent all patients and their visits, and you used self-joins to generate reports. The server resource utilization was at 50%. Since then, the scope of the project has expanded. The database must now store 100 times more patient records. You can no longer run the reports, because they either take too long or they encounter errors with insufficient compute resources. How should you adjust the database design?

- A. Add capacity (memory and disk space) to the database server by the order of 200.
- B. Shard the tables into smaller ones based on date ranges, and only generate reports with prespecified date ranges.
- C. Normalize the master patient-record table into the patient table and the visits table, and create other necessary tables to avoid self-join.
- D. Partition the table into smaller tables, with one for each clini
- E. Run queries against the smaller table pairs, and use unions for consolidated reports.

**Answer: C**

#### NEW QUESTION 17

- (Exam Topic 2)

Flowlogistic is rolling out their real-time inventory tracking system. The tracking devices will all send package-tracking messages, which will now go to a single Google Cloud Pub/Sub topic instead of the Apache Kafka cluster. A subscriber application will then process the messages for real-time reporting and store them in Google BigQuery for historical analysis. You want to ensure the package data can be analyzed over time.

Which approach should you take?

- A. Attach the timestamp on each message in the Cloud Pub/Sub subscriber application as they are received.
- B. Attach the timestamp and Package ID on the outbound message from each publisher device as they are sent to Clod Pub/Sub.
- C. Use the NOW () function in BigQuery to record the event's time.
- D. Use the automatically generated timestamp from Cloud Pub/Sub to order the data.

**Answer: B**

#### NEW QUESTION 18

- (Exam Topic 2)

Flowlogistic's CEO wants to gain rapid insight into their customer base so his sales team can be better informed in the field. This team is not very technical, so they've purchased a visualization tool to simplify the creation of BigQuery reports. However, they've been overwhelmed by all the data in the table, and are spending a lot of money on queries trying to find the data they need. You want to solve their problem in the most cost-effective way. What should you do?

- A. Export the data into a Google Sheet for virtualization.
- B. Create an additional table with only the necessary columns.
- C. Create a view on the table to present to the virtualization tool.
- D. Create identity and access management (IAM) roles on the appropriate columns, so only they appear in a query.

**Answer: C**

#### NEW QUESTION 20

- (Exam Topic 4)

You are deploying a new storage system for your mobile application, which is a media streaming service. You decide the best fit is Google Cloud Datastore. You have entities with multiple properties, some of which can take on multiple values. For example, in the entity 'Movie' the property 'actors' and the property 'tags' have multiple values but the property 'date released' does not. A typical query would ask for all movies with actor=<actormame> ordered by date\_released or all movies with tag=Comedy ordered by date\_released. How should you avoid a combinatorial explosion in the number of indexes?

A. Manually configure the index in your index config as follows:

Indexes:

-kind: Movie

Properties:

-name: actors

name: date\_released

-kind: Movie

Properties:

-name: tags

name: date\_released

B. Manually configure the index in your index config as follows:

Indexes:

-kind: Movie

Properties:

-name: actors

-name: tags

-name: date\_published

C. Set the following in your entity options: exclude\_from\_indexes = 'actors, tags'

D. Set the following in your entity options: exclude\_from\_indexes = 'date\_published'

- A. Option A
- B. Option B.
- C. Option C
- D. Option D

**Answer:** A

#### NEW QUESTION 22

- (Exam Topic 4)

You work for an economic consulting firm that helps companies identify economic trends as they happen. As part of your analysis, you use Google BigQuery to correlate customer data with the average prices of the 100 most common goods sold, including bread, gasoline, milk, and others. The average prices of these goods are updated every 30 minutes. You want to make sure this data stays up to date so you can combine it with other data in BigQuery as cheaply as possible. What should you do?

- A. Load the data every 30 minutes into a new partitioned table in BigQuery.
- B. Store and update the data in a regional Google Cloud Storage bucket and create a federated data source in BigQuery
- C. Store the data in Google Cloud Datastor
- D. Use Google Cloud Dataflow to query BigQuery and combine the data programmatically with the data stored in Cloud Datastore
- E. Store the data in a file in a regional Google Cloud Storage bucke
- F. Use Cloud Dataflow to query BigQuery and combine the data programmatically with the data stored in Google Cloud Storage.

**Answer:** A

#### NEW QUESTION 26

- (Exam Topic 5)

What are two of the characteristics of using online prediction rather than batch prediction?

- A. It is optimized to handle a high volume of data instances in a job and to run more complex models.
- B. Predictions are returned in the response message.
- C. Predictions are written to output files in a Cloud Storage location that you specify.
- D. It is optimized to minimize the latency of serving predictions.

**Answer:** BD

#### Explanation:

Online prediction

Optimized to minimize the latency of serving predictions.

Predictions returned in the response message. Batch prediction

Optimized to handle a high volume of instances in a job and to run more complex models. Predictions written to output files in a Cloud Storage location that you specify.

Reference:

[https://cloud.google.com/ml-engine/docs/prediction-overview#online\\_prediction\\_versus\\_batch\\_prediction](https://cloud.google.com/ml-engine/docs/prediction-overview#online_prediction_versus_batch_prediction)



### NEW QUESTION 29

- (Exam Topic 5)

Which of the following is not possible using primitive roles?

- A. Give a user viewer access to BigQuery and owner access to Google Compute Engine instances.
- B. Give UserA owner access and UserB editor access for all datasets in a project.
- C. Give a user access to view all datasets in a project, but not run queries on them.
- D. Give GroupA owner access and GroupB editor access for all datasets in a project.

**Answer:** C

#### Explanation:

Primitive roles can be used to give owner, editor, or viewer access to a user or group, but they can't be used to separate data access permissions from job-running permissions.

Reference: [https://cloud.google.com/bigquery/docs/access-control#primitive\\_iam\\_roles](https://cloud.google.com/bigquery/docs/access-control#primitive_iam_roles)

### NEW QUESTION 30

- (Exam Topic 5)

What is the HBase Shell for Cloud Bigtable?

- A. The HBase shell is a GUI based interface that performs administrative tasks, such as creating and deleting tables.
- B. The HBase shell is a command-line tool that performs administrative tasks, such as creating and deleting tables.
- C. The HBase shell is a hypervisor based shell that performs administrative tasks, such as creating and deleting new virtualized instances.
- D. The HBase shell is a command-line tool that performs only user account management functions to grant access to Cloud Bigtable instances.

**Answer:** B

#### Explanation:

The HBase shell is a command-line tool that performs administrative tasks, such as creating and deleting tables. The Cloud Bigtable HBase client for Java makes it possible to use the HBase shell to connect to Cloud Bigtable.

Reference: <https://cloud.google.com/bigtable/docs/installing-hbase-shell>

### NEW QUESTION 33

- (Exam Topic 5)

Which of the following is NOT one of the three main types of triggers that Dataflow supports?

- A. Trigger based on element size in bytes
- B. Trigger that is a combination of other triggers
- C. Trigger based on element count
- D. Trigger based on time

**Answer:** A

#### Explanation:

There are three major kinds of triggers that Dataflow supports: 1. Time-based triggers 2. Data-driven triggers. You can set a trigger to emit results from a window when that window has received a certain number of data elements. 3. Composite triggers. These triggers combine multiple time-based or data-driven triggers in some logical way

Reference: <https://cloud.google.com/dataflow/model/triggers>

### NEW QUESTION 37

- (Exam Topic 5)

Which of these sources can you not load data into BigQuery from?

- A. File upload
- B. Google Drive
- C. Google Cloud Storage
- D. Google Cloud SQL

**Answer:** D

#### Explanation:

You can load data into BigQuery from a file upload, Google Cloud Storage, Google Drive, or Google Cloud Bigtable. It is not possible to load data into BigQuery directly from Google Cloud SQL. One way to get data from Cloud SQL to BigQuery would be to export data from Cloud SQL to Cloud Storage and then load it from there.

Reference: <https://cloud.google.com/bigquery/loading-data>

### NEW QUESTION 39

- (Exam Topic 5)

Which of the following is NOT a valid use case to select HDD (hard disk drives) as the storage for Google Cloud Bigtable?

- A. You expect to store at least 10 TB of data.
- B. You will mostly run batch workloads with scans and writes, rather than frequently executing random reads of a small number of rows.
- C. You need to integrate with Google BigQuery.
- D. You will not use the data to back a user-facing or latency-sensitive application.

**Answer:** C

#### Explanation:

For example, if you plan to store extensive historical data for a large number of remote-sensing devices and then use the data to generate daily reports, the cost savings for HDD storage may justify the performance tradeoff. On the other hand, if you plan to use the data to display a real-time dashboard, it probably would not make sense to use HDD storage—reads would be much more frequent in this case, and reads are much slower with HDD storage.

Reference: <https://cloud.google.com/bigtable/docs/choosing-ssd-hdd>

#### NEW QUESTION 41

- (Exam Topic 5)

Which of these statements about BigQuery caching is true?

- A. By default, a query's results are not cached.
- B. BigQuery caches query results for 48 hours.
- C. Query results are cached even if you specify a destination table.
- D. There is no charge for a query that retrieves its results from cache.

**Answer:** D

#### Explanation:

When query results are retrieved from a cached results table, you are not charged for the query. BigQuery caches query results for 24 hours, not 48 hours.

Query results are not cached if you specify a destination table.

A query's results are always cached except under certain conditions, such as if you specify a destination table. Reference:

<https://cloud.google.com/bigquery/querying-data#query-caching>

#### NEW QUESTION 44

- (Exam Topic 5)

What are two of the benefits of using denormalized data structures in BigQuery?

- A. Reduces the amount of data processed, reduces the amount of storage required
- B. Increases query speed, makes queries simpler
- C. Reduces the amount of storage required, increases query speed
- D. Reduces the amount of data processed, increases query speed

**Answer:** B

#### Explanation:

Denormalization increases query speed for tables with billions of rows because BigQuery's performance degrades when doing JOINS on large tables, but with a denormalized data

structure, you don't have to use JOINS, since all of the data has been combined into one table. Denormalization also makes queries simpler because you do not have to use JOIN clauses.

Denormalization increases the amount of data processed and the amount of storage required because it creates redundant data.

Reference:

[https://cloud.google.com/solutions/bigquery-data-warehouse#denormalizing\\_data](https://cloud.google.com/solutions/bigquery-data-warehouse#denormalizing_data)

#### NEW QUESTION 45

- (Exam Topic 5)

Which of the following are examples of hyperparameters? (Select 2 answers.)

- A. Number of hidden layers
- B. Number of nodes in each hidden layer
- C. Biases
- D. Weights

**Answer:** AB

#### Explanation:

If model parameters are variables that get adjusted by training with existing data, your hyperparameters are the variables about the training process itself. For example, part of setting up a deep neural network is deciding how many "hidden" layers of nodes to use between the input layer and the output layer, as well as how many nodes each layer should use. These variables are not directly related to the training data at all. They are configuration variables. Another difference is that parameters change during a training job, while the hyperparameters are usually constant during a job.

Weights and biases are variables that get adjusted during the training process, so they are not hyperparameters. Reference: <https://cloud.google.com/ml-engine/docs/hyperparameter-tuning-overview>

#### NEW QUESTION 49

- (Exam Topic 5)

Which of the following are feature engineering techniques? (Select 2 answers)

- A. Hidden feature layers
- B. Feature prioritization
- C. Crossed feature columns
- D. Bucketization of a continuous feature

**Answer:** CD

#### Explanation:

Selecting and crafting the right set of feature columns is key to learning an effective model.

Bucketization is a process of dividing the entire range of a continuous feature into a set of consecutive bins/buckets, and then converting the original numerical feature into a bucket ID (as a categorical feature) depending on which bucket that value falls into.

Using each base feature column separately may not be enough to explain the data. To learn the differences between different feature combinations, we can add crossed feature columns to the model.

Reference: [https://www.tensorflow.org/tutorials/wide#selecting\\_and\\_engineering\\_features\\_for\\_the\\_model](https://www.tensorflow.org/tutorials/wide#selecting_and_engineering_features_for_the_model)

#### NEW QUESTION 51

- (Exam Topic 5)

Which of these are examples of a value in a sparse vector? (Select 2 answers.)

- A. [0, 5, 0, 0, 0, 0]
- B. [0, 0, 0, 1, 0, 0, 1]
- C. [0, 1]
- D. [1, 0, 0, 0, 0, 0, 0]

**Answer:** CD

#### Explanation:

Categorical features in linear models are typically translated into a sparse vector in which each possible value has a corresponding index or id. For example, if there are only three possible eye colors you can represent 'eye\_color' as a length 3 vector: 'brown' would become [1, 0, 0], 'blue' would become [0, 1, 0] and 'green' would become [0, 0, 1]. These vectors are called "sparse" because they may be very long, with many zeros, when the set of possible values is very large (such as all English words).

[0, 0, 0, 1, 0, 0, 1] is not a sparse vector because it has two 1s in it. A sparse vector contains only a single 1. [0, 5, 0, 0, 0, 0] is not a sparse vector because it has a 5 in it. Sparse vectors only contain 0s and 1s. Reference: [https://www.tensorflow.org/tutorials/linear#feature\\_columns\\_and\\_transformations](https://www.tensorflow.org/tutorials/linear#feature_columns_and_transformations)

#### NEW QUESTION 55

- (Exam Topic 5)

For the best possible performance, what is the recommended zone for your Compute Engine instance and Cloud Bigtable instance?

- A. Have the Compute Engine instance in the furthest zone from the Cloud Bigtable instance.
- B. Have both the Compute Engine instance and the Cloud Bigtable instance to be in different zones.
- C. Have both the Compute Engine instance and the Cloud Bigtable instance to be in the same zone.
- D. Have the Cloud Bigtable instance to be in the same zone as all of the consumers of your data.

**Answer:** C

#### Explanation:

It is recommended to create your Compute Engine instance in the same zone as your Cloud Bigtable instance for the best possible performance,

If it's not possible to create a instance in the same zone, you should create your instance in another zone within the same region. For example, if your Cloud Bigtable instance is located in us-central1-b, you could create your instance in us-central1-f. This change may result in several milliseconds of additional latency for each Cloud Bigtable request.

It is recommended to avoid creating your Compute Engine instance in a different region from your Cloud Bigtable instance, which can add hundreds of milliseconds of latency to each Cloud Bigtable request.

Reference: <https://cloud.google.com/bigtable/docs/creating-compute-instance>

#### NEW QUESTION 57

- (Exam Topic 5)

You have a job that you want to cancel. It is a streaming pipeline, and you want to ensure that any data that is in-flight is processed and written to the output.

Which of the following commands can you use on the Dataflow monitoring console to stop the pipeline job?

- A. Cancel
- B. Drain
- C. Stop
- D. Finish

**Answer:** B

#### Explanation:

Using the Drain option to stop your job tells the Dataflow service to finish your job in its current state. Your job will immediately stop ingesting new data from input sources, but the Dataflow service will preserve any existing resources (such as worker instances) to finish processing and writing any buffered data in your pipeline.

Reference: <https://cloud.google.com/dataflow/pipelines/stopping-a-pipeline>

#### NEW QUESTION 60

- (Exam Topic 5)

Which of these numbers are adjusted by a neural network as it learns from a training dataset (select 2 answers)?

- A. Weights
- B. Biases
- C. Continuous features
- D. Input values

**Answer:** AB

#### Explanation:

A neural network is a simple mechanism that's implemented with basic math. The only difference between the traditional programming model and a neural network is that you let the computer determine the parameters (weights and bias) by learning from training datasets.

Reference:

<https://cloud.google.com/blog/big-data/2016/07/understanding-neural-networks-with-tensorflow-playground>

#### NEW QUESTION 65

- (Exam Topic 5)

Cloud Dataproc is a managed Apache Hadoop and Apache service.



- A. Blaze
- B. Spark
- C. Fire
- D. Ignite

**Answer:** B

**Explanation:**

Cloud Dataproc is a managed Apache Spark and Apache Hadoop service that lets you use open source data tools for batch processing, querying, streaming, and machine learning.

Reference: <https://cloud.google.com/dataproc/docs/>

**NEW QUESTION 70**

- (Exam Topic 5)

Google Cloud Bigtable indexes a single value in each row. This value is called the .

- A. primary key
- B. unique key
- C. row key
- D. master key

**Answer:** C

**Explanation:**

Cloud Bigtable is a sparsely populated table that can scale to billions of rows and thousands of columns, allowing you to store terabytes or even petabytes of data. A single value in each row is indexed; this value is known as the row key.

Reference: <https://cloud.google.com/bigtable/docs/overview>

**NEW QUESTION 72**

- (Exam Topic 5)

If you're running a performance test that depends upon Cloud Bigtable, all the choices except one below are recommended steps. Which is NOT a recommended step to follow?

- A. Do not use a production instance.
- B. Run your test for at least 10 minutes.
- C. Before you test, run a heavy pre-test for several minutes.
- D. Use at least 300 GB of data.

**Answer:** A

**Explanation:**

If you're running a performance test that depends upon Cloud Bigtable, be sure to follow these steps as you plan and execute your test:

Use a production instance. A development instance will not give you an accurate sense of how a production instance performs under load.

Use at least 300 GB of data. Cloud Bigtable performs best with 1 TB or more of data. However, 300 GB of data is enough to provide reasonable results in a performance test on a 3-node cluster. On larger clusters, use 100 GB of data per node.

Before you test, run a heavy pre-test for several minutes. This step gives Cloud Bigtable a chance to balance data across your nodes based on the access patterns it observes.

Run your test for at least 10 minutes. This step lets Cloud Bigtable further optimize your data, and it helps ensure that you will test reads from disk as well as cached reads from memory.

Reference: <https://cloud.google.com/bigtable/docs/performance>

**NEW QUESTION 73**

- (Exam Topic 5)

Which of the following statements is NOT true regarding Bigtable access roles?

- A. Using IAM roles, you cannot give a user access to only one table in a project, rather than all tables in a project.
- B. To give a user access to only one table in a project, grant the user the Bigtable Editor role for that table.
- C. You can configure access control only at the project level.
- D. To give a user access to only one table in a project, you must configure access through your application.

**Answer:** B

**Explanation:**

For Cloud Bigtable, you can configure access control at the project level. For example, you can grant the ability to:

Read from, but not write to, any table within the project.

Read from and write to any table within the project, but not manage instances. Read from and write to any table within the project, and manage instances.

Reference: <https://cloud.google.com/bigtable/docs/access-control>

**NEW QUESTION 75**

- (Exam Topic 5)

Cloud Bigtable is a recommended option for storing very large amounts of \_\_\_\_?

- A. multi-keyed data with very high latency
- B. multi-keyed data with very low latency
- C. single-keyed data with very low latency
- D. single-keyed data with very high latency

**Answer:** C

**Explanation:**

Cloud Bigtable is a sparsely populated table that can scale to billions of rows and thousands of columns, allowing you to store terabytes or even petabytes of data. A single value in each row is indexed; this value is known as the row key. Cloud Bigtable is ideal for storing very large amounts of single-keyed data with very low latency. It supports high read and write throughput at low latency, and it is an ideal data source for MapReduce operations.

Reference: <https://cloud.google.com/bigtable/docs/overview>

**NEW QUESTION 80**

- (Exam Topic 5)

Cloud Dataproc charges you only for what you really use with billing.

- A. month-by-month
- B. minute-by-minute
- C. week-by-week
- D. hour-by-hour

**Answer: B**

**Explanation:**

One of the advantages of Cloud Dataproc is its low cost. Dataproc charges for what you really use with minute-by-minute billing and a low, ten-minute-minimum billing period.

Reference: <https://cloud.google.com/dataproc/docs/concepts/overview>

**NEW QUESTION 82**

- (Exam Topic 5)

The CUSTOM tier for Cloud Machine Learning Engine allows you to specify the number of which types of cluster nodes?

- A. Workers
- B. Masters, workers, and parameter servers
- C. Workers and parameter servers
- D. Parameter servers

**Answer: C**

**Explanation:**

The CUSTOM tier is not a set tier, but rather enables you to use your own cluster specification. When you use this tier, set values to configure your processing cluster according to these guidelines:

You must set TrainingInput.masterType to specify the type of machine to use for your master node. You may set TrainingInput.workerCount to specify the number of workers to use.

You may set TrainingInput.parameterServerCount to specify the number of parameter servers to use.

You can specify the type of machine for the master node, but you can't specify more than one master node. Reference: [https://cloud.google.com/ml-engine/docs/training-overview#job\\_configuration\\_parameters](https://cloud.google.com/ml-engine/docs/training-overview#job_configuration_parameters)

**NEW QUESTION 84**

- (Exam Topic 6)

You're using Bigtable for a real-time application, and you have a heavy load that is a mix of read and writes. You've recently identified an additional use case and need to perform hourly an analytical job to calculate certain statistics across the whole database. You need to ensure both the reliability of your production application as well as the analytical workload.

What should you do?

- A. Export Bigtable dump to GCS and run your analytical job on top of the exported files.
- B. Add a second cluster to an existing instance with a multi-cluster routing, use live-traffic app profile for your regular workload and batch-analytics profile for the analytics workload.
- C. Add a second cluster to an existing instance with a single-cluster routing, use live-traffic app profile for your regular workload and batch-analytics profile for the analytics workload.
- D. Increase the size of your existing cluster twice and execute your analytics workload on your new resized cluster.

**Answer: B**

**NEW QUESTION 85**

- (Exam Topic 6)

An online retailer has built their current application on Google App Engine. A new initiative at the company mandates that they extend their application to allow their customers to transact directly via the application.

They need to manage their shopping transactions and analyze combined data from multiple datasets using a business intelligence (BI) tool. They want to use only a single database for this purpose. Which Google Cloud database should they choose?

- A. BigQuery
- B. Cloud SQL
- C. Cloud BigTable
- D. Cloud Datastore

**Answer: C**

**Explanation:**

Reference: <https://cloud.google.com/solutions/business-intelligence/>

**NEW QUESTION 89**

- (Exam Topic 6)

You operate a logistics company, and you want to improve event delivery reliability for vehicle-based sensors. You operate small data centers around the world to

capture these events, but leased lines that provide connectivity from your event collection infrastructure to your event processing infrastructure are unreliable, with unpredictable latency. You want to address this issue in the most cost-effective way. What should you do?

- A. Deploy small Kafka clusters in your data centers to buffer events.
- B. Have the data acquisition devices publish data to Cloud Pub/Sub.
- C. Establish a Cloud Interconnect between all remote data centers and Google.
- D. Write a Cloud Dataflow pipeline that aggregates all data in session windows.

**Answer:** B

#### NEW QUESTION 93

- (Exam Topic 6)

You are responsible for writing your company's ETL pipelines to run on an Apache Hadoop cluster. The pipeline will require some checkpointing and splitting pipelines. Which method should you use to write the pipelines?

- A. PigLatin using Pig
- B. HiveQL using Hive
- C. Java using MapReduce
- D. Python using MapReduce

**Answer:** D

#### NEW QUESTION 95

- (Exam Topic 6)

You need to copy millions of sensitive patient records from a relational database to BigQuery. The total size of the database is 10 TB. You need to design a solution that is secure and time-efficient. What should you do?

- A. Export the records from the database as an Avro file
- B. Upload the file to GCS using gsutil, and then load the Avro file into BigQuery using the BigQuery web UI in the GCP Console.
- C. Export the records from the database as an Avro file
- D. Copy the file onto a Transfer Appliance and send it to Google, and then load the Avro file into BigQuery using the BigQuery web UI in the GCP Console.
- E. Export the records from the database into a CSV file
- F. Create a public URL for the CSV file, and then use Storage Transfer Service to move the file to Cloud Storage
- G. Load the CSV file into BigQuery using the BigQuery web UI in the GCP Console.
- H. Export the records from the database as an Avro file
- I. Create a public URL for the Avro file, and then use Storage Transfer Service to move the file to Cloud Storage
- J. Load the Avro file into BigQuery using the BigQuery web UI in the GCP Console.

**Answer:** A

#### NEW QUESTION 100

- (Exam Topic 6)

You need to migrate a 2TB relational database to Google Cloud Platform. You do not have the resources to significantly refactor the application that uses this database and cost to operate is of primary concern.

Which service do you select for storing and serving your data?

- A. Cloud Spanner
- B. Cloud Bigtable
- C. Cloud Firestore
- D. Cloud SQL

**Answer:** D

#### NEW QUESTION 103

- (Exam Topic 6)

You need ads data to serve AI models and historical data for analytics longtail and outlier data points need to be identified. You want to cleanse the data in near-real time before running it through AI models. What should you do?

- A. Use BigQuery to ingest, prepare, and then analyze the data, and then run queries to create views.
- B. Use Cloud Storage as a data warehouse, shell scripts for processing, and BigQuery to create views for desired datasets.
- C. Use Dataflow to identify longtail and outlier data points programmatically with BigQuery as a sink.
- D. Use Cloud Composer to identify longtail and outlier data points, and then output a usable dataset to BigQuery.

**Answer:** A

#### NEW QUESTION 105

- (Exam Topic 6)

You work on a regression problem in a natural language processing domain, and you have 100M labeled examples in your dataset. You have randomly shuffled your data and split your dataset into train and test samples (in a 90/10 ratio). After you trained the neural network and evaluated your model on a test set, you discover that the root-mean-squared error (RMSE) of your model is twice as high on the train set as on the test set. How should you improve the performance of your model?

- A. Increase the share of the test sample in the train-test split.
- B. Try to collect more data and increase the size of your dataset.
- C. Try out regularization techniques (e.g., dropout or batch normalization) to avoid overfitting.
- D. Increase the complexity of your model by, e.g., introducing an additional layer or increasing the size of vocabularies or n-grams used.

**Answer:** D

#### NEW QUESTION 110

- (Exam Topic 6)

Government regulations in the banking industry mandate the protection of client's personally identifiable information (PII). Your company requires PII to be access controlled encrypted and compliant with major data protection standards In addition to using Cloud Data Loss Prevention (Cloud DIP) you want to follow Google-recommended practices and use service accounts to control access to PII. What should you do?

- A. Assign the required identity and Access Management (IAM) roles to every employee, and create a single service account to access protect resources
- B. Use one service account to access a Cloud SQL database and use separate service accounts for each human user
- C. Use Cloud Storage to comply with major data protection standard
- D. Use one service account shared by all users
- E. Use Cloud Storage to comply with major data protection standard
- F. Use multiple service accounts attached to IAM groups to grant the appropriate access to each group

**Answer:** D

#### NEW QUESTION 114

- (Exam Topic 6)

You are updating the code for a subscriber to a Pub/Sub feed. You are concerned that upon deployment the subscriber may erroneously acknowledge messages, leading to message loss. You subscriber is not set up to retain acknowledged messages. What should you do to ensure that you can recover from errors after deployment?

- A. Use Cloud Build for your deployment if an error occurs after deployment, use a Seek operation to locate a timestamp logged by Cloud Build at the start of the deployment
- B. Create a Pub/Sub snapshot before deploying new subscriber cod
- C. Use a Seek operation to re-deliver messages that became available after the snapshot was created
- D. Set up the Pub/Sub emulator on your local machine Validate the behavior of your new subscriber togs before deploying it to production
- E. Enable dead-lettering on the Pub/Sub topic to capture messages that aren't successful acknowledged if an error occurs after deployment, re-deliver any messages captured by the dead-letter queue

**Answer:** B

#### NEW QUESTION 119

- (Exam Topic 6)

You are creating a new pipeline in Google Cloud to stream IoT data from Cloud Pub/Sub through Cloud Dataflow to BigQuery. While previewing the data, you notice that roughly 2% of the data appears to be corrupt. You need to modify the Cloud Dataflow pipeline to filter out this corrupt data. What should you do?


- A. Add a SideInput that returns a Boolean if the element is corrupt.
- B. Add a ParDo transform in Cloud Dataflow to discard corrupt elements.
- C. Add a Partition transform in Cloud Dataflow to separate valid data from corrupt data.
- D. Add a GroupByKey transform in Cloud Dataflow to group all of the valid data together and discard the rest.

**Answer:** B

#### NEW QUESTION 122

- (Exam Topic 6)

You have some data, which is shown in the graphic below. The two dimensions are X and Y, and the shade of each dot represents what class it is. You want to classify this data accurately using a linear algorithm.



To do this you need to add a synthetic feature. What should the value of that feature be?

- A.  $X^2 + Y^2$
- B.  $X^2$
- C.  $Y^2$
- D.  $\cos(X)$

**Answer:** D

#### NEW QUESTION 126



- (Exam Topic 6)

You have a data pipeline that writes data to Cloud Bigtable using well-designed row keys. You want to monitor your pipeline to determine when to increase the size of your Cloud Bigtable cluster. Which two actions can you take to accomplish this? Choose 2 answers.

- A. Review Key Visualizer metric
- B. Increase the size of the Cloud Bigtable cluster when the Read pressure index is above 100.
- C. Review Key Visualizer metric
- D. Increase the size of the Cloud Bigtable cluster when the Write pressure index is above 100.
- E. Monitor the latency of write operation
- F. Increase the size of the Cloud Bigtable cluster when there is a sustained increase in write latency.
- G. Monitor storage utilization
- H. Increase the size of the Cloud Bigtable cluster when utilization increases above 70% of max capacity.
- I. Monitor latency of read operation
- J. Increase the size of the Cloud Bigtable cluster of read operations take longer than 100 ms.

**Answer:** AC

#### NEW QUESTION 129

- (Exam Topic 6)

Your company is migrating its on-premises data warehousing solution to BigQuery. The existing data warehouse uses trigger-based change data capture (CDC) to apply daily updates from transactional database sources. Your company wants to use BigQuery to improve its handling of CDC and to optimize the performance of the data warehouse. Source system changes must be available for query in near-real time using log-based CDC streams. You need to ensure that changes in the BigQuery reporting table are available with minimal latency and reduced overhead. What should you do? Choose 2 answers.

- A. Perform a DML INSERT, UPDATE, or DELETE to replicate each CDC record in the reporting table in real time.
- B. Periodically DELETE outdated records from the reporting table. Periodically use a DML MERGE to simultaneously perform DML INSERT, UPDATE, and DELETE operations in the reporting table.
- C. UPDATE, and DELETE operations in the reporting table.
- D. Insert each new CDC record and corresponding operation type into a staging table in real time.
- E. Insert each new CDC record and corresponding operation type into the reporting table in real time and use a materialized view to expose only the current version of each unique record.

**Answer:** BD

#### NEW QUESTION 132

- (Exam Topic 6)

You need to deploy additional dependencies to all of a Cloud Dataproc cluster at startup using an existing initialization action. Company security policies require that Cloud Dataproc nodes do not have access to the Internet so public initialization actions cannot fetch resources. What should you do?

- A. Deploy the Cloud SQL Proxy on the Cloud Dataproc master.
- B. Use an SSH tunnel to give the Cloud Dataproc cluster access to the Internet.
- C. Copy all dependencies to a Cloud Storage bucket within your VPC security perimeter.
- D. Use Resource Manager to add the service account used by the Cloud Dataproc cluster to the Network User role.

**Answer:** D

#### NEW QUESTION 137

- (Exam Topic 6)

You're training a model to predict housing prices based on an available dataset with real estate properties. Your plan is to train a fully connected neural net, and you've discovered that the dataset contains latitude and longitude of the property. Real estate professionals have told you that the location of the property is highly influential on price, so you'd like to engineer a feature that incorporates this physical dependency. What should you do?

- A. Provide latitude and longitude as input vectors to your neural net.
- B. Create a numeric column from a feature cross of latitude and longitude.
- C. Create a feature cross of latitude and longitude, bucketize at the minute level and use L1 regularization during optimization.
- D. Create a feature cross of latitude and longitude, bucketize it at the minute level and use L2 regularization during optimization.

**Answer:** C

#### Explanation:

Reference <https://cloud.google.com/bigquery/docs/gis-data>

#### NEW QUESTION 141

- (Exam Topic 6)

You have a petabyte of analytics data and need to design a storage and processing platform for it. You must be able to perform data warehouse-style analytics on the data in Google Cloud and expose the dataset as files for batch analysis tools in other cloud providers. What should you do?

- A. Store and process the entire dataset in BigQuery.
- B. Store and process the entire dataset in Cloud Bigtable.
- C. Store the full dataset in BigQuery, and store a compressed copy of the data in a Cloud Storage bucket.
- D. Store the warm data as files in Cloud Storage, and store the active data in BigQuery.
- E. Keep this ratio as 80% warm and 20% active.

**Answer:** C

#### NEW QUESTION 143

- (Exam Topic 6)

You are a retailer that wants to integrate your online sales capabilities with different in-home assistants, such as Google Home. You need to interpret customer



voice commands and issue an order to the backend systems. Which solutions should you choose?

- A. Cloud Speech-to-Text API
- B. Cloud Natural Language API
- C. Dialogflow Enterprise Edition
- D. Cloud AutoML Natural Language

**Answer:** C

#### NEW QUESTION 146

- (Exam Topic 6)

Data Analysts in your company have the Cloud IAM Owner role assigned to them in their projects to allow them to work with multiple GCP products in their projects. Your organization requires that all BigQuery data access logs be retained for 6 months. You need to ensure that only audit personnel in your company can access the data access logs for all projects. What should you do?

- A. Enable data access logs in each Data Analyst's projec
- B. Restrict access to Stackdriver Logging via Cloud IAM roles.
- C. Export the data access logs via a project-level export sink to a Cloud Storage bucket in the Data Analysts' project
- D. Restrict access to the Cloud Storage bucket.
- E. Export the data access logs via a project-level export sink to a Cloud Storage bucket in a newly created projects for audit log
- F. Restrict access to the project with the exported logs.
- G. Export the data access logs via an aggregated export sink to a Cloud Storage bucket in a newly created project for audit log
- H. Restrict access to the project that contains the exported logs.

**Answer:** D

#### NEW QUESTION 151

- (Exam Topic 6)

You are using Cloud Bigtable to persist and serve stock market data for each of the major indices. To serve the trading application, you need to access only the most recent stock prices that are streaming in How should you design your row key and tables to ensure that you can access the data with the most simple query?

- A. Create one unique table for all of the indices, and then use the index and timestamp as the row key design
- B. Create one unique table for all of the indices, and then use a reverse timestamp as the row key design.
- C. For each index, have a separate table and use a timestamp as the row key design
- D. For each index, have a separate table and use a reverse timestamp as the row key design

**Answer:** A

#### NEW QUESTION 152

- (Exam Topic 6)

You are working on a linear regression model on BigQuery ML to predict a customer's likelihood of purchasing your company's products. Your model uses a city name variable as a key predictive component in order to train and serve the model your data must be organized in columns. You want to prepare your data using the least amount of coding while maintaining the predictable variables. What should you do?

- A. Use SQL in BigQuery to transform the stale column using a one-hot encoding method, and make each city a column with binary values.
- B. Create a new view with BigQuery that does not include a column which city information.
- C. Cloud Data Fusion to assign each city to a region that is labeled as 1, 2 3, 4, or 5, and then use that number to represent the city in the model.
- D. Use TensorFlow to create a categorical variable with a vocabulary lis
- E. Create the vocabulary file and upload that as part of your model to BigQuery ML.

**Answer:** C

#### NEW QUESTION 153

- (Exam Topic 6)

You want to migrate an on-premises Hadoop system to Cloud Dataproc. Hive is the primary tool in use, and the data format is Optimized Row Columnar (ORC). All ORC files have been successfully copied to a Cloud Storage bucket. You need to replicate some data to the cluster's local Hadoop Distributed File System (HDFS) to maximize performance. What are two ways to start using Hive in Cloud Dataproc? (Choose two.)

- A. Run the gsutil utility to transfer all ORC files from the Cloud Storage bucket to HDF
- B. Mount the Hive tables locally.
- C. Run the gsutil utility to transfer all ORC files from the Cloud Storage bucket to any node of the Dataproc cluste
- D. Mount the Hive tables locally.
- E. Run the gsutil utility to transfer all ORC files from the Cloud Storage bucket to the master node of the Dataproc cluste
- F. Then run the Hadoop utility to copy them do HDF
- G. Mount the Hive tables from HDFS.
- H. Leverage Cloud Storage connector for Hadoop to mount the ORC files as external Hive table
- I. Replicate external Hive tables to the native ones.
- J. Load the ORC files into BigQuer
- K. Leverage BigQuery connector for Hadoop to mount the BigQuery tables as external Hive table
- L. Replicate external Hive tables to the native ones.

**Answer:** BC

#### NEW QUESTION 155

- (Exam Topic 6)

You work for a global shipping company. You want to train a model on 40 TB of data to predict which ships in each geographic region are likely to cause delivery delays on any given day. The model will be based on multiple attributes collected from multiple sources. Telemetry data, including location in GeoJSON format, will be pulled from each ship and loaded every hour. You want to have a dashboard that shows how many and which ships are likely to cause delays within a region.

You want to use a storage solution that has native functionality for prediction and geospatial processing. Which storage solution should you use?

- A. BigQuery
- B. Cloud Bigtable
- C. Cloud Datastore
- D. Cloud SQL for PostgreSQL

**Answer:** A

#### NEW QUESTION 156

- (Exam Topic 6)

You are designing storage for very large text files for a data pipeline on Google Cloud. You want to support ANSI SQL queries. You also want to support compression and parallel load from the input locations using Google recommended practices. What should you do?

- A. Transform text files to compressed Avro using Cloud Dataflo
- B. Use BigQuery for storage and query.
- C. Transform text files to compressed Avro using Cloud Dataflo
- D. Use Cloud Storage and BigQuery permanent linked tables for query.
- E. Compress text files to gzip using the Grid Computing Tool
- F. Use BigQuery for storage and query.
- G. Compress text files to gzip using the Grid Computing Tool
- H. Use Cloud Storage, and then import into Cloud Bigtable for query.

**Answer:** D

#### NEW QUESTION 161

- (Exam Topic 6)

You are integrating one of your internal IT applications and Google BigQuery, so users can query BigQuery from the application's interface. You do not want individual users to authenticate to BigQuery and you do not want to give them access to the dataset. You need to securely access BigQuery from your IT application.

What should you do?

- A. Create groups for your users and give those groups access to the dataset
- B. Integrate with a single sign-on (SSO) platform, and pass each user's credentials along with the query request
- C. Create a service account and grant dataset access to that account
- D. Use the service account's private key to access the dataset
- E. Create a dummy user and grant dataset access to that user
- F. Store the username and password for that user in a file on the files system, and use those credentials to access the BigQuery dataset

**Answer:** C

#### NEW QUESTION 163

- (Exam Topic 6)

Your company has a hybrid cloud initiative. You have a complex data pipeline that moves data between cloud provider services and leverages services from each of the cloud providers. Which cloud-native service should you use to orchestrate the entire pipeline?

- A. Cloud Dataflow
- B. Cloud Composer
- C. Cloud Dataprep
- D. Cloud Dataproc

**Answer:** D

#### NEW QUESTION 166

- (Exam Topic 6)

You work for a manufacturing company that sources up to 750 different components, each from a different supplier. You've collected a labeled dataset that has on average 1000 examples for each unique component. Your team wants to implement an app to help warehouse workers recognize incoming components based on a photo of the component. You want to implement the first working version of this app (as Proof-Of-Concept) within a few working days. What should you do?

- A. Use Cloud Vision AutoML with the existing dataset.
- B. Use Cloud Vision AutoML, but reduce your dataset twice.
- C. Use Cloud Vision API by providing custom labels as recognition hints.
- D. Train your own image recognition model leveraging transfer learning techniques.

**Answer:** A

#### NEW QUESTION 171

- (Exam Topic 6)

You've migrated a Hadoop job from an on-premises cluster to Dataproc and Good Storage. Your Spark job is a complex analytical workload that consists of many shuffling operations, and initial data are parquet files (on average 200-400 MB size each). You see some degradation in performance after the migration to Dataproc so you'd like to optimize for it. Your organization is very cost-sensitive so you'd like to continue using Dataproc on preemptibles (with 2 non-preemptible workers only) for this workload. What should you do?

- A. Switch from HDDs to SSDs override the preemptible VMs configuration to increase the boot disk size
- B. Increase the size of your parquet files to ensure them to be 1 GB minimum
- C. Switch to TFRecords format (approx 200 MB per file) instead of parquet files
- D. Switch from HDDs to SSD
- E. copy initial data from Cloud Storage to Hadoop Distributed File System (HDFS) run the Spark job and copy results back to Cloud Storage

**Answer:** A

**NEW QUESTION 176**

- (Exam Topic 6)

You want to archive data in Cloud Storage. Because some data is very sensitive, you want to use the “Trust No One” (TNO) approach to encrypt your data to prevent the cloud provider staff from decrypting your data. What should you do?

- A. Use gcloud kms keys create to create a symmetric ke
- B. Then use gcloud kms encrypt to encrypt each archival file with the key and unique additional authenticated data (AAD). Use gsutil cp to upload each encrypted file to the Cloud Storage bucket, and keep the AAD outside of Google Cloud.
- C. Use gcloud kms keys create to create a symmetric ke
- D. Then use gcloud kms encrypt to encrypt each archival file with the ke
- E. Use gsutil cp to upload each encrypted file to the Cloud Storage bucke
- F. Manually destroy the key previously used for encryption, and rotate the key once and rotate the key once.
- G. Specify customer-supplied encryption key (CSEK) in the .boto configuration fil
- H. Use gsutil cp to upload each archival file to the Cloud Storage bucke
- I. Save the CSEK in Cloud Memorystore as permanent storage of the secret.
- J. Specify customer-supplied encryption key (CSEK) in the .boto configuration fil
- K. Use gsutil cp to upload each archival file to the Cloud Storage bucke
- L. Save the CSEK in a different project that only the security team can access.

**Answer:** B

**NEW QUESTION 178**

.....

## THANKS FOR TRYING THE DEMO OF OUR PRODUCT

Visit Our Site to Purchase the Full Set of Actual Professional-Data-Engineer Exam Questions With Answers.

We Also Provide Practice Exam Software That Simulates Real Exam Environment And Has Many Self-Assessment Features. Order the Professional-Data-Engineer Product From:

<https://www.2passeasy.com/dumps/Professional-Data-Engineer/>

## Money Back Guarantee

### Professional-Data-Engineer Practice Exam Features:

- \* Professional-Data-Engineer Questions and Answers Updated Frequently
- \* Professional-Data-Engineer Practice Questions Verified by Expert Senior Certified Staff
- \* Professional-Data-Engineer Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- \* Professional-Data-Engineer Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year