



Microsoft

Exam Questions AZ-305

Designing Microsoft Azure Infrastructure Solutions

NEW QUESTION 1

- (Exam Topic 1)

You need to ensure that users managing the production environment are registered for Azure MFA and must authenticate by using Azure MFA when they sign in to the Azure portal. The solution must meet the authentication and authorization requirements.

What should you do? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

To register the users for Azure MFA, use:

| |
|--|
| <input type="checkbox"/> Azure AD Identity Protection |
| <input type="checkbox"/> Security defaults in Azure AD |
| <input type="checkbox"/> Per-user MFA in the MFA management UI |

To enforce Azure MFA authentication, configure:

| |
|---|
| <input type="checkbox"/> Grant control in capolicy1 |
| <input type="checkbox"/> Session control in capolicy1 |
| <input type="checkbox"/> Sign-in risk policy in Azure AD Identity Protection for the Litware.com tenant |

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application Description automatically generated

Box 1: Azure AD Identity Protection

Azure AD Identity Protection helps you manage the roll-out of Azure AD Multi-Factor Authentication (MFA) registration by configuring a Conditional Access policy to require MFA registration no matter what modern authentication app you are signing in to.

Scenario: Users that manage the production environment by using the Azure portal must connect from a hybrid Azure AD-joined device and authenticate by using Azure Multi-Factor Authentication (MFA).

Box 2: Sign-in risk policy...

Scenario: The Litware.com tenant has a conditional access policy named capolicy1. Capolicy1 requires that when users manage the Azure subscription for a production environment by using the Azure portal, they must connect from a hybrid Azure AD-joined device.

Identity Protection policies we have two risk policies that we can enable in our directory.

- > Sign-in risk policy
- > User risk policy

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/identity-protection/howto-identity-protection-configure>- <https://docs.microsoft.com/en-us/azure/active-directory/identity-protection/howto-identity-protection-configure>

NEW QUESTION 2

- (Exam Topic 1)

You need to implement the Azure RBAC role assignments for the Network Contributor role. The solution must meet the authentication and authorization requirements.

What is the minimum number of assignments that you must use?

- A. 1
- B. 2
- C. 5
- D. 10
- E. 15

Answer: A

Explanation:

Scenario: The Network Contributor built-in RBAC role must be used to grant permissions to the network administrators for all the virtual networks in all the Azure subscriptions.

RBAC roles must be applied at the highest level possible.

NEW QUESTION 3

- (Exam Topic 1)

You plan to migrate App1 to Azure.

You need to estimate the compute costs for App1 in Azure. The solution must meet the security and compliance requirements.

What should you use to estimate the costs, and what should you implement to minimize the costs? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

To estimate the costs, use:

Azure Advisor
The Azure Cost Management Power BI app
The Azure Total Cost of Ownership (TCO) calculator

Implement:

Azure Reservations
Azure Hybrid Benefit
Azure Spot Virtual Machine pricing

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Text Description automatically generated

Box 1: The Azure Total Cost of Ownership (TCO) Calculator

The Total Cost of Ownership (TCO) Calculator estimates the cost savings you can realize by migrating your workloads to Azure.

Note: The TCO Calculator recommends a set of equivalent services in Azure that will support your applications. Our analysis will show each cost area with an estimate of your on-premises spend versus your spend in Azure. There are several cost categories that either decrease or go away completely when you move workloads to the cloud.

Box 2: Azure Hybrid Benefit

Azure Hybrid Benefit is a licensing benefit that helps you to significantly reduce the costs of running your workloads in the cloud. It works by letting you use your on-premises Software Assurance-enabled Windows Server and SQL Server licenses on Azure. And now, this benefit applies to RedHat and SUSE Linux subscriptions, too.

Scenario:

Litware identifies the following security and compliance requirements:

- Once App1 is migrated to Azure, you must ensure that new data can be written to the app, and the modification of new and existing data is prevented for a period of three years.
- On-premises users and services must be able to access the Azure Storage account that will host the data in App1.
- Access to the public endpoint of the Azure Storage account that will host the App1 data must be prevented.
- All Azure SQL databases in the production environment must have Transparent Data Encryption (TDE) enabled.
- App1 must not share physical hardware with other workloads. Reference:

<https://azure.microsoft.com/en-us/pricing/tco/> <https://azure.microsoft.com/en-us/pricing/hybrid-benefit/>

NEW QUESTION 4

- (Exam Topic 2)

What should you include in the identity management strategy to support the planned changes?

- A. Move all the domain controllers from corp.fabrikam.com to virtual networks in Azure.
B. Deploy domain controllers for corp.fabrikam.com to virtual networks in Azure.
C. Deploy a new Azure AD tenant for the authentication of new R&D projects.
D. Deploy domain controllers for the rd.fabrikam.com forest to virtual networks in Azure.

Answer: B

Explanation:

Directory synchronization between Azure Active Directory (Azure AD) and corp.fabrikam.com must not be affected by a link failure between Azure and the on-premises network. (This requires domain controllers in Azure)

Users on the on-premises network must be able to authenticate to corp.fabrikam.com if an Internet link fails. (This requires domain controllers on-premises)

NEW QUESTION 5

- (Exam Topic 2)

You are evaluating the components of the migration to Azure that require you to provision an Azure Storage account.

For each of the following statements, select Yes if the statement is true. Otherwise, select No. NOTE: Each correct selection is worth one point.

| Statements | Yes | No |
|--|-----------------------|-----------------------|
| You must provision an Azure Storage account for the SQL Server database migration. | <input type="radio"/> | <input type="radio"/> |
| You must provision an Azure Storage account for the Web site content storage. | <input type="radio"/> | <input type="radio"/> |
| You must provision an Azure Storage account for the Database metric monitoring. | <input type="radio"/> | <input type="radio"/> |

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

| Statements | Yes | No |
|--|----------------------------------|----------------------------------|
| You must provision an Azure Storage account for the SQL Server database migration. | <input checked="" type="radio"/> | <input type="radio"/> |
| You must provision an Azure Storage account for the Web site content storage. | <input type="radio"/> | <input checked="" type="radio"/> |
| You must provision an Azure Storage account for the Database metric monitoring. | <input checked="" type="radio"/> | <input type="radio"/> |

NEW QUESTION 6

- (Exam Topic 2)

To meet the authentication requirements of Fabrikam, what should you include in the solution? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Minimum number of Azure AD tenants:

| | |
|---|---|
| | ▼ |
| 0 | |
| 1 | |
| 2 | |
| 3 | |
| 4 | |

Minimum number of custom domains to add:

| | |
|---|---|
| | ▼ |
| 0 | |
| 1 | |
| 2 | |
| 3 | |
| 4 | |

Minimum number of conditional access policies to create:

| | |
|---|---|
| | ▼ |
| 0 | |
| 1 | |
| 2 | |
| 3 | |
| 4 | |

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Minimum number of Azure AD tenants:

| |
|---|
| 0 |
| 1 |
| 2 |
| 3 |
| 4 |

Minimum number of custom domains to add:

| |
|---|
| 0 |
| 1 |
| 2 |
| 3 |
| 4 |

Minimum number of conditional access policies to create:

| |
|---|
| 0 |
| 1 |
| 2 |
| 3 |
| 4 |

NEW QUESTION 7

- (Exam Topic 3)
What should you recommend to meet the monitoring requirements for App2?

- A. Microsoft Sentinel
- B. Azure Application Insights
- C. Container insights
- D. VM insights

Answer: B

NEW QUESTION 8

- (Exam Topic 3)
You need to recommend an App Service architecture that meets the requirements for Appl. The solution must minimize costs. What should few recommend?

- A. one App Service Environment (ASE) per availability zone
- B. one App Service plan per availability zone
- C. one App Service plan per region
- D. one App Service Environment (ASE) per region

Answer: D

NEW QUESTION 9

- (Exam Topic 3)
You are evaluating whether to use Azure Traffic Manager and Azure Application Gateway to meet the connection requirements for App1. What is the minimum numbers of instances required for each service? To answer, select the appropriate options in the answer area.
NOTE: Each correct selection is worth one point.

Answer Area

Azure Traffic Manager:

| |
|---|
| 1 |
| 2 |
| 3 |
| 6 |

Azure Application Gateway:

| |
|---|
| 1 |
| 2 |
| 3 |
| 6 |

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:
 Answer Area

Azure Traffic Manager:

| |
|---|
| 1 |
| 2 |
| 3 |
| 6 |

Azure Application Gateway:

| |
|---|
| 1 |
| 2 |
| 3 |
| 6 |

NEW QUESTION 10

- (Exam Topic 4)

A company is planning on deploying an application onto Azure. The application will be based on the .Net core programming language. The application would be hosted using Azure Web apps. Below is part of the various requirements for the application

Give the ability to correlate Azure resource usage and the performance data with the actual application configuration and performance data

Give the ability to visualize the relationships between application components

Give the ability to track requests and exceptions to specific lines of code from within the application Give the ability to actually analyse how uses return to an application and see how often they only select a particular drop-down value

Which of the following service would be best suited for fulfilling the requirement of

“Give the ability to correlate Azure resource usage and the performance data with the actual application configuration and performance data”

- A. Azure Application Insights
- B. Azure Service Map
- C. Azure Log Analytics
- D. Azure Activity Log

Answer: C

NEW QUESTION 10

- (Exam Topic 4)

A company has an on-premises file server cbflserver that runs Windows Server 2019. Windows Admin Center manages this server. The company owns an Azure subscription. You need to provide an Azure solution to prevent data loss if the file server fails.

Solution: You decide to create an Azure Recovery Services vault. You then decide to install the Azure Backup agent and then schedule the backup. Would this meet the requirement?

- A. Yes
- B. No

Answer: A

NEW QUESTION 12

- (Exam Topic 5)

You plan to migrate on-premises Microsoft SQL Server databases to Azure.

You need to recommend a deployment and resiliency solution that meets the following requirements:

- Supports user-initiated backups
- Supports multiple automatically replicated instances across Azure regions
- Minimizes administrative effort to implement and maintain business continuity

What should you recommendation? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Deployment solution:

| |
|---------------------------------------|
| Azure SQL Managed Instance |
| SQL Server on Azure Virtual Machines |
| An Azure SQL Database single database |

Resiliency solution:

| |
|---------------------------|
| Auto-failover group |
| Active geo-replication |
| Zone-redundant deployment |

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application, chat or text message Description automatically generated

Box 1: An Azure SQL Database single database.

SQL Server Managed instance versus SQL Server Virtual Machines Active geo-replication is not supported by Azure SQL Managed Instance. Box 2: Active geo-replication

Active geo-replication is a feature that lets you to create a continuously synchronized readable secondary database for a primary database. The readable secondary database may be in the same Azure region as the primary, or, more commonly, in a different region. This kind of readable secondary databases are also known as geo-secondaries, or geo-replicas.

Reference:

<https://docs.microsoft.com/en-us/azure/azure-sql/database/active-geo-replication-overview>

NEW QUESTION 14

- (Exam Topic 5)

You plan to use Azure SQL as a database platform.

You need to recommend an Azure SQL product and service tier that meets the following requirements:

- Automatically scales compute resources based on the workload demand
- Provides per second billing

What should you recommend? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Answer Area

Azure SQL product:

An Azure SQL Database elastic pool

A single Azure SQL database

An Azure SQL Database elastic pool

Azure SQL Managed Instance

Service tier:

Business Critical

Basic

Business Critical

General Purpose

Hyperscale

Standard

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

A screenshot of a computer Description automatically generated

"Serverless is a compute tier for single databases in Azure SQL Database that automatically scales compute based on workload demand and bills for the amount of compute used per second. The serverless compute tier is available in the General Purpose service tier and currently in preview in the Hyperscale service tier."

<https://learn.microsoft.com/en-us/azure/azure-sql/database/serverless-tier-overview>

NEW QUESTION 18

- (Exam Topic 5)

Your company deploys several Linux and Windows virtual machines (VMs) to Azure. The VMs are deployed with the Microsoft Dependency Agent and the Microsoft Monitoring Agent installed by using Azure VM extensions. On-premises connectivity has been enabled by using Azure ExpressRoute.

You need to design a solution to monitor the VMs.

Which Azure monitoring services should you use? To answer, select the appropriate Azure monitoring services in the answer area.

NOTE: Each correct selection is worth one point.

| Scenario | Azure Monitoring Service |
|--|---|
| Analyze Network Security Group (NSG) flow logs for VMs attempting internet access. | <div><div></div><div><div>Azure Network Watcher</div><div>Azure ExpressRoute Monitor</div><div>Azure Service Endpoint Monitor</div><div>Azure DNS Analytics</div></div></div> |
| Visualize the VMs with their different processes and dependencies on other computers and external processes. | <div><div></div><div><div>Azure Service Map</div><div>Azure Activity Log</div><div>Azure Service Health</div><div>Azure Advisor</div></div></div> |

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application, email Description automatically generated

Box 1: Azure Network Watcher

Traffic Analytics is a cloud-based solution that provides visibility into user and application activity in cloud networks. Traffic analytics analyzes Network Watcher network security group (NSG) flow logs to provide insights into traffic flow in your Azure cloud. With traffic analytics, you can:

- Identify security threats to, and secure your network, with information such as open-ports, applications attempting internet access, and virtual machines (VM) connecting to rogue networks.
- Visualize network activity across your Azure subscriptions and identify hot spots.
- Understand traffic flow patterns across Azure regions and the internet to optimize your network deployment for performance and capacity.
- Pinpoint network misconfigurations leading to failed connections in your network.

Box 2: Azure Service Map

Service Map automatically discovers application components on Windows and Linux systems and maps the communication between services. With Service Map, you can view your servers in the way that you think of them: as interconnected systems that deliver critical services. Service Map shows connections between servers, processes, inbound and outbound connection latency, and ports across any TCP-connected architecture, with no configuration required other than the installation of an agent.

Reference:

<https://docs.microsoft.com/en-us/azure/network-watcher/traffic-analytics> <https://docs.microsoft.com/en-us/azure/azure-monitor/insights/service-map>

NEW QUESTION 20

- (Exam Topic 5)

You plan provision a High Performance Computing (HPC) cluster in Azure that will use a third-party scheduler.

You need to recommend a solution to provision and manage the HPC cluster node. What should you include in the recommendation?

- A. Azure Lighthouse
- B. Azure CycleCloud
- C. Azure Purview
- D. Azure Automation

Answer: B

Explanation:

You can dynamically provision Azure HPC clusters with Azure CycleCloud. Azure CycleCloud is the simplest way to manage HPC workloads.

Note: Azure CycleCloud is an enterprise-friendly tool for orchestrating and managing High Performance Computing (HPC) environments on Azure. With CycleCloud, users can provision infrastructure for HPC systems, deploy familiar HPC schedulers, and automatically scale the infrastructure to run jobs efficiently at any scale. Through CycleCloud, users can create different types of file systems and mount them to the compute cluster nodes to support HPC workloads.

Reference:

<https://docs.microsoft.com/en-us/azure/cyclecloud/overview>

NEW QUESTION 21

- (Exam Topic 5)


You are designing an app that will be hosted on Azure virtual machines that run Ubuntu. The app will use a third-party email service to send email messages to users. The third-party email service requires that the app authenticate by using an API key.

You need to recommend an Azure Key Vault solution for storing and accessing the API key. The solution must minimize administrative effort.

What should you recommend using to store and access the key? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area



The screenshot shows two dropdown menus in the Azure Key Vault configuration interface. The first dropdown, labeled 'Storage', has 'Secret' selected. The second dropdown, labeled 'Access', has 'A managed service identity (MSI)' selected. The 'Access' dropdown is currently open, showing four options: 'A managed service identity (MSI)', 'An API token', 'A managed service identity (MSI)', and 'A service principal'.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Storage:

Secret

Certificate

Key

Secret

Access:

A managed service identity (MSI)

An API token

A managed service identity (MSI)

A service principal

NEW QUESTION 25

- (Exam Topic 5)

You need to deploy resources to host a stateless web app in an Azure subscription. The solution must meet the following requirements:

- Provide access to the full .NET framework.
- Provide redundancy if an Azure region fails.
- Grant administrators access to the operating system to install custom application dependencies.

Solution: You deploy an Azure virtual machine to two Azure regions, and you deploy an Azure Application Gateway.

Does this meet the goal?

- A. Yes
B. No

Answer: B

Explanation:

You need to deploy two Azure virtual machines to two Azure regions, but also create a Traffic Manager profile.

NEW QUESTION 30

- (Exam Topic 5)

You have an Azure subscription that contains 300 Azure virtual machines that run Windows Server 2016. You need to centrally monitor all warning events in the System logs of the virtual machines.

What should you include in the solutions? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Resource to create in Azure:

An event hub

A Log Analytics workspace

A search service

A storage account

Configuration to perform on the virtual machines:

Create event subscriptions

Configure Continuous delivery

Install the Microsoft Monitoring Agent

Modify the membership of the Event Log Readers Groups

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application, email Description automatically generated

References:

<https://docs.microsoft.com/en-us/azure/azure-monitor/platform/data-sources-windows-events> <https://docs.microsoft.com/en-us/azure/azure-monitor/platform/agent-windows>

NEW QUESTION 35

- (Exam Topic 5)

You plan to deploy multiple instances of an Azure web app across several Azure regions.

You need to design an access solution for the app. The solution must meet the following replication requirements:

- Support rate limiting.
 - Balance requests between all instances.
 - Ensure that users can access the app in the event of a regional outage.
- Solution: You use Azure Front Door to provide access to the app. Does this meet the goal?

- A. Yes
B. No

Answer: A

NEW QUESTION 39

- (Exam Topic 5)

You have a .NET web service named Service1 that performs the following tasks:

- Reads and writes temporary files to the local file system.
- Writes to the Application event log.

You need to recommend a solution to host Service1 in Azure. The solution must meet the following requirements:

- Minimize maintenance overhead.
- Minimize costs.

What should you include in the recommendation?

- A. an Azure Functions app
- B. an App Service Environment (ASE)
- C. an Azure virtual machine scale set
- D. an Azure App Service web app

Answer: C

NEW QUESTION 42

- (Exam Topic 5)

You plan to import data from your on-premises environment to Azure. The data is shown in the following table.

| On-premises source | Azure target |
|---|--|
| A Microsoft SQL Server 2012 database | An Azure SQL database |
| A table in a Microsoft SQL Server 2014 database | An Azure Cosmos DB account that uses the SQL API |

What should you recommend using to migrate the data? To answer, drag the appropriate tools to the correct data sources-Each tool may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Tools

AzCopy

Azure Cosmos DB Data Migration Tool

Data Management Gateway

Data Migration Assistant

Answer Area

From the SQL Server 2012 database:

Tool

From the table in the SQL Server 2014 database:

Tool

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

References:

<https://docs.microsoft.com/en-us/azure/dms/tutorial-sql-server-to-azure-sql> <https://docs.microsoft.com/en-us/azure/cosmos-db/import-data>

NEW QUESTION 45

- (Exam Topic 5)

You have an Azure subscription that contains a Basic Azure virtual WAN named VirtualWAN1 and the virtual hubs shown in the following table.

| Name | Azure region |
|------|--------------|
| Hub1 | US East |
| Hub2 | US West |

You have an ExpressRoute circuit in the US East region.

You need to create an ExpressRoute association to VirtualWAN1. What should you do first?

- A. Upgrade VirtualWAN1 to Standard.
- B. Create a gateway on Hub1.
- C. Create a hub virtual network in US East.
- D. Enable the ExpressRoute premium add-on.

Answer: A

Explanation:

US East and US West are in the same geopolitical region so there is no need for enabling ExpressRoute premium add-on <https://docs.microsoft.com/en-us/azure/virtual-wan/virtual-wan-about#basicstandard>

The current config of virtual WAN is only Basic as given, so it can connect to only site to site VPN, to connect to express route it needs to be upgraded from basic to standard.

<https://docs.microsoft.com/en-us/azure/virtual-wan/virtual-wan-about>

<https://docs.microsoft.com/en-us/azure/virtual-wan/virtual-wan-about>

NEW QUESTION 46

- (Exam Topic 5)

You are designing a microservices architecture that will be hosted in an Azure Kubernetes Service (AKS) cluster. Apps that will consume the microservices will be hosted on Azure virtual machines. The virtual machines and the AKS cluster will reside on the same virtual network.

You need to design a solution to expose the microservices to the consumer apps. The solution must meet the following requirements:

- Ingress access to the microservices must be restricted to a single private IP address and protected by using mutual TLS authentication.
- The number of incoming microservice calls must be rate-limited.
- Costs must be minimized.

What should you include in the solution?

- A. Azure API Management Premium tier with virtual network connection
- B. Azure Front Door with Azure Web Application Firewall (WAF)
- C. Azure API Management Standard tier with a service endpoint
- D. Azure App Gateway with Azure Web Application Firewall (WAF)

Answer: A

Explanation:

One option is to deploy APIM (API Management) inside the cluster VNet.

The AKS cluster and the applications that consume the microservices might reside within the same VNet, hence there is no reason to expose the cluster publicly as all API traffic will remain within the VNet. For these scenarios, you can deploy API Management into the cluster VNet. API Management Premium tier supports VNet deployment.

Reference:

<https://docs.microsoft.com/en-us/azure/api-management/api-management-kubernetes>

NEW QUESTION 50

- (Exam Topic 5)

You are designing a storage solution that will ingest, store, and analyze petabytes (PBs) of structured, semi-structured and unstructured text data. The analyzed data will be offloaded to Azure Data Lake Storage Gen2 for long-term retention.

You need to recommend a storage and analytics solution that meets the following requirements:

- Stores the processed data
- Provides interactive analytics
- Supports manual scaling, built-in autoscaling, and custom autoscaling

What should you include in the recommendation? To answer, select the appropriate options in the answer area. NOTE Each correct selection is worth one point.

Answer Area

For storage and interactive analytics:

Query language:

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

For storage and interactive analytics:

Query language:

NEW QUESTION 55

- (Exam Topic 5)

You have an Azure AD tenant that contains a management group named MG1. You have the Azure subscriptions shown in the following table.

| Name | Management group |
|------|-------------------|
| Sub1 | MG1 |
| Sub2 | MG1 |
| Sub3 | Tenant Root Group |

The subscriptions contain the resource groups shown in the following table.

| Name | Subscription |
|------|--------------|
| RG1 | Sub1 |
| RG2 | Sub2 |
| RG3 | Sub3 |

The subscription contains the Azure AD security groups shown in the following table.

| Name | Member of |
|--------|-----------|
| Group1 | Group3 |
| Group2 | Group3 |
| Group3 | None |

The subscription contains the user accounts shown in the following table.

| Name | Member of |
|-------|----------------|
| User1 | Group1 |
| User2 | Group2 |
| User3 | Group1, Group2 |

You perform the following actions:

- Assign User3 the Contributor role for Sub1.
- Assign Group1 the Virtual Machine Contributor role for MG1.
- Assign Group3 the Contributor role for the Tenant Root Group.

For each of the following statements, select Yes if the statement is true. Otherwise, select No. NOTE: Each correct selection is worth one point.

Answer Area

| Statements | Yes | No |
|--|-----------------------|-----------------------|
| User1 can create a new virtual machine in RG1. | <input type="radio"/> | <input type="radio"/> |
| User2 can grant permissions to Group2. | <input type="radio"/> | <input type="radio"/> |
| User3 can create a storage account in RG2. | <input type="radio"/> | <input type="radio"/> |

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

| Statements | Yes | No |
|--|----------------------------------|----------------------------------|
| User1 can create a new virtual machine in RG1. | <input type="radio"/> | <input checked="" type="radio"/> |
| User2 can grant permissions to Group2. | <input checked="" type="radio"/> | <input type="radio"/> |
| User3 can create a storage account in RG2. | <input checked="" type="radio"/> | <input type="radio"/> |

NEW QUESTION 59

- (Exam Topic 5)

A company plans to implement an HTTP-based API to support a web app. The web app allows customers to check the status of their orders.

The API must meet the following requirements:

- > Implement Azure Functions
- > Provide public read-only operations
- > Do not allow write operations

You need to recommend configuration options.

What should you recommend? To answer, configure the appropriate options in the dialog box in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

| Topic | Value |
|--------------------------------|---|
| Allowed authentication methods | <div><div></div><div>All methods GET only GET and POST only GET, POST, and OPTIONS only</div></div> |
| Authorization level | <div><div></div><div>Function Anonymous Admin</div></div> |

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, table Description automatically generated

Allowed authentication methods: GET only Authorization level: Anonymous

The option is Allow Anonymous requests. This option turns on authentication and authorization in App Service, but defers authorization decisions to your application code. For authenticated requests, App Service also passes along authentication information in the HTTP headers.

This option provides more flexibility in handling anonymous requests. References:

<https://docs.microsoft.com/en-us/azure/app-service/overview-authentication-authorization>

NEW QUESTION 62

- (Exam Topic 5)

You have an Azure subscription that contains a virtual network named VNET1 and 10 virtual machines. The virtual machines are connected to VNET1.

You need to design a solution to manage the virtual machines from the internet. The solution must meet the following requirements:

- Incoming connections to the virtual machines must be authenticated by using Azure Multi-Factor Authentication (MFA) before network connectivity is allowed.
- Incoming connections must use TLS and connect to TCP port 443.
- The solution must support RDP and SSH.

What should you Include In the solution? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Answer Area

To provide access to virtual machines on VNET1, use:

Azure Bastion
Just-in-time (JIT) VM access
Azure Web Application Firewall (WAF) in Azure Front Door

To enforce Azure MFA, use:

An Azure Identity Governance access package
A Conditional Access policy that has the Cloud apps assignment set to Azure Windows VM Sign-In
A Conditional Access policy that has the Cloud apps assignment set to Microsoft Azure Management

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

To provide access to virtual machines on VNET1, use:

Azure Bastion
Just-in-time (JIT) VM access
Azure Web Application Firewall (WAF) in Azure Front Door

To enforce Azure MFA, use:

An Azure Identity Governance access package
A Conditional Access policy that has the Cloud apps assignment set to Azure Windows VM Sign-In
A Conditional Access policy that has the Cloud apps assignment set to Microsoft Azure Management

NEW QUESTION 65

- (Exam Topic 5)

You have an Azure subscription. The subscription contains a tiered app named App1 that is distributed across multiple containers hosted in Azure Container Instances.

You need to deploy an Azure Monitor monitoring solution for App1. The solution must meet the following requirements:

- Support using synthetic transaction monitoring to monitor traffic between the App1 components.
- Minimize development effort.

What should you include in the solution?

- A. Network Insights
- B. Application Insights
- C. Container insights
- D. Log Analytics Workspace Insights

Answer: B

NEW QUESTION 69

- (Exam Topic 5)

You have an on-premises line-of-business (LOB) application that uses a Microsoft SQL Server instance as the backend.

You plan to migrate the on-premises SQL Server instance to Azure virtual machines.

You need to recommend a highly available SQL Server deployment that meets the following requirements:

- Minimizes costs
 - Minimizes failover time if a single server fails
- What should you include in the recommendation?

- A. an Always On availability group that has premium storage disks and a distributed network name (DNN)
- B. an Always On Failover Cluster Instance that has a virtual network name (VNN) and a premium file share
- C. an Always On Failover Cluster Instance that has a virtual network name (VNN) and a standard file share
- D. an Always On availability group that has premium storage disks and a virtual network name (VNN)

Answer: A

NEW QUESTION 73

- (Exam Topic 5)

You are designing an app that will include two components. The components will communicate by sending messages via a queue. You need to recommend a solution to process the messages by using a First in, First out (FIFO) pattern. What should you include in the recommendation?

- A. storage queues with a custom metadata setting
- B. Azure Service Bus queues with sessions enabled
- C. Azure Service Bus queues with partitioning enabled
- D. storage queues with a stored access policy

Answer: B

NEW QUESTION 75

- (Exam Topic 5)

You plan to create an Azure environment that will contain a root management group and 10 child management groups. Each child management group will contain five Azure subscriptions. You plan to have between 10 and 30 resource groups in each subscription.

You need to design an Azure governance solution. The solution must meet the following requirements:

- Use Azure Blueprints to control governance across all the subscriptions and resource groups.
- Ensure that Blueprints-based configurations are consistent across all the subscriptions and resource groups.
- Minimize the number of blueprint definitions and assignments.

What should you include in the solution? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Level at which to define the blueprints:

☒ The child management groups

☒ The root management group

☒ The subscriptions

Level at which to create the blueprint assignments:

☒ The child management groups

☒ The root management group

☒ The subscriptions

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

- * 1. Root management group
- * 2. The subscriptions

Reference: <https://docs.microsoft.com/en-us/azure/governance/blueprints/create-blueprint-portal> Assign a blueprint After a blueprint has been published, it can be assigned to a subscription. Assign the blueprint that you created to one of the subscriptions under your management group hierarchy. If the blueprint is saved to a subscription, it can only be assigned to that subscription.

NEW QUESTION 80

- (Exam Topic 5)

Your company currently has an application that is hosted on their on-premises environment. The application currently connects to two databases in the on-premises environment. The databases are named whizlabdb1 and whizlabdb2.

You have to move the databases onto Azure. The databases have to support server-side transactions across both of the databases.

Solution: You decide to deploy the databases to an Azure SQL database-managed instance. Would this fulfill the requirement?

- A. Yes
- B. No

Answer: A

NEW QUESTION 81

- (Exam Topic 5)

You are designing a message application that will run on an on-premises Ubuntu virtual machine. The application will use Azure Storage queues.

You need to recommend a processing solution for the application to interact with the storage queues. The solution must meet the following requirements:

- Create and delete queues daily.
- Be scheduled by using a CRON job.
- Upload messages every five minutes.

What should developers use to interact with the queues?

- A. Azure CLI
- B. AzCopy
- C. Azure Data Factory
- D. .NET Core

Answer: D

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/storage/queues/storage-tutorial-queues>

NEW QUESTION 86

- (Exam Topic 5)

You have an Azure subscription. The subscription contains an app that is hosted in the East US, Central Europe, and East Asia regions.

You need to recommend a data-tier solution for the app. The solution must meet the following requirements: ➤ Support multiple consistency levels.

- Be able to store at least 1 TB of data.
- Be able to perform read and write operations in the Azure region that is local to the app instance. What should you include in the recommendation?

- A. an Azure Cosmos DB database
- B. a Microsoft SQL Server Always On availability group on Azure virtual machines
- C. an Azure SQL database in an elastic pool
- D. Azure Table storage that uses geo-redundant storage (GRS) replication

Answer: A

Explanation:

Azure Cosmos DB approaches data consistency as a spectrum of choices. This approach includes more options than the two extremes of strong and eventual consistency. You can choose from five well-defined levels on the consistency spectrum.

With Cosmos DB any write into any region must be replicated and committed to all configured regions within the account.

Reference:

<https://docs.microsoft.com/en-us/azure/cosmos-db/consistency-levels-tradeoffs>

NEW QUESTION 91

- (Exam Topic 5)

You have an Azure subscription.

You need to recommend a solution to provide developers with the ability to provision Azure virtual machines. The solution must meet the following requirements:

- Only allow the creation of the virtual machines in specific regions.
- Only allow the creation of specific sizes of virtual machines. What should you include in the recommendation?

- A. Conditional Access policies
- B. role-based access control (RBAC)
- C. Azure Resource Manager (ARM) templates
- D. Azure Policy

Answer: B

Explanation:

<https://docs.microsoft.com/en-us/azure/governance/policy/tutorials/create-and-manage> <https://docs.microsoft.com/en-us/azure/cloud-adoption-framework/manage/azure-server-management/common>

NEW QUESTION 95

- (Exam Topic 5)

You have an Azure subscription that contains the storage accounts shown in the following table.

| Name | Type | Performance |
|----------|-------------|-------------|
| storage1 | StorageV2 | Standard |
| storage2 | SrorageV2 | Premium |
| storage3 | BlobStorage | Standard |
| storage4 | FileStorage | Premium |

You plan to implement two new apps that have the requirements shown in the following table.

| Name | Requirement |
|------|--|
| App1 | Use lifecycle management to migrate app data between storage tiers |
| App2 | Store app data in an Azure file share |

Which storage accounts should you recommend using for each app? To answer, select the appropriate options in the answer area.
 NOTE: Each correct selection is worth one point.

App1:

Storage1 and storage2 only

Storage1 and storage3 only

Storage1, storage2, and storage3 only

Storage1, storage2, storage3, and storage4

App2:

Storage4 only

Storage1 and storage4 only

Storage1, storage2, and storage4 only

Storage1, storage2, storage3, and storage4

- A. Mastered
 B. Not Mastered

Answer: A

Explanation:

<https://docs.microsoft.com/en-us/azure/storage/common/storage-account-overview> <https://www.edureka.co/community/40011/different-storage-accounts-there-major-difference-between> <https://insidemstech.com/tag/general-purpose-v2/>
 In conclusion the correct answers are: Box1 --> Storage1 and Storage3 only Box2 --> Storage1 and Storage4 only
<https://docs.microsoft.com/en-us/azure/storage/files/storage-how-to-create-file-share?tabs=azure-portal#basics>

NEW QUESTION 100

- (Exam Topic 5)

Your company has 20 web APIs that were developed in-house.

The company is developing 10 web apps that will use the web APIs. The web apps and the APIs are registered in the company s Azure AD tenant. The web APIs are published by using Azure API Management.

You need to recommend a solution to block unauthorized requests originating from the web apps from reaching the web APIs. The solution must meet the following requirements:

- Use Azure AD-generated claims.
- Minimize configuration and management effort

What should you include in the recommendation? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

NOTE: Each correct selection is worth one point.

Answer Area

Grant permissions to allow the web apps to access the web APIs by using:

Azure AD

Azure AD

Azure API Management

The web APIs

Configure a JSON Web Token (JWT) validation policy by using:

Azure API Management

Azure AD

Azure API Management

The web APIs

- A. Mastered
 B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text Description automatically generated with medium confidence

NEW QUESTION 102

- (Exam Topic 5)

Your company identifies the following business continuity and disaster recovery objectives for virtual machines that host sales, finance, and reporting application in the company's on-premises data center.

- The finance application requires that data be retained for seven years. In the event of a disaster, the application must be able to run from Azure. The recovery in objective (RTO) is 10 minutes,
- The reporting application must be able to recover point in-time data at a daily granularity. The RTO is eight hours.
- The sales application must be able to fail over to second on-premises data center.

You need to recommend which Azure services meet the business community and disaster recovery objectives. The solution must minimize costs.

What should you recommend for each application? To answer, drag the appropriate services to the correct application. Each service may be used once. More than once not at an You may need to drag the spin bar between panes or scroll to view content.

Actions

Azure Backup only

Azure Site Recovery only

Azure Site Recovery and Azure Backup

Answer Area

⬅

➡

Sales:

Service or Services

Finance:

Service or Services

Reporting:

Service or Services

- A. Mastered
 B. Not Mastered

Answer: A

Explanation:

- 1) Sales: Azure Site Recovery only
- 2) Finance: Azure Site Recovery and Azure Backup
- 3) Reporting: Azure Backup only

NEW QUESTION 106

- (Exam Topic 5)

You have an Azure subscription.

You need to deploy an Azure Kubernetes Service (AKS) solution that will use Windows Server 2019 nodes. The solution must meet the following requirements:

- Minimize the time it takes to provision compute resources during scale-out operations.
- Support autoscaling of Windows Server containers. Which scaling option should you recommend?

- A. horizontal pod autoscaler
 B. Kubernetes version 1.20.2 or newer
 C. cluster autoscaler
 D. Virtual nodes
 E. with Virtual Kubelet ACI

Answer: C

Explanation:

<https://docs.microsoft.com/en-us/azure/aks/cluster-autoscaler#about-the-cluster-autoscaler>

NEW QUESTION 108

- (Exam Topic 5)

You are planning an Azure solution that will host production databases for a high-performance application. The solution will include the following components:

- Two virtual machines that will run Microsoft SQL Server 2016, will be deployed to different data centers in the same Azure region, and will be part of an Always On availability group.
- SQL Server data that will be backed up by using the Automated Backup feature of the SQL Server IaaS Agent Extension (SQLIaaSExtension)

You identify the storage priorities for various data types as shown in the following table.

| Data type | Storage priority |
|--------------------|------------------------|
| Operating system | Speed and availability |
| Databases and logs | Speed and availability |
| Backups | Lowest cost |

Which storage type should you recommend for each data type? To answer, drag the appropriate storage types to the correct data types. Each storage type may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Storage Types

Answer Area

A geo-redundant storage (GRS) account

A locally-redundant storage (LRS) account

A premium managed disk

A standard managed disk

Operating system:

Databases and logs:

Backups:

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:


Graphical user interface, text, application, email Description automatically generated

NEW QUESTION 112

- (Exam Topic 5)

You deploy several Azure SQL Database instances.

You plan to configure the Diagnostics settings on the databases as shown in the following exhibit.



Diagnostics settings

Save Discard Delete

Diagnostics

☒ Archive to a storage account

Storage account: **csa14d260928e42x4ea7xb77**

☐ Stream to an event hub

☒ Send to Log Analytics

Log Analytics: **fabrikamproductionworkspace**

LOG

| Setting | Retention (days) |
|--|------------------|
| <input checked="" type="checkbox"/> SQLInsights | 90 |
| <input checked="" type="checkbox"/> AutomaticTuning | 30 |
| <input type="checkbox"/> QueryStoreRuntimeStatistics | 0 |
| <input type="checkbox"/> QueryStoreWaitStatistics | 0 |

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.

NOTE: Each correct selection is worth one point.

The amount of time that SQLInsights data will be stored in blob storage is [answer choice].

| | |
|------------|---|
| | ▼ |
| 30 days | |
| 90 days | |
| 730 days | |
| indefinite | |

The maximum amount of time that SQLInsights data can be stored in Azure Log Analytics is [answer choice].

| | |
|------------|---|
| | ▼ |
| 30 days | |
| 90 days | |
| 730 days | |
| indefinite | |

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application Description automatically generated
In the exhibit, the SQLInsights data is configured to be stored in Azure Log Analytics for 90 days. However, the question is asking for the “maximum” amount of time that the data can be stored which is 730 days.

NEW QUESTION 115

- (Exam Topic 5)
You plan to deploy an Azure web app named App1 that will use Azure Active Directory (Azure AD) authentication. App1 will be accessed from the internet by the users at your company. All the users have computers that run Windows 10 and are joined to Azure AD. You need to recommend a solution to ensure that the users can connect to App1 without being prompted for authentication and can access App1 only from company-owned computers. What should you recommend for each requirement? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.


| | |
|--|--|
| The users can connect to App1 without being prompted for authentication: | <div>An Azure AD app registration An Azure AD managed identity Azure AD Application Proxy</div> |
| The users can access App1 only from company-owned computers: | <div>A conditional access policy An Azure AD administrative unit Azure Application Gateway Azure Blueprints Azure Policy</div> |

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application, chat or text message Description automatically generated
Box 1: An Azure AD app registration
Azure active directory (AD) provides cloud based directory and identity management services.You can use azure AD to manage users of your application and authenticate access to your applications using azure active directory.
You register your application with Azure active directory tenant. Box 2: A conditional access policy
Conditional Access policies at their simplest are if-then statements, if a user wants to access a resource, then they must complete an action.
By using Conditional Access policies, you can apply the right access controls when needed to keep your organization secure and stay out of your user's way when not needed.
Timeline Description automatically generated



Reference:
<https://codingcanvas.com/using-azure-active-directory-authentication-in-your-web-application/> <https://docs.microsoft.com/en-us/azure/active-directory/conditional-access/overview> <https://docs.microsoft.com/en-us/powerapps/developer/data-platform/walkthrough-register-app-azure-active-dire> "After consenting to use their Dataverse account with the ISV's application, end users can connect to Dataverse environment from external application. The consent form is not displayed again to other users after the first user who has already consented to use the ISV's app. Apps registered in Azure Active Directory are multi-tenant, which implies that other Dataverse users from other tenant can connect to their environment using the ISV's app."

NEW QUESTION 120

- (Exam Topic 5)
 You plan to automate the deployment of resources to Azure subscriptions.
 What is a difference between using Azure Blueprints and Azure Resource Manager templates?

- A. Azure Resource Manager templates remain connected to the deployed resources.
- B. Only Azure Resource Manager templates can contain policy definitions.
- C. Azure Blueprints remain connected to the deployed resources.
- D. Only Azure Blueprints can contain policy definitions.

Answer: C

Explanation:
 With Azure Blueprints, the relationship between the blueprint definition (what should be deployed) and the blueprint assignment (what was deployed) is preserved. This connection supports improved tracking and auditing of deployments. Azure Blueprints can also upgrade several subscriptions at once that are governed by the same blueprint.
 Reference:
<https://docs.microsoft.com/en-us/answers/questions/26851/how-is-azure-blue-prints-different-from-resource-m.h>

NEW QUESTION 121

- (Exam Topic 5)
 You have an Azure subscription that contains the resources shown in the following table.

| Name | Type | Kind | Location |
|------------|-------------------------------|----------------|----------|
| storage1 | Azure Storage account | Storage | East US |
| storage2 | Azure Storage account | StorageV2 | East US |
| Workspace1 | Azure Log Analytics workspace | Not applicable | East US |
| Workspace2 | Azure Log Analytics workspace | Not applicable | East US |
| Hub1 | Azure event hub | Not applicable | East US |

You create an Azure SQL database named DB1 that is hosted in the East US region.
 To DB1, you add a diagnostic setting named Settings1. Settings1 archives SQLInsights to storage1 and sends SQLInsights to Workspace1.
 For each of the following statements, select Yes if the statement is true. Otherwise, select No. NOTE: Each correct selections is worth one point.

| Statements | Yes | No |
|--|-----------------------|-----------------------|
| You can add a new diagnostic setting that archives SQLInsights logs to storage2. | <input type="radio"/> | <input type="radio"/> |
| You can add a new diagnostic setting that sends SQLInsights logs to Workspace2. | <input type="radio"/> | <input type="radio"/> |
| You can add a new diagnostic setting that sends SQLInsights logs to Hub1. | <input type="radio"/> | <input type="radio"/> |

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Yes

Box 2: Yes

Box 3: Yes

For more information on Azure SQL diagnostics , you can visit the below link

<https://docs.microsoft.com/en-us/azure/azure-sql/database/metrics-diagnostic-telemetry-logging-streaming-expo>

NEW QUESTION 126

- (Exam Topic 5)

The accounting department at your company migrates to a new financial accounting software. The accounting department must keep file-based database backups for seven years for compliance purposes. It is unlikely that the backups will be used to recover data.

You need to move the backups to Azure. The solution must minimize costs. Where should you store the backups?

A. Azure Blob storage that uses the Archive tier

B. Azure SQL Database

C. Azure Blob storage that uses the Cool tier

D. a Recovery Services vault

Answer: A

Explanation:

Azure Front Door enables you to define, manage, and monitor the global routing for your web traffic by optimizing for best performance and instant global failover for high availability. With Front Door, you can transform your global (multi-region) consumer and enterprise applications into robust, high-performance personalized modern applications, APIs, and content that reaches a global audience with Azure.

Front Door works at Layer 7 or HTTP/HTTPS layer and uses anycast protocol with split TCP and Microsoft's global network for improving global connectivity.

Reference:

<https://docs.microsoft.com/en-us/azure/frontdoor/front-door-overview>

NEW QUESTION 130

- (Exam Topic 5)

You have an on-premises file server that stores 2 TB of data files.

You plan to move the data files to Azure Blob storage in the Central Europe region.

You need to recommend a storage account type to store the data files and a replication solution for the storage account. The solution must meet the following requirements:

➤ Be available if a single Azure datacenter fails.

➤ Support storage tiers.

➤ Minimize cost.

What should you recommend? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Account type:

| | |
|--------------------------------|---|
| | ▼ |
| Blob storage | |
| Storage (general purpose v1) | |
| StorageV2 (general purpose v2) | |

Replication solution:

| | |
|--|---|
| | ▼ |
| Geo-redundant storage (GRS) | |
| Zone-redundant storage (ZRS) | |
| Locally-redundant storage (LRS) | |
| Read-access geo-redundant storage (RA-GRS) | |

A. Mastered

B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application, chat or text message Description automatically generated

Account Type: StorageV2

Replication solution: Zone-redundant storage (ZRS)

NEW QUESTION 131

- (Exam Topic 5)

You have an app that generates 50,000 events daily.

You plan to Stream the events to an Azure event hub and use Event Hubs Capture to implement cold path processing Of the events Output Of Event Hubs

Capture will be consumed by a reporting system.

You need to identify which type of Azure storage must be provisioned to support Event Hubs Capture, and which inbound data format the reporting system must support.

What should you identify? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Storage type:

Azure Data Lake Storage Gen2

Premium block blobs

Premium file shares

Data format:

Apache Parquet

Avro

JSON

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Storage type:

Azure Data Lake Storage Gen2

Premium block blobs

Premium file shares

Data format:

Apache Parquet

Avro


JSON

NEW QUESTION 132

- (Exam Topic 5)

Your company develops a web service that is deployed to an Azure virtual machine named VM1. The web service allows an API to access real-time data from VM1.

The current virtual machine deployment is shown in the Deployment exhibit. (Click the Deployment tab).



The chief technology officer (CTO) sends you the following email message: “Our developers have deployed the web service to a virtual machine named VM1. Testing has shown that the API is accessible from VM1 and VM2. Our partners must be able to connect to the API over the Internet. Partners will use this data in applications that they develop.”

You deploy an Azure API Management (APIM) service. The relevant API Management configuration is shown in the API exhibit. (Click the API tab.)

Virtual network

Off

External

Internal

| LOCATION | VIRTUAL NETWORK | SUBNET |
|-------------|-----------------|------------|
| West Europe | VNet1 | ProdSubnet |

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

| Statements | Yes | No |
|---|-----------------------|-----------------------|
| The API is available to partners over the Internet. | <input type="radio"/> | <input type="radio"/> |
| The APIM instance can access real-time data from VM1. | <input type="radio"/> | <input type="radio"/> |
| A VPN gateway is required for partner access. | <input type="radio"/> | <input type="radio"/> |

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application Description automatically generated

Reference:

<https://docs.microsoft.com/en-us/azure/api-management/api-management-using-with-vnet>

NEW QUESTION 136

- (Exam Topic 5)

You are designing a large Azure environment that will contain many subscriptions. You plan to use Azure Policy as part of a governance solution. To which three scopes can you assign Azure Policy definitions? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

- A. management groups
- B. subscriptions
- C. Azure Active Directory (Azure AD) tenants
- D. resource groups
- E. Azure Active Directory (Azure AD) administrative units
- F. compute resources

Answer: ADE

Explanation:

Azure Policy evaluates resources in Azure by comparing the properties of those resources to business rules. Once your business rules have been formed, the policy definition or initiative is assigned to any scope of resources that Azure supports, such as management groups, subscriptions, resource groups, or individual resources.

Reference:

<https://docs.microsoft.com/en-us/azure/governance/policy/overview>

NEW QUESTION 141

- (Exam Topic 5)

You have an Azure subscription that contains 50 Azure SQL databases.

You create an Azure Resource Manager (ARM) template named. Template1 that enables Transparent Data Encryption (TDE).

You need to create an Azure Policy definition named Policy1 that will use Template1 to enable IDE for any noncompliant Azure SQL databases.

How should you configure Policy 1? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Answer Area

Set available effects to:

▼

DepoIfNotExists
 EnforceRegoPolicy
 Modify

Include in the definition:

▼

The identity required to perform the remediation task
 The scopes of the policy assignments
 The role-based access control (RBAC) roles required to perform the remediation task

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Set available effects to:

▼

DepoIfNotExists

 EnforceRegoPolicy
 Modify

Include in the definition:

▼

The role-based access control (RBAC) roles required to perform the remediation task

 The identity required to perform the remediation task
 The scopes of the policy assignments

NEW QUESTION 145

- (Exam Topic 5)

You have an on-premises named App 1. Customers App1 to manage digital images. You plan to migrate App1 to Azure.

You need to recommend a data storage solution for Appl. The solution must meet the following image storage requirements:

- > Encrypt images at rest.
- > Allow files up to 50M

| Services | Answer Area |
|---------------------|----------------------------|
| Azure Blob storage | Image storage: Service |
| Azure Cosmos DB | Customer accounts: Service |
| Azure SQL Database | |
| Azure Table storage | |

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

| Services | Answer Area |
|---------------------|---------------------------------------|
| Azure Blob storage | Image storage: Azure Blob storage |
| Azure Cosmos DB | Customer accounts: Azure SQL Database |
| Azure SQL Database | |
| Azure Table storage | |

NEW QUESTION 149

- (Exam Topic 5)

You have an Azure subscription that contains a storage account.

An application sometimes writes duplicate files to the storage account.

You have a PowerShell script that identifies and deletes duplicate files in the storage account. Currently, the script is run manually after approval from the operations manager.

You need to recommend a serverless solution that performs the following actions:

- > Runs the script once an hour to identify whether duplicate files exist
- > Processes an email response from the operations manager specifying whether the deletion was approved
- > Runs the script if the deletion was approved

What should you include in the recommendation?

- A. Azure Logic Apps and Azure Functions
- B. Azure Pipelines and Azure Service Fabric
- C. Azure Logic Apps and Azure Event Grid
- D. Azure Functions and Azure Batch

Answer: A

Explanation:

You can schedule a powershell script with Azure Logic Apps.

When you want to run code that performs a specific job in your logic apps, you can create your own function by using Azure Functions. This service helps you create Node.js, C#, and F# functions so you don't have to build a complete app or infrastructure to run code. You can also call logic apps from inside Azure functions. Azure Functions provides serverless computing in the cloud and is useful for performing tasks such as these examples:

Reference:

<https://docs.microsoft.com/en-us/azure/logic-apps/logic-apps-azure-functions>

NEW QUESTION 153

- (Exam Topic 5)

You are developing a sates application that will contain several Azure cloud services and handle different

components of a transaction. Different cloud services will process customer orders, billing, payment inventory, and shipping.

You need to recommend a solution to enable the cloud services to asynchronously communicate transaction information by using XML messages.

What should you include in the recommendation?

- A. Azure Data Lake
- B. Azure Notification Hubs
- C. Azure Queue Storage
- D. Azure Service Fabric

Answer: C

NEW QUESTION 155

- (Exam Topic 5)

You are planning an Azure Storage solution for sensitive data. The data will be accessed daily. The data set is less than 10 GB.

You need to recommend a storage solution that meets the following requirements:

- All the data written to storage must be retained for five years.
- Once the data is written, the data can only be read. Modifications and deletion must be prevented.
- After five years, the data can be deleted, but never modified.
- Data access charges must be minimized

What should you recommend? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Answer Area

Storage account type:

| |
|---|
| General purpose v2 with Archive access tier for blobs |
| General purpose v2 with Cool access tier for blobs |
| General purpose v2 with Hot access tier for blobs |

Configuration to prevent modifications and deletions:

| |
|-------------------------------|
| Container access level |
| Container access policy |
| Storage account resource lock |

- A. Mastered
 B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application Description automatically generated

Box 1: General purpose v2 with Archive access tier for blobs

Archive - Optimized for storing data that is rarely accessed and stored for at least 180 days with flexible latency requirements, on the order of hours.

Cool - Optimized for storing data that is infrequently accessed and stored for at least 30 days. Hot - Optimized for storing data that is accessed frequently.

Box 2: Storage account resource lock

As an administrator, you can lock a subscription, resource group, or resource to prevent other users in your organization from accidentally deleting or modifying critical resources. The lock overrides any permissions the user might have.

Note: You can set the lock level to CanNotDelete or ReadOnly. In the portal, the locks are called Delete and Read-only respectively.

- > CanNotDelete means authorized users can still read and modify a resource, but they can't delete the resource.
- > ReadOnly means authorized users can read a resource, but they can't delete or update the resource.

Applying this lock is similar to restricting all authorized users to the permissions granted by the Reader role.

Reference:

<https://docs.microsoft.com/en-us/azure/storage/blobs/storage-blob-storage-tiers>

NEW QUESTION 156

- (Exam Topic 5)

Your company has two on-premises sites in New York and Los Angeles and Azure virtual networks in the East US Azure region and the West US Azure region.

Each on-premises site has Azure ExpressRoute circuits to both regions.

You need to recommend a solution that meets the following requirements:

- > Outbound traffic to the Internet from workloads hosted on the virtual networks must be routed through the closest available on-premises site.
- > If an on-premises site fails, traffic from the workloads on the virtual networks to the Internet must reroute automatically to the other site.

What should you include in the recommendation? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Answer Area

Routing from the virtual networks to the on-premises locations must be configured by using:

| |
|-------------------------------|
| Azure default routes |
| Border Gateway Protocol (BGP) |
| User-defined routes |

The automatic routing configuration following a failover must be handled by using:

| |
|---|
| Border Gateway Protocol (BGP) |
| Hot Standby Routing Protocol (HSRP) |
| Virtual Router Redundancy Protocol (VRRP) |

- A. Mastered
 B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application, email Description automatically generated

An on-premises network gateway can exchange routes with an Azure virtual network gateway using the border gateway protocol (BGP). Using BGP with an Azure virtual network gateway is dependent on the type you selected when you created the gateway. If the type you selected were: ExpressRoute: You must use BGP to advertise on-premises routes to the Microsoft Edge router. You cannot create user-defined routes to force traffic to the ExpressRoute virtual network gateway if you deploy a virtual network gateway deployed as type: ExpressRoute. You can use user-defined routes for forcing traffic from the Express Route to, for example, a Network Virtual Appliance.

<https://docs.microsoft.com/ja-jp/azure/expressroute/designing-for-disaster-recovery-with-expressroute-privatepe> <https://docs.microsoft.com/en-us/azure/expressroute/expressroute-optimize-routing#suboptimal-routing-from-cu>

NEW QUESTION 161

- (Exam Topic 5)

You are designing an app that will use Azure Cosmos DB to collate sales data from multiple countries. You need to recommend an API for the app. The solution must meet the following requirements:

- Support SQL queries.
- Support geo-replication.
- Store and access data relationally. Which API should you recommend?

- A. PostgreSQL
- B. NoSQL
- C. Apache Cassandra
- D. MongoDB

Answer: A

NEW QUESTION 166

- (Exam Topic 5)

You are designing a microservices architecture that will support a web application.

The solution must meet the following requirements:

- Allow independent upgrades to each microservice
- Deploy the solution on-premises and to Azure
- Set policies for performing automatic repairs to the microservices
- Support low-latency and hyper-scale operations

You need to recommend a technology. What should you recommend?

- A. Azure Service Fabric
- B. Azure Container Service
- C. Azure Container Instance
- D. Azure Virtual Machine Scale Set

Answer: A

Explanation:

<https://docs.microsoft.com/en-us/azure/service-fabric/service-fabric-overview>

NEW QUESTION 168

- (Exam Topic 5)

You are designing an application that will aggregate content for users.

You need to recommend a database solution for the application. The solution must meet the following requirements:

- Support SQL commands.
- Support multi-master writes.
- Guarantee low latency read operations.

What should you include in the recommendation?

- A. Azure Cosmos DB SQL API
- B. Azure SQL Database that uses active geo-replication
- C. Azure SQL Database Hyperscale
- D. Azure Database for PostgreSQL

Answer: A

Explanation:

With Cosmos DB's novel multi-region (multi-master) writes replication protocol, every region supports both writes and reads. The multi-region writes capability also enables:

Unlimited elastic write and read scalability.

* 99.999% read and write availability all around the world.

Guaranteed reads and writes served in less than 10 milliseconds at the 99th percentile. Reference:

<https://docs.microsoft.com/en-us/azure/cosmos-db/distribute-data-globally>

NEW QUESTION 172

- (Exam Topic 5)

You have the Azure subscriptions shown in the following table.

| Name | Location | Azure AD tenant |
|------|----------|----------------------------------|
| Sub1 | East US | contoso.onmicrosoft.com |
| Sub2 | East US | contoso-recovery.onmicrosoft.com |

Contoso.onmicrosoft.com contains a user named User1.

You need to deploy a solution to protect against ransomware attacks. The solution must meet the following requirements:

- Ensure that all the resources in Sub1 are backed up by using Azure Backup.
- Require that User1 first be assigned a role for Sub2 before the user can make major changes to the backup configuration.

What should you create in each subscription? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Answer Area

Sub1:

Sub2:

- A. Mastered
 B. Not Mastered

Answer: A

Explanation:

Answer Area

Sub1:

Sub2:

NEW QUESTION 177

- (Exam Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your company plans to deploy various Azure App Service instances that will use Azure SQL databases. The App Service instances will be deployed at the same time as the Azure SQL databases.

The company has a regulatory requirement to deploy the App Service instances only to specific Azure regions. The resources for the App Service instances must reside in the same region.

You need to recommend a solution to meet the regulatory requirement.

Solution: You recommend creating resource groups based on locations and implementing resource locks on the resource groups.

Does this meet the goal?

- A. Yes
 B. No

Answer: B

Explanation:

Resource locks are not used for compliance purposes. Resource locks prevent changes from being made to resources.

Reference:

<https://docs.microsoft.com/en-us/azure/azure-resource-manager/management/lock-resources>

NEW QUESTION 181

- (Exam Topic 5)

You have an Azure AD tenant.

You plan to deploy Azure Cosmos DB databases that will use the SQL API.

You need to recommend a solution to provide specific Azure AD user accounts with read access to the Cosmos DB databases.

What should you include in the recommendation?

- A. a resource token and an Access control (1AM) role assignment
- B. certificates and Azure Key Vault
- C. master keys and Azure Information Protection policies
- D. shared access signatures (SAS) and Conditional Access policies

Answer: A

NEW QUESTION 182

- (Exam Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have an Azure Storage account that contains two 1-GB data files named File1 and File2. The data files are set to use the archive access tier.

You need to ensure that File1 is accessible immediately when a retrieval request is initiated. Solution: For File1, you set Access tier to Cool.

Does this meet the goal?

- A. Yes
- B. No

Answer: A

Explanation:

The data in the cool tier is "considered / intended to be stored for 30 days". But this is not a must. You can store data indefinitely in the cool tier. The mentioned reference (see below) even gives an example of large scientific or otherwise large data which is stored for long duration in the cool tier.

<https://docs.microsoft.com/en-us/azure/storage/blobs/storage-blob-storage-tiers?tabs=azure-portal>

NEW QUESTION 184


- (Exam Topic 5)

You plan to deploy a network-intensive application to several Azure virtual machines. You need to recommend a solution that meets the following requirements:


- Minimizes the use of the virtual machine processors to transfer data
- Minimizes network latency

Which virtual machine size and feature should you use? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Virtual machine size: 

| |
|--|
| Compute optimized Standard_F8s |
| General purpose Standard_B8ms |
| High performance compute Standard_H16r |
| Memory optimized Standard_E16s_v3 |

Feature: 

| |
|---|
| Receive side scaling (RSS) |
| Remote Direct Memory Access (RDMA) |
| Single root I/O virtualization (SR-IOV) |
| Virtual Machine Multi-Queue (VMMQ) |

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application Description automatically generated

References:

<https://docs.microsoft.com/en-us/azure/virtual-machines/windows/sizes-hpc#h-series>

NEW QUESTION 187

- (Exam Topic 5)

You need to recommend a solution to deploy containers that run an application. The application has two tiers. Each tier is implemented as a separate Docker Linux-based image. The solution must meet the following requirements:

- The front-end tier must be accessible by using a public IP address on port 80.
- The backend tier must be accessible by using port 8080 from the front-end tier only.
- Both containers must be able to access the same Azure file share.

- > If a container fails, the application must restart automatically.
- > Costs must be minimized.

What should you recommend using to host the application?

- A. Azure Kubernetes Service (AKS)
- B. Azure Service Fabric
- C. Azure Container instances
- D. Azure Container registries

Answer: C

Explanation:

Azure Container Instances enables a layered approach to orchestration, providing all of the scheduling and management capabilities required to run a single container, while allowing orchestrator platforms to manage multi-container tasks on top of it. Because the underlying infrastructure for container instances is managed by Azure, an orchestrator platform does not need to concern itself with finding an appropriate host machine on which to run a single container. Azure Container Instances can schedule both Windows and Linux containers with the same API. Orchestration of container instances exclusively Because they start quickly and bill by the second, an environment based exclusively on Azure Container Instances offers the fastest way to get started and to deal with highly variable workloads. Reference: <https://docs.microsoft.com/en-us/azure/container-instances/container-instances-overview> <https://docs.microsoft.com/en-us/azure/container-instances/container-instances-orchestrator-relationship>

NEW QUESTION 191

- (Exam Topic 5)

Your company deploys an Azure App Service Web App.

During testing the application fails under load. The application cannot handle more than 100 concurrent user sessions. You enable the Always On feature. You also configure auto-scaling to increase counts from two to 10 based on HTTP queue length.

You need to improve the performance of the application.

Which solution should you use for each application scenario? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

| Scenario | Solution |
|---|--|
| Store content close to end users. | <div> <div></div> <div> Azure Redis Cache Azure Traffic Manager Azure Content Delivery Network Azure Application Gateway </div> </div> |
| Store content close to the application. | <div> <div></div> <div> Azure Redis Cache Azure Traffic Manager Azure Content Delivery Network Azure Application Gateway </div> </div> |

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text Description automatically generated with medium confidence

Box 1: Content Delivery Network

A content delivery network (CDN) is a distributed network of servers that can efficiently deliver web content to users. CDNs store cached content on edge servers in point-of-presence (POP) locations that are close to end users, to minimize latency.

Azure Content Delivery Network (CDN) offers developers a global solution for rapidly delivering

high-bandwidth content to users by caching their content at strategically placed physical nodes across the world. Azure CDN can also accelerate dynamic content, which cannot be cached, by leveraging various network optimizations using CDN POPs. For example, route optimization to bypass Border Gateway Protocol (BGP).

Box 2: Azure Redis Cache

Azure Cache for Redis is based on the popular software Redis. It is typically used as a cache to improve the performance and scalability of systems that rely heavily on backend data-stores. Performance is improved by temporarily copying frequently accessed data to fast storage located close to the application. With Azure Cache for Redis, this fast storage is located in-memory with Azure Cache for Redis instead of being loaded from disk by a database.

References:

<https://docs.microsoft.com/en-us/azure/azure-cache-for-redis/cache-overview>

NEW QUESTION 192

- (Exam Topic 5)

You are designing a solution that calculates 3D geometry from height-map data. You need to recommend a solution that meets the following requirements:

- Performs calculations in Azure.

- Ensures that each node can communicate data to every other node.
- Maximizes the number of nodes to calculate multiple scenes as fast as possible.
- Minimizes the amount of effort to implement the solution.

Which two actions should you include in the recommendation? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Create a render farm that uses virtual machine scale sets.
- B. Enable parallel file systems on Azure.
- C. Create a render farm that uses virtual machines.
- D. Enable parallel task execution on compute nodes.
- E. Create a render farm that uses Azure Batch.

Answer: DE

NEW QUESTION 197

- (Exam Topic 5)

You are designing a data storage solution to support reporting.


The solution will ingest high volumes of data in the JSON format by using Azure Event Hubs. As the data arrives, Event Hubs will write the data to storage. The solution must meet the following requirements:

- Organize data in directories by date and time.
- Allow stored data to be queried directly, transformed into summarized tables, and then stored in a data warehouse.
- Ensure that the data warehouse can store 50 TB of relational data and support between 200 and 300 concurrent read operations.

Which service should you recommend for each type of data store? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area



Data store for the ingested data: Azure Data Lake Storage Gen2

Data store for the data warehouse: Azure SQL Database Hyperscale

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application, email Description automatically generated

NEW QUESTION 198

- (Exam Topic 5)

You have an Azure subscription.

You need to deploy an Azure Kubernetes Service (AKS) solution that will use Windows Server 2019 nodes.

The solution must meet the following requirements:

Minimize the time it takes to provision compute resources during scale-out operations. Support autoscaling of Windows Server containers.

Which scaling option should you recommend?

- A. cluster autoscaler
- B. horizontal pod autoscaler
- C. Kubernetes version 1.20.2 or newer
- D. Virtual nodes with Virtual Kubelet ACI


Answer: D

Explanation:

Azure Container Instances (ACI) lets you quickly deploy container instances without additional infrastructure overhead. When you connect with AKS, ACI becomes a secured, logical extension of your AKS cluster. The virtual nodes component, which is based on Virtual Kubelet, is installed in your AKS cluster that presents ACI as a virtual Kubernetes node. Kubernetes can then schedule pods that run as ACI instances through virtual nodes, not as pods on VM nodes directly in your AKS cluster.

Your application requires no modification to use virtual nodes. Deployments can scale across AKS and ACI and with no delay as cluster autoscaler deploys new nodes in your AKS cluster.

Diagram Description automatically generated



Note: AKS clusters can scale in one of two ways:

- The cluster autoscaler watches for pods that can't be scheduled on nodes because of resource constraints. The cluster then automatically increases the number of nodes.
- The horizontal pod autoscaler uses the Metrics Server in a Kubernetes cluster to monitor the resource demand of pods. If an application needs more resources, the number of pods is automatically increased to meet the demand.

Reference:

<https://docs.microsoft.com/en-us/azure/aks/concepts-scale5>

NEW QUESTION 202

- (Exam Topic 5)

You have an Azure Active Directory (Azure AD) tenant that syncs with an on-premises Active Directory domain.

You have an internal web app named WebApp1 that is hosted on-premises. WebApp1 uses Integrated Windows authentication.

Some users work remotely and do NOT have VPN access to the on-premises network.

You need to provide the remote users with single sign-on (SSO) access to WebApp1.

Which two features should you include in the solution? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Azure AD Application Proxy
- B. Azure AD Privileged Identity Management (PIM)
- C. Conditional Access policies
- D. Azure Arc
- E. Azure AD enterprise applications
- F. Azure Application Gateway

Answer: AC

Explanation:

A: Application Proxy is a feature of Azure AD that enables users to access on-premises web applications from a remote client. Application Proxy includes both the Application Proxy service which runs in the cloud, and the Application Proxy connector which runs on an on-premises server. You can configure single sign-on to an Application Proxy application.

C: Microsoft recommends using Application Proxy with pre-authentication and Conditional Access policies for remote access from the internet. An approach to provide Conditional Access for intranet use is to modernize applications so they can directly authenticate with AAD.

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/app-proxy/application-proxy-config-sso-how-to> <https://docs.microsoft.com/en-us/azure/active-directory/app-proxy/application-proxy-deployment-plan>

NEW QUESTION 207

- (Exam Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your company plans to deploy various Azure App Service instances that will use Azure SQL databases. The App Service instances will be deployed at the same time as the Azure SQL databases.

The company has a regulatory requirement to deploy the App Service instances only to specific Azure regions. The resources for the App Service instances must reside in the same region.

You need to recommend a solution to meet the regulatory requirement.

Solution: You recommend using an Azure Policy initiative to enforce the location of resource groups. Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

This solution does not meet the goal because an Azure Policy initiative can only enforce the location of resources, not resource groups. Resource groups are not a resource type that can be targeted by Azure Policy¹. To enforce the location of resource groups, you need to use Azure Resource Manager templates² or Azure PowerShell³ to create them in the desired regions.

References:

1: Understand scope in Azure Policy 2: Create resource groups with Azure Resource Manager templates 3: Create resource groups with Azure PowerShell

NEW QUESTION 208

- (Exam Topic 5)

You are designing a SQL database solution. The solution will include 20 databases that will be 20 GB each and have varying usage patterns. You need to

recommend a database platform to host the databases. The solution must meet the following requirements:

- The compute resources allocated to the databases must scale dynamically.
- The solution must meet an SLA of 99.99% uptime.
- The solution must have reserved capacity.
- Compute charges must be minimized.

What should you include in the recommendation?

- A. 20 databases on a Microsoft SQL server that runs on an Azure virtual machine
- B. 20 instances of Azure SQL Database serverless
- C. 20 databases on a Microsoft SQL server that runs on an Azure virtual machine in an availability set
- D. an elastic pool that contains 20 Azure SQL databases

Answer: D

Explanation:

Azure SQL Database elastic pools are a simple, cost-effective solution for managing and scaling multiple databases that have varying and unpredictable usage demands. The databases in an elastic pool are on a single server and share a set number of resources at a set price. Elastic pools in Azure SQL Database enable SaaS developers to optimize the price performance for a group of databases within a prescribed budget while delivering performance elasticity for each database. Guaranteed 99.995 percent uptime for SQL Database Reference:

<https://docs.microsoft.com/en-us/azure/azure-sql/database/elastic-pool-overview> <https://azure.microsoft.com/en-us/pricing/details/sql-database/elastic/>

<https://www.azure.cn/en-us/support/sla/virtual-machines/>

<https://techcommunity.microsoft.com/t5/azure-sql/optimize-price-performance-with-compute-auto-scaling-in-az>

NEW QUESTION 211

- (Exam Topic 5)

You plan to migrate on-premises MySQL databases to Azure Database for MySQL Flexible Server.

You need to recommend a solution for the Azure Database for MySQL Flexible Server configuration. The solution must meet the following requirements:

- The databases must be accessible if a datacenter fails.
- Costs must be minimized.

Which compute tier should you recommend?

- A. Burstable
- B. General Purpose
- C. Memory Optimized

Answer: C

NEW QUESTION 213

- (Exam Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your company has deployed several virtual machines (VMs) on-premises and to Azure. Azure ExpressRoute has been deployed and configured for on-premises to Azure connectivity.

Several VMs are exhibiting network connectivity issues.

You need to analyze the network traffic to determine whether packets are being allowed or denied to the VMs. Solution: Use Azure Network Watcher to run IP flow verify to analyze the network traffic

Does the solution meet the goal?

- A. Yes
- B. No

Answer: A

Explanation:

The Network Watcher Network performance monitor is a cloud-based hybrid network monitoring solution that helps you monitor network performance between various points in your network infrastructure. It also helps you monitor network connectivity to service and application endpoints and monitor the performance of Azure ExpressRoute.

Note:

IP flow verify checks if a packet is allowed or denied to or from a virtual machine. The information consists of direction, protocol, local IP, remote IP, local port, and remote port. If the packet is denied by a security group, the name of the rule that denied the packet is returned. While any source or destination IP can be chosen, IP flow verify helps administrators quickly diagnose connectivity issues from or to the internet and from or to the on-premises environment.

IP flow verify looks at the rules for all Network Security Groups (NSGs) applied to the network interface, such as a subnet or virtual machine NIC. Traffic flow is then verified based on the configured settings to or from that network interface. IP flow verify is useful in confirming if a rule in a Network Security Group is blocking ingress or egress traffic to or from a virtual machine.

Reference:

<https://docs.microsoft.com/en-us/azure/network-watcher/network-watcher-monitoring-overview> <https://docs.microsoft.com/en-us/azure/network-watcher/network-watcher-ip-flow-verify-overview>

NEW QUESTION 218

- (Exam Topic 5)

Your on-premises datacenter contains a server that runs Linux and hosts a Java app named Appl. App1 has the following characteristics:

- App1 is an interactive app that users access by using HTTPS connections.
- The number of connections to App1 changes significantly throughout the day.
- App1 runs multiple concurrent instances.
- App1 requires major changes to run in a container. You plan to migrate App1 to Azure.

You need to recommend a compute solution for Appl. The solution must meet the following requirements:

- The solution must run multiple instances of Appl.
- The number of instances must be managed automatically depending on the load.
- Administrative effort must be minimized.

What should you include in the recommendation?

- A. Azure Batch
- B. Azure App Service
- C. Azure Kubernetes Service (AKS)
- D. Azure Virtual Machine Scale Sets

Answer: C

NEW QUESTION 220

- (Exam Topic 5)

You have an Azure Active Directory (Azure AD) tenant that syncs with an on-premises Active Directory domain.

Your company has a line-of-business (LOB) application that was developed internally.

You need to implement. SAML single sign-on (SSO) and enforce multi-factor authentication (MFA) when users attempt to access the application from an unknown location.

Which two features should you include in the solution? Each correct answer presents part of the solution. NOTE: Each correct selection is worth one point.

- A. Azure AD enterprise applications
- B. Azure AD Identity Protection
- C. Azure Application Gateway
- D. Conditional Access policies
- E. Azure AD Privileged Identity Management (PIM)

Answer: AD

NEW QUESTION 225

- (Exam Topic 5)

You plan to deploy Azure Databricks to support a machine learning application. Data engineers will mount an Azure Data Lake Storage account to the Databricks file system. Permissions to folders are granted directly to the data engineers.

You need to recommend a design for the planned Databrick deployment. The solution must meet the following requirements:

- Ensure that the data engineers can only access folders to which they have permissions.
- Minimize development effort.
- Minimize costs.

What should you include in the recommendation? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Databricks SKU:

| | |
|----------|---|
| | ▼ |
| Premium | |
| Standard | |

Cluster configuration:

| | |
|--------------------------------|---|
| | ▼ |
| Credential passthrough | |
| Managed identities | |
| MLflow | |
| A runtime that contains Photon | |
| Secret scope | |

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Standard

Choose Standard to minimize costs. Box 2: Credential passthrough

Athenticate automatically to Azure Data Lake Storage Gen1 (ADLS Gen1) and Azure Data Lake Storage Gen2 (ADLS Gen2) from Azure Databricks clusters using the same Azure Active Directory (Azure AD) identity that you use to log into Azure Databricks. When you enable Azure Data Lake Storage credential passthrough for your cluster, commands that you run on that cluster can read and write data in Azure Data Lake Storage without requiring you to configure service principal credentials for access to storage.

Reference:

<https://docs.microsoft.com/en-us/azure/databricks/security/credential-passthrough/adls-passthrough>

NEW QUESTION 227

- (Exam Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your company plans to deploy various Azure App Service instances that will use Azure SQL databases. The App Service instances will be deployed at the same time as the Azure SQL databases.

The company has a regulatory requirement to deploy the App Service instances only to specific Azure regions. The resources for the App Service instances must reside in the same region.
You need to recommend a solution to meet the regulatory requirement.
Solution: You recommend using an Azure policy initiative to enforce the location. Does this meet the goal?

- A. Yes
- B. No

Answer: A

Explanation:

Azure Resource Policy Definitions can be used which can be applied to a specific Resource Group with the App Service instances.
Reference:
<https://docs.microsoft.com/en-us/azure/governance/policy/overview>

NEW QUESTION 231

- (Exam Topic 5)
Your company has an existing web app that runs on Azure virtual machines.
You need to ensure that the app is protected from SQL injection attempts and uses a layer-7 load balancer. The solution must minimize disruptions to the code of the app.
What should you recommend? To answer, drag the appropriate services to the correct targets. Each service may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content
NOTE: Each correct selection is worth one point.

Services

Web Application Firewall (WAF)

Azure Application Gateway

Azure Load Balancer

Azure Traffic Manager

SSL offloading

URL-based content routing

Answer area

Azure service:

Feature:

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Services

Web Application Firewall (WAF)

Azure Application Gateway

Azure Load Balancer

Azure Traffic Manager

SSL offloading

URL-based content routing

Answer area

Azure service:

Feature:

NEW QUESTION 233

- (Exam Topic 5)
You plan to deploy an Azure SQL database that will store Personally Identifiable Information (PII). You need to ensure that only privileged users can view the PII.
What should you include in the solution?

- A. Transparent Data Encryption (TDE)
- B. Data Discovery & Classification
- C. dynamic data masking
- D. role-based access control (RBAC)

Answer: C

NEW QUESTION 237

- (Exam Topic 5)

You plan to move a web application named App1 from an on-premises data center to Azure. App1 depends on a custom COM component that is installed on the host server.

You need to recommend a solution to host App1 in Azure. The solution must meet the following requirements:

- App1 must be available to users if an Azure data center becomes unavailable.
- Costs must be minimized.

What should you include in the recommendation?

- A. In two Azure regions, deploy a load balancer and a virtual machine scale set.
- B. In two Azure regions, deploy a Traffic Manager profile and a web app.
- C. In two Azure regions, deploy a load balancer and a web app.
- D. Deploy a load balancer and a virtual machine scale set across two availability zones.

Answer: D

Explanation:

(<https://docs.microsoft.com/en-us/dotnet/azure/migration/app-service#com-and-com-components>)

Azure App Service does not allow the registration of COM components on the platform. If your app makes use of any COM components, these need to be rewritten in managed code and deployed with the site or application. <https://docs.microsoft.com/en-us/dotnet/azure/migration/app-service>

"Azure App Service with Windows Containers If your app cannot be migrated directly to App Service, consider App Service using Windows Containers, which enables usage of the GAC, COM components, MSIs, full access to .NET FX APIs, DirectX, and more."

NEW QUESTION 238

- (Exam Topic 5)

You plan to deploy multiple instances of an Azure web app across several Azure regions.

You need to design an access solution for the app. The solution must meet the following replication requirements:

- Support rate limiting
- Balance requests between all instances.
- Ensure that users can access the app in the event of a regional outage Solution: You use Azure Load Balancer to provide access to the app. Does this meet the goal?

- A. Yes
- B. No

Answer: B

NEW QUESTION 241

- (Exam Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your company plans to deploy various Azure App Service instances that will use Azure SQL databases. The App Service instances will be deployed at the same time as the Azure SQL databases.

The company has a regulatory requirement to deploy the App Service instances only to specific Azure regions. The resources for the App Service instances must reside in the same region.

You need to recommend a solution to meet the regulatory requirement.

Solution: You recommend using the Regulatory compliance dashboard in Azure Security Center. Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

The Regulatory compliance dashboard in Azure Security Center is not used for regional compliance. Note: Instead Azure Resource Policy Definitions can be used which can be applied to a specific Resource Group with the App Service instances.

Note 2: In the Azure Security Center regulatory compliance blade, you can get an overview of key portions of your compliance posture with respect to a set of supported standards. Currently supported standards are Azure CIS, PCI DSS 3.2, ISO 27001, and SOC TSP.

Reference:

<https://docs.microsoft.com/en-us/azure/governance/policy/overview>

<https://azure.microsoft.com/en-us/blog/regulatory-compliance-dashboard-in-azure-security-center-now-available>

NEW QUESTION 245

- (Exam Topic 5)

You are designing an Azure governance solution.

All Azure resources must be easily identifiable based on the following operational information environment, owner, department and cost center

You need to ensure that you can use the operational information when you generate reports for the Azure resources.

What should you include in the solution?

- A. Azure Active Directory (Azure AD) administrative units
- B. an Azure data catalog that uses the Azure REST API as a data source
- C. an Azure policy that enforces tagging rules
- D. an Azure management group that uses parent groups to create a hierarchy

Answer: C

Explanation:

You use Azure Policy to enforce tagging rules and conventions. By creating a policy, you avoid the scenario of resources being deployed to your subscription that don't have the expected tags for your organization. Instead of manually applying tags or searching for resources that aren't compliant, you create a policy that automatically applies the needed tags during deployment.

Note: Organizing cloud-based resources is a crucial task for IT, unless you only have simple deployments. Use naming and tagging standards to organize your resources for these reasons:

Resource management: Your IT teams will need to quickly locate resources associated with specific workloads, environments, ownership groups, or other important information. Organizing resources is critical to assigning organizational roles and access permissions for resource management.

Reference:

<https://docs.microsoft.com/en-us/azure/cloud-adoption-framework/decision-guides/resource-tagging> <https://docs.microsoft.com/en-us/azure/azure-resource-manager/management/tag-policies>

NEW QUESTION 246

- (Exam Topic 5)

You have an Azure web app that uses an Azure key vault named KeyVault1 in the West US Azure region. You are designing a disaster recovery plan for KeyVault1.

You plan to back up the keys in KeyVault1.

You need to identify to where you can restore the backup. What should you identify?

- A. KeyVault1 only
- B. the same region only
- C. the same geography only
- D. any region worldwide

Answer: C

NEW QUESTION 248

- (Exam Topic 5)

Your company has an app named App1 that uses data from the on-premises Microsoft SQL Server databases shown in the following table.

| Name | Size |
|------|--------|
| DB1 | 450 GB |
| DB2 | 250 GB |
| DB3 | 300 GB |
| DB4 | 50 GB |

App1 and the data are used on the first day of the month only. The data is not expected to grow more than 3% each year.

The company is rewriting App1 as an Azure web app and plans to migrate all the data to Azure. You need to migrate the data to Azure SQL Database. The solution must minimize costs. Which service tier should you use?

- A. vCore-based Business Critical
- B. vCore-based General Purpose
- C. DTU-based Standard
- D. DTU-based Basic

Answer: B

Explanation:

DTU-based Standard supports databases up to 1 TB in size. Reference:

<https://docs.microsoft.com/en-us/azure/azure-sql/database/service-tiers-dtu>

NEW QUESTION 252

- (Exam Topic 5)

You are designing a data analytics solution that will use Azure Synapse and Azure Data Lake Storage Gen2. You need to recommend Azure Synapse pools to meet the following requirements:

- Ingest data from Data Lake Storage into hash-distributed tables.
- Implement, query, and update data in Delta Lake.

What should you recommend for each requirement? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Answer Area

Ingest data from Data Lake Storage into hash-distributed tables:

- ☐ A dedicated SQL pool
- ☒ A dedicated SQL pool
- ☐ A serverless Apache Spark pool
- ☐ A serverless SQL pool

Implement, query, and update data in Delta Lake:

- ☐ A serverless SQL pool
- ☐ A dedicated SQL pool
- ☐ A serverless Apache Spark pool
- ☒ A serverless SQL pool

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:
Answer Area

Ingest data from Data Lake Storage into hash-distributed tables:

A dedicated SQL pool
A dedicated SQL pool
A serverless Apache Spark pool
A serverless SQL pool

Implement, query, and update data in Delta Lake:

A serverless SQL pool
A dedicated SQL pool
A serverless Apache Spark pool
A serverless SQL pool

NEW QUESTION 256

- (Exam Topic 5)

You have an Azure Active Directory (Azure AD) tenant.

You plan to use Azure Monitor to monitor user sign-ins and generate alerts based on specific user sign-in events.

You need to recommend a solution to trigger the alerts based on the events.

What should you include in the recommendation? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Send Azure AD logs to:

An Azure event hub
An Azure Log Analytics workspace
An Azure Storage account

Signal type to use for triggering the alerts:

Activity log
Log
Metric

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application Description automatically generated

Box 1: An Azure Log Analytics workspace

To be able to create an alert we send the Azure AD logs to An Azure Log Analytics workspace.

Note: You can forward your AAD logs and events to either an Azure Storage Account, an Azure Event Hub, Log Analytics, or a combination of all of these.

Box 2: Log

Ensure Resource Type is an analytics source like Log Analytics or Application Insights and signal type as Log.

Reference:

<https://4sysops.com/archives/how-to-create-an-azure-ad-admin-login-alert/> <https://docs.microsoft.com/en-us/azure/azure-monitor/platform/alerts-log>

NEW QUESTION 260

- (Exam Topic 5)

You have 100 devices that write performance data to Azure Blob Storage.

You plan to store and analyze the performance data in an Azure SQL database.

You need to recommend a solution to continually copy the performance data to the Azure SQL database. What should you include in the recommendation?

- A. Azure Database Migration Service
B. Azure Data Box
C. Data Migration Assistant (DMA)
D. Azure Data Factory

Answer: D

NEW QUESTION 263

- (Exam Topic 5)

Your on-premises network contains a server named Server1 that runs an ASP.NET application named App1. You have a hybrid deployment of Azure Active Directory (Azure AD).

You need to recommend a solution to ensure that users sign in by using their Azure AD account and Azure Multi-Factor Authentication (MFA) when they connect to App1 from the internet.

Which three Azure services should you recommend be deployed and configured in sequence? To answer, move the appropriate services from the list of services to the answer area and arrange them in the correct order.

Services

Answer Area

an internal Azure Load Balancer

an Azure AD conditional access policy

Azure AD Application Proxy

an Azure AD managed identity

a public Azure Load Balancer

an Azure AD enterprise application

an App Service plan



- A. Mastered
B. Not Mastered

Answer: A

Explanation:

AD Application Proxy
AD Enterprise Application AD Conditional access policy
<https://thesleepyadmins.com/2019/02/>

NEW QUESTION 268

- (Exam Topic 5)

You plan to deploy 10 applications to Azure. The applications will be deployed to two Azure Kubernetes Service (AKS) clusters. Each cluster will be deployed to a separate Azure region.

The application deployment must meet the following requirements:

- Ensure that the applications remain available if a single AKS cluster fails.
- Ensure that the connection traffic over the internet is encrypted by using SSL without having to configure SSL on each container.

Which service should you include in the recommendation?

- A. AKS ingress controller
B. Azure Traffic Manager
C. Azure Front Door
D. Azure Load Balancer

Answer: C

Explanation:

"Azure Front Door, which focuses on global load-balancing and site acceleration, and Azure CDN Standard, which offers static content caching and acceleration. The new Azure Front Door brings together security with CDN technology for a cloud-based CDN with threat protection and additional capabilities. "

NEW QUESTION 270

- (Exam Topic 5)

You have an on-premises network to which you deploy a virtual appliance.

You plan to deploy several Azure virtual machines and connect the on-premises network to Azure by using a Site-to-Site connection.

All network traffic that will be directed from the Azure virtual machines to a specific subnet must flow through the virtual appliance.

You need to recommend solutions to manage network traffic.

Which two options should you recommend? Each correct answer presents a complete solution.

- A. Configure Azure Traffic Manager.
B. Implement an Azure virtual network.
C. Implement Azure ExpressRoute.
D. Configure a routing table.

Answer: CD

Explanation:

Connectivity can be from an any-to-any (IP VPN) network, a point-to-point Ethernet network, or a virtual cross-connection through a connectivity provider at a co-location facility. ExpressRoute connections do not go over the public Internet. This allows ExpressRoute connections to offer more reliability, faster speeds, lower latencies, and higher security than typical connections over the Internet.

Reference:

<https://docs.microsoft.com/en-us/azure/vpn-gateway/vpn-gateway-forced-tunneling-rm> <https://docs.microsoft.com/en-us/azure/expressroute/expressroute-introduction>

NEW QUESTION 275

- (Exam Topic 5)

You plan to create an Azure Storage account that will host file shares. The shares will be accessed from on-premises applications that are transaction-intensive. You need to recommend a solution to minimize latency when accessing the file shares. The solution must provide the highest-level of resiliency for the selected storage tier.

What should you include in the recommendation? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Storage tier:

| |
|-----------------------|
| Hot |
| Premium |
| Transaction optimized |

Resiliency:

| |
|---------------------------------|
| Geo-redundant storage (GRS) |
| Zone-redundant storage (ZRS) |
| Locally-redundant storage (LRS) |

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Premium

Premium: Premium file shares are backed by solid-state drives (SSDs) and provide consistent high performance and low latency, within single-digit milliseconds for most IO operations, for IO-intensive workloads.

Box 2: Zone-redundant storage (ZRS):

Premium Azure file shares only support LRS and ZRS.

Zone-redundant storage (ZRS): With ZRS, three copies of each file stored, however these copies are physically isolated in three distinct storage clusters in different Azure availability zones.

Reference:

<https://docs.microsoft.com/en-us/azure/storage/files/storage-files-planning>

NEW QUESTION 277

- (Exam Topic 5)

You plan to deploy an app that will use an Azure Storage account.

You need to deploy the storage account. The solution must meet the following requirements:

- Store the data of multiple users.
- Encrypt each user's data by using a separate key.
- Encrypt all the data in the storage account by using Microsoft keys or customer-managed keys. What should you deploy?

- A. files in a general purpose v2 storage account.
- B. blobs in an Azure Data Lake Storage Gen2 account.
- C. files in a premium file share storage account.
- D. blobs in a general purpose v2 storage account

Answer: B

NEW QUESTION 279

.....

Thank You for Trying Our Product

We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questons and Answers in PDF Format

AZ-305 Practice Exam Features:

- * AZ-305 Questions and Answers Updated Frequently
- * AZ-305 Practice Questions Verified by Expert Senior Certified Staff
- * AZ-305 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * AZ-305 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year

100% Actual & Verified — Instant Download, Please Click
[Order The AZ-305 Practice Test Here](#)