



Microsoft

Exam Questions AZ-305

Designing Microsoft Azure Infrastructure Solutions

NEW QUESTION 1

- (Exam Topic 1)

How should the migrated databases DB1 and DB2 be implemented in Azure?

Database:

	▼
A single Azure SQL database	
Azure SQL Managed Instance	
An Azure SQL Database elastic pool	

Service tier:

	▼
Hyperscale	
Business Critical	
General Purpose	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Table Description automatically generated

Box 1: SQL Managed Instance

Scenario: Once migrated to Azure, DB1 and DB2 must meet the following requirements:

- Maintain availability if two availability zones in the local Azure region fail.
- Fail over automatically.
- Minimize I/O latency.

The auto-failover groups feature allows you to manage the replication and failover of a group of databases on a server or all databases in a managed instance to another region. It is a declarative abstraction on top of the existing active geo-replication feature, designed to simplify deployment and management of geo-replicated databases at scale. You can initiate a geo-failover manually or you can delegate it to the Azure service based on a user-defined policy. The latter option allows you to automatically recover multiple related databases in a secondary region after a catastrophic failure or other unplanned event that results in full or partial loss of the SQL Database or SQL Managed Instance availability in the primary region.

Box 2: Business critical

SQL Managed Instance is available in two service tiers:

General purpose: Designed for applications with typical performance and I/O latency requirements. Business critical: Designed for applications with low I/O latency requirements and minimal impact of underlying maintenance operations on the workload.

Reference:

<https://docs.microsoft.com/en-us/azure/azure-sql/database/auto-failover-group-overview> <https://docs.microsoft.com/en-us/azure/azure-sql/managed-instance/sql-managed-instance-paas-overview>

NEW QUESTION 2

- (Exam Topic 1)

You need to configure an Azure policy to ensure that the Azure SQL databases have TDE enabled. The solution must meet the security and compliance requirements.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions	Answer Area
Create an Azure policy definition that uses the deployIfNotExists effect.	
Create a user-assigned managed identity.	
Invoke a remediation task.	
Create an Azure policy assignment.	
Create an Azure policy definition that uses the Modify effect.	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

A picture containing text Description automatically generated

Scenario: All Azure SQL databases in the production environment must have Transparent Data Encryption (TDE) enabled.

Step 1: Create an Azure policy definition that uses the deployIfNotExists identity.

The first step is to define the roles that deployIfNotExists and modify needs in the policy definition to successfully deploy the content of your included template.

Step 2: Create an Azure policy assignment

When creating an assignment using the portal, Azure Policy both generates the managed identity and grants it the roles defined in roleDefinitionIds.

Step 3: Invoke a remediation task

Resources that are non-compliant to a deployIfNotExists or modify policy can be put into a compliant state through Remediation. Remediation is accomplished by instructing Azure Policy to run the deployIfNotExists effect or the modify operations of the assigned policy on your existing resources and subscriptions, whether that assignment is to a management group, a subscription, a resource group, or an individual resource.

During evaluation, the policy assignment with deployIfNotExists or modify effects determines if there are non-compliant resources or subscriptions. When non-compliant resources or subscriptions are found, the details are provided on the Remediation page.

Reference:

<https://docs.microsoft.com/en-us/azure/governance/policy/how-to/remediate-resources>

NEW QUESTION 3

- (Exam Topic 1)

You migrate App1 to Azure. You need to ensure that the data storage for App1 meets the security and compliance requirement

What should you do?

- A. Create an access policy for the blob
- B. Modify the access level of the blob service.
- C. Implement Azure resource locks.
- D. Create Azure RBAC assignments.

Answer: A

Explanation:

Scenario: Once App1 is migrated to Azure, you must ensure that new data can be written to the app, and the modification of new and existing data is prevented for a period of three years.

As an administrator, you can lock a subscription, resource group, or resource to prevent other users in your organization from accidentally deleting or modifying critical resources. The lock overrides any permissions the user might have.

Reference:

<https://docs.microsoft.com/en-us/azure/azure-resource-manager/management/lock-resources>

NEW QUESTION 4

- (Exam Topic 1)

You plan to migrate App1 to Azure.

You need to recommend a high-availability solution for App1. The solution must meet the resiliency requirements.

What should you include in the recommendation? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Number of host groups:

▼
1
2
3
6

Number of virtual machine scale sets:

▼
0
1
3

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application, email Description automatically generated

Box 1: 3

Scenario: App1 must meet the following requirements:

- > Be hosted in an Azure region that supports availability zones.
- > Maintain availability if two availability zones in the local Azure region fail.

A host group is a resource that represents a collection of dedicated hosts. You create a host group in a region and an availability zone, and add hosts to it.

Use Availability Zones for fault isolation

Availability zones are unique physical locations within an Azure region. Each zone is made up of one or more datacenters equipped with independent power, cooling, and networking. A host group is created in a single availability zone. Once created, all hosts will be placed within that zone. To achieve high availability across zones, you need to create multiple host groups (one per zone) and spread your hosts accordingly.

Box 2: 1

Scenario: App1 must meet the following requirements:

- > Be hosted on Azure virtual machines that support automatic scaling.

An Azure virtual machine scale set can automatically increase or decrease the number of VM instances that run your application. This automated and elastic behavior reduces the management overhead to monitor and optimize the performance of your application.

Reference:

<https://docs.microsoft.com/en-us/azure/virtual-machines/dedicated-hosts>

<https://docs.microsoft.com/en-us/azure/virtual-machine-scale-sets/virtual-machine-scale-sets-autoscale-overview>

NEW QUESTION 5

- (Exam Topic 1)

You plan to migrate DB1 and DB2 to Azure.

You need to ensure that the Azure database and the service tier meet the resiliency and business requirements. What should you configure? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Database:

A single Azure SQL database
Azure SQL Managed Instance
An Azure SQL Database elastic pool

Service tier:

Hyperscale
Business Critical
General Purpose

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Database:

A single Azure SQL database
Azure SQL Managed Instance
An Azure SQL Database elastic pool

Service tier:

Hyperscale
Business Critical
General Purpose

NEW QUESTION 6

- (Exam Topic 1)

You plan to migrate App1 to Azure.

You need to recommend a network connectivity solution for the Azure Storage account that will host the App1 data. The solution must meet the security and compliance requirements.

What should you include in the recommendation?

- A. a private endpoint
- B. a service endpoint that has a service endpoint policy
- C. Azure public peering for an ExpressRoute circuit
- D. Microsoft peering for an ExpressRoute circuit

Answer: A

Explanation:

Private Endpoint securely connect to storage accounts from on-premises networks that connect to the VNet using VPN or ExpressRoutes with private-peering.

Private Endpoint also secure your storage account by configuring the storage firewall to block all connections on the public endpoint for the storage service.

<https://docs.microsoft.com/en-us/azure/expressroute/expressroute-faqs#microsoft-peering>

NEW QUESTION 7

- (Exam Topic 1)

You need to implement the Azure RBAC role assignments for the Network Contributor role. The solution must meet the authentication and authorization requirements.

What is the minimum number of assignments that you must use?

- A. 1
- B. 2
- C. 5
- D. 10
- E. 15

Answer: A

Explanation:

Scenario: The Network Contributor built-in RBAC role must be used to grant permissions to the network administrators for all the virtual networks in all the Azure subscriptions.

RBAC roles must be applied at the highest level possible.

NEW QUESTION 8

- (Exam Topic 2)

What should you include in the identity management strategy to support the planned changes?

- A. Move all the domain controllers from corp.fabrikam.com to virtual networks in Azure.
- B. Deploy domain controllers for corp.fabrikam.com to virtual networks in Azure.
- C. Deploy a new Azure AD tenant for the authentication of new R&D projects.
- D. Deploy domain controllers for the rd.fabrikam.com forest to virtual networks in Azure.

Answer: B

Explanation:

Directory synchronization between Azure Active Directory (Azure AD) and corp.fabrikam.com must not be affected by a link failure between Azure and the on-premises network. (This requires domain controllers in Azure)

Users on the on-premises network must be able to authenticate to corp.fabrikam.com if an Internet link fails. (This requires domain controllers on-premises)

NEW QUESTION 9

- (Exam Topic 2)

You need to recommend a data storage strategy for WebApp1. What should you include in the recommendation?

- A. an Azure SQL Database elastic pool
- B. a vCore-based Azure SQL database
- C. an Azure virtual machine that runs SQL Server
- D. a fixed-size DTU AzureSQL database.

Answer: B

NEW QUESTION 10

- (Exam Topic 2)

To meet the authentication requirements of Fabrikam, what should you include in the solution? To answer, select the appropriate options in the answer area.
NOTE: Each correct selection is worth one point.

Minimum number of Azure AD tenants:

	▼
0	
1	
2	
3	
4	

Minimum number of custom domains to add:

	▼
0	
1	
2	
3	
4	

Minimum number of conditional access policies to create:

	▼
0	
1	
2	
3	
4	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Minimum number of Azure AD tenants:

	▼
0	
1	
2	
3	
4	

Minimum number of custom domains to add:

	▼
0	
1	
2	
3	
4	

Minimum number of conditional access policies to create:

	▼
0	
1	
2	
3	
4	

NEW QUESTION 10

- (Exam Topic 3)

You need to recommend a solution that meets the application development requirements. What should you include in the recommendation?

- A. an Azure Container Registry instance
- B. deployment slots

- C. Continuous Integration/Continuous Deployment (CI/CD) sources
- D. the Azure App Configuration service

Answer: B

NEW QUESTION 11

- (Exam Topic 3)

You need to recommend a solution that meets the data requirements for App1.
What should you recommend deploying to each availability zone that contains an instance of App1?

- A. an Azure Cosmos DB that uses multi-region writes
- B. an Azure Storage account that uses geo-zone-redundant storage (GZRS)
- C. an Azure Data Lake store that uses geo-zone-redundant storage (GZRS)
- D. an Azure SQL database that uses active geo-replication

Answer: A

NEW QUESTION 12

- (Exam Topic 3)

What should you recommend to meet the monitoring requirements for App2?

- A. Microsoft Sentinel
- B. Azure Application Insights
- C. Container insights
- D. VM insights

Answer: B

NEW QUESTION 14

- (Exam Topic 3)

What should you recommend to meet the monitoring requirements for App2?

- A. Azure Application Insights
- B. Container insights
- C. Microsoft Sentinel
- D. VM insights

Answer: A

NEW QUESTION 18

- (Exam Topic 3)

You need to recommend a solution that meets the file storage requirements for App2.
What should you deploy to the Azure subscription and the on-premises network? To answer, drag the appropriate services to the correct locations. Each service may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.
NOTE: Each correct selection is worth one point.

Services

Azure Blob Storage

Azure Data Box

Azure Data Box Gateway

Azure Data Lake Storage

Azure File Sync

Azure Files

Answer Area

Azure subscription:

Service

On-premises network:

Service

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, application Description automatically generated
Box 1: Azure Files

Scenario: App2 has the following file storage requirements:

- Save files to an Azure Storage account.
- Replicate files to an on-premises location.
- Ensure that on-premises clients can read the files over the LAN by using the SMB protocol.

Box 2: Azure File Sync

Use Azure File Sync to centralize your organization's file shares in Azure Files, while keeping the flexibility, performance, and compatibility of an on-premises file server. Azure File Sync transforms Windows Server into a quick cache of your Azure file share. You can use any protocol that's available on Windows Server to access your data locally, including SMB, NFS, and FTPS. You can have as many caches as you need across the world.

Reference:

<https://docs.microsoft.com/en-us/azure/storage/file-sync/file-sync-deployment-guide>

NEW QUESTION 21

- (Exam Topic 4)

A company has an on-premises file server cbflserver that runs Windows Server 2019. Windows Admin Center manages this server. The company owns an Azure subscription. You need to provide an Azure solution to prevent data loss if the file server fails.

Solution: You decide to register Windows Admin Center in Azure and then configure Azure Backup. Would this meet the requirement?

- A. Yes
- B. No

Answer: A

NEW QUESTION 22

- (Exam Topic 4)

A company has an on-premises file server cbflserver that runs Windows Server 2019. Windows Admin Center manages this server. The company owns an Azure subscription. You need to provide an Azure solution to prevent data loss if the file server fails.

Solution: You decide to create an Azure Recovery Services vault. You then decide to install the Azure Backup agent and then schedule the backup. Would this meet the requirement?

- A. Yes
- B. No

Answer: A

NEW QUESTION 26

- (Exam Topic 5)

You have an Azure subscription. The subscription contains an Azure SQL managed instance that stores employee details, including social security numbers and phone numbers.

You need to configure the managed instance to meet the following requirements:

- The helpdesk team must see only the last four digits of an employee's phone number.
- Cloud administrators must be prevented from seeing the employee's social security numbers.

What should you enable for each column in the managed instance? To answer select the appropriate options in the answer area.

NOTE; Each correct selection is worth one point

Answer Area



The screenshot shows the 'Data protection' settings for an Azure SQL managed instance. There are two columns: 'Phone numbers' and 'Social security numbers'. For 'Phone numbers', the 'Dynamic data masking' option is selected. For 'Social security numbers', the 'Always Encrypted' option is selected.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Phone numbers:

Dynamic data masking

Always Encrypted

Column encryption

Dynamic data masking

Transparent Data Encryption (TDE)

Social security numbers:

Always Encrypted

Always Encrypted

Column encryption

Dynamic data masking

Transparent Data Encryption (TDE)

NEW QUESTION 29

- (Exam Topic 5)

You have an Azure subscription that contains the resources shown in the following table.

Name	Type	Description
App1	Azure App Service app	None
Workspace1	Log Analytics workspace	Configured to use a pay-as-you-go pricing tier
App1Logs	Log Analytics table	Hosted in Workspace1 Configured to use the Analytics Logs data plan

Log files from App1 are ingested to App 1 Logs. An average of 120 GB of log data is ingested per day. You configure an Azure Monitor alert that will be triggered if the App1 logs contain error messages.

You need to minimize the Log Analytics costs associated with App1. The solution must meet the following requirements:

- Ensure that all the log files from App1 are ingested to App 1 Logs.
- Minimize the impact on the Azure Monitor alert.

Which resource should you modify, and which modification should you perform? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Resource:

App1

App1Logs

Workspace1

Modification:

Change to a commitment pricing tier.

Change to the Basic Logs data plan.

Set a daily cap.

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

A screenshot of a computer Description automatically generated

NEW QUESTION 30

- (Exam Topic 5)


You plan to use Azure SQL as a database platform.

You need to recommend an Azure SQL product and service tier that meets the following requirements:

- Automatically scales compute resources based on the workload demand
- Provides per second billing

What should you recommend? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Answer Area



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

A screenshot of a computer Description automatically generated

"Serverless is a compute tier for single databases in Azure SQL Database that automatically scales compute based on workload demand and bills for the amount of compute used per second. The serverless compute tier is available in the General Purpose service tier and currently in preview in the Hyperscale service tier."
<https://learn.microsoft.com/en-us/azure/azure-sql/database/serverless-tier-overview>

NEW QUESTION 31

- (Exam Topic 5)

Your company has offices in the United States, Europe, Asia, and Australia.

You have an on-premises app named App1 that uses Azure Table storage. Each office hosts a local instance of App1.

You need to upgrade the storage for App1. The solution must meet the following requirements:

- Enable simultaneous write operations in multiple Azure regions.
- Ensure that write latency is less than 10 ms.
- Support indexing on all columns.
- Minimize development effort. Which data platform should you use?

- A. Azure SQL Database
- B. Azure SQL Managed Instance
- C. Azure Cosmos DB
- D. Table storage that uses geo-zone-redundant storage (GZRS) replication

Answer: D

Explanation:

Azure Cosmos DB Table API has

- Single-digit millisecond latency for reads and writes, backed with <10-ms latency reads and <15-ms latency writes at the 99th percentile, at any scale, anywhere in the world.
- Automatic and complete indexing on all properties, no index management.
- Turnkey global distribution from one to 30+ regions. Support for automatic and manual failovers at any time, anywhere in the world. Reference:

<https://docs.microsoft.com/en-us/azure/cosmos-db/table-support>

NEW QUESTION 34

- (Exam Topic 5)

You plan to deploy multiple instances of an Azure web app across several Azure regions.

You need to design an access solution for the app. The solution must meet the following replication requirements:

- Support rate limiting.
- Balance requests between all instances.
- Ensure that users can access the app in the event of a regional outage. Solution: You use Azure Front Door to provide access to the app. Does this meet the goal?

- A. Yes
- B. No

Answer: A

NEW QUESTION 35

- (Exam Topic 5)

Your company deploys several virtual machines on-premises and to Azure. ExpressRoute is deployed and configured for on-premises to Azure connectivity.

Several virtual machines exhibit network connectivity issues.

You need to analyze the network traffic to identify whether packets are being allowed or denied from Azure to the virtual machines.

Solution: Install and configure the Azure Monitoring agent and the Dependency Agent on all the virtual machines. Use VM insights in Azure Monitor to analyze the network traffic.

Does this meet the goal?

- A. Yes
- B. No

Answer: B

NEW QUESTION 40

- (Exam Topic 5)

You plan provision a High Performance Computing (HPC) cluster in Azure that will use a third-party scheduler. You need to recommend a solution to provision and manage the HPC cluster node. What should you include in the recommendation?

- A. Azure Lighthouse
- B. Azure CycleCloud
- C. Azure Purview
- D. Azure Automation

Answer: B

Explanation:

You can dynamically provision Azure HPC clusters with Azure CycleCloud. Azure CycleCloud is the simplest way to manage HPC workloads. Note: Azure CycleCloud is an enterprise-friendly tool for orchestrating and managing High Performance Computing (HPC) environments on Azure. With CycleCloud, users can provision infrastructure for HPC systems, deploy familiar HPC schedulers, and automatically scale the infrastructure to run jobs efficiently at any scale. Through CycleCloud, users can create different types of file systems and mount them to the compute cluster nodes to support HPC workloads. Reference: <https://docs.microsoft.com/en-us/azure/cyclecloud/overview>

NEW QUESTION 45

- (Exam Topic 5)

Your company has offices in New York City, Sydney, Paris, and Johannesburg. The company has an Azure subscription. You plan to deploy a new Azure networking solution that meets the following requirements:

- Connects to ExpressRoute circuits in the Azure regions of East US, Southeast Asia, North Europe, and South Africa
- Minimizes latency by supporting connections in three regions
- Supports Site-to-Site VPN connections
- Minimizes costs

You need to identify the minimum number of Azure Virtual WAN hubs that you must deploy, and which virtual WAN SKU to use. What should you identify? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Answer Area

Number of Virtual WAN hubs:

3

1

2

3

4

Virtual WAN SKU:

Standard

Basic

Standard

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Number of Virtual WAN hubs:

3

1

2

3

4

Virtual WAN SKU:

Standard

Basic

Standard

NEW QUESTION 47

- (Exam Topic 5)

You are designing an Azure web app.

You plan to deploy the web app to the North Europe Azure region and the West Europe Azure region. You need to recommend a solution for the web app. The solution must meet the following requirements:

- Users must always access the web app from the North Europe region, unless the region fails.
- The web app must be available to users if an Azure region is unavailable.
- Deployment costs must be minimized.

What should you include in the recommendation? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Request routing method:

	▼
A Traffic Manager profile	
Azure Application Gateway	
Azure Load Balancer	

Request routing configuration:

	▼
Cookie-based session affinity	
Performance traffic routing	
Priority traffic routing	
Weighted traffic routing	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application, chat or text message Description automatically generated

<https://docs.microsoft.com/en-us/azure/traffic-manager/traffic-manager-routing-methods#priority-traffic-routing>

NEW QUESTION 49

- (Exam Topic 5)

You are designing an app that will include two components. The components will communicate by sending messages via a queue. You need to recommend a solution to process the messages by using a First in. First out (FIFO) pattern. What should you include in the recommendation?


- A. storage queues with a custom metadata setting
- B. Azure Service Bus queues with sessions enabled
- C. Azure Service Bus queues with partitioning enabled
- D. storage queues with a stored access policy

Answer: B

NEW QUESTION 51


- (Exam Topic 5)

You configure OAuth2 authorization in API Management as shown in the following exhibit.




Add OAuth2 service


API Management service



Display name *

Unique name used to reference this authorization server on t...

Id * 




Description

Authorization server description

Client registration page URL *

<https://contoso.com/register>



Authorization grant types

☒ Authorization code

☐ Implicit

☐ Resource owner password

☐ Client credentials

Authorization endpoint URL *

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.
NOTE: Each correct selection is worth one point.

Answer Area

The selected authorization grant type is for [answer choice].

Background services

Headless device authentication

Web applications

To enable custom data in the grant flow, select [answer choice].

Client credentials

Resource owner password

Support state parameter

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application, email Description automatically generated

Box 1: Web applications

The Authorization Code Grant Type is used by both web apps and native apps to get an access token after a user authorizes an app.

Note: The Authorization Code grant type is used by confidential and public clients to exchange an authorization code for an access token.

After the user returns to the client via the redirect URL, the application will get the authorization code from the URL and use it to request an access token.

Reference:

<https://developer.okta.com/blog/2018/04/10/oauth-authorization-code-grant-type> <https://connect2id.com/products/server/docs/guides/client-registration>

NEW QUESTION 55

- (Exam Topic 5)

Your company currently has an application that is hosted on their on-premises environment. The application currently connects to two databases in the on-premises environment. The databases are named whizlabdb1 and whizlabdb2.

You have to move the databases onto Azure. The databases have to support server-side transactions across both of the databases.

Solution: You decide to deploy the databases to an Azure SQL database-managed instance. Would this fulfill the requirement?

- A. Yes

B. No

Answer: A

NEW QUESTION 60

- (Exam Topic 5)

You have an Azure subscription. The subscription contains an app that is hosted in the East US, Central Europe, and East Asia regions.

You need to recommend a data-tier solution for the app. The solution must meet the following requirements: ➤ Support multiple consistency levels.

- Be able to store at least 1 TB of data.
- Be able to perform read and write operations in the Azure region that is local to the app instance. What should you include in the recommendation?

- A. an Azure Cosmos DB database
- B. a Microsoft SQL Server Always On availability group on Azure virtual machines
- C. an Azure SQL database in an elastic pool
- D. Azure Table storage that uses geo-redundant storage (GRS) replication

Answer: A

Explanation:

Azure Cosmos DB approaches data consistency as a spectrum of choices. This approach includes more options than the two extremes of strong and eventual consistency. You can choose from five well-defined levels on the consistency spectrum.

With Cosmos DB any write into any region must be replicated and committed to all configured regions within the account.

Reference:

<https://docs.microsoft.com/en-us/azure/cosmos-db/consistency-levels-tradeoffs>

NEW QUESTION 61

- (Exam Topic 5)

You are designing an Azure solution.

The network traffic for the solution must be securely distributed by providing the following features:

- HTTPS protocol
- Round robin routing
- SSL offloading

You need to recommend a load balancing option. What should you recommend?

- A. Azure Load Balancer
- B. Azure Traffic Manager
- C. Azure Internal Load Balancer (ILB)
- D. Azure Application Gateway

Answer: D

Explanation:

If you are looking for Transport Layer Security (TLS) protocol termination ("SSL offload") or per-HTTP/HTTPS request, application-layer processing, review Application Gateway.

Application Gateway is a layer 7 load balancer, which means it works only with web traffic (HTTP, HTTPS, WebSocket, and HTTP/2). It supports capabilities such as SSL termination, cookie-based session affinity, and round robin for load-balancing traffic. Load Balancer load-balances traffic at layer 4 (TCP or UDP).

References:

<https://docs.microsoft.com/en-us/azure/application-gateway/application-gateway-faq>

NEW QUESTION 63

- (Exam Topic 5)

You have an Azure subscription.

You are designing a solution for containerized apps. The solution must meet the following requirements:

- Automatically scale the apps by creating additional instances.
- Minimize administrative effort to maintain nodes and clusters.
- Ensure that containerized apps are highly available across multiple availability zones.
- Provide a central location for the lifecycle management and storage of container images.

What should you include in the solution? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Answer Area

To run the containerized apps:

- ☐ Azure Container Apps
- ☒ Azure Container Instances
- ☐ Azure Container Registry
- ☐ Azure Kubernetes Service (AKS)

For the lifecycle management and storage of container images:

- ☒ Azure Container Apps
- ☐ Azure Container Instances
- ☐ Azure Container Registry
- ☐ Azure Service Fabric


- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

To run the containerized apps:



For the lifecycle management and storage of container images:



NEW QUESTION 65

- (Exam Topic 5)

A company named Contoso, Ltd. has an Azure Active Directory (Azure AD) tenant that is integrated with Microsoft Office 365 and an Azure subscription. Contoso has an on-premises identity infrastructure. The infrastructure includes servers that run Active Directory Domain Services (AD DS), and Azure AD Connect. Contoso has a partnership with a company named Fabrikam, Inc. Fabrikam has an Active Directory forest and an Office 365 tenant. Fabrikam has the same on-premises identity infrastructure as Contoso.

A team of 10 developers from Fabrikam will work on an Azure solution that will be hosted in the Azure subscription of Contoso. The developers must be added to the Contributor role for a resource in the Contoso subscription.

You need to recommend a solution to ensure that Contoso can assign the role to the 10 Fabrikam developers. The solution must ensure that the Fabrikam developers use their existing credentials to access resources.

What should you recommend?

- A. Configure a forest trust between the on-premises Active Directory forests of Contoso and Fabrikam.
- B. Configure an organization relationship between the Office 365 tenants of Fabrikam and Contoso.
- C. In the Azure AD tenant of Contoso, use MIM to create guest accounts for the Fabrikam developers.
- D. Configure an AD FS relying party trust between the fabrikam and Contoso AD FS infrastructures.

Answer: A

Explanation:

Trust configurations - Configure trust from managed forests(s) or domain(s) to the administrative forest

- > A one-way trust is required from production environment to the admin forest.
- > Selective authentication should be used to restrict accounts in the admin forest to only logging on to the appropriate production hosts.

References:

<https://docs.microsoft.com/en-us/windows-server/identity/securing-privileged-access/securing-privileged-access>

NEW QUESTION 69

- (Exam Topic 5)

Your company has 20 web APIs that were developed in-house.

The company is developing 10 web apps that will use the web APIs. The web apps and the APIs are registered in the company's Azure AD tenant. The web APIs are published by using Azure API Management.

You need to recommend a solution to block unauthorized requests originating from the web apps from reaching the web APIs. The solution must meet the following requirements:


- Use Azure AD-generated claims.
- Minimize configuration and management effort

What should you include in the recommendation? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.


NOTE: Each correct selection is worth one point.

Answer Area

Grant permissions to allow the web apps to access the web APIs by using:



Configure a JSON Web Token (JWT) validation policy by using:



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text Description automatically generated with medium confidence

NEW QUESTION 74

- (Exam Topic 5)

You plan to automate the deployment of resources to Azure subscriptions.

What is a difference between using Azure Blueprints and Azure Resource Manager templates?

- A. Azure Resource Manager templates remain connected to the deployed resources.
- B. Only Azure Resource Manager templates can contain policy definitions.
- C. Azure Blueprints remain connected to the deployed resources.
- D. Only Azure Blueprints can contain policy definitions.

Answer: C

Explanation:

With Azure Blueprints, the relationship between the blueprint definition (what should be deployed) and the blueprint assignment (what was deployed) is preserved. This connection supports improved tracking and auditing of deployments. Azure Blueprints can also upgrade several subscriptions at once that are governed by the same blueprint.

Reference:

<https://docs.microsoft.com/en-us/answers/questions/26851/how-is-azure-blue-prints-different-from-resource-m.h>

NEW QUESTION 79

- (Exam Topic 5)

Your company deploys several Linux and Windows virtual machines (VMs) to Azure. The VMs are deployed with the Microsoft Dependency Agent and the Log Analytics Agent installed by using Azure VM extensions. On-premises connectivity has been enabled by using Azure ExpressRoute.

You need to design a solution to monitor the VMs.

Which Azure monitoring services should you use? To answer, select the appropriate Azure monitoring services in the answer area.

NOTE: Each correct selection is worth one point.

Scenario	Azure Monitoring Service
Analyze Network Security Group (NSG) flow logs for VMs attempting Internet access.	<div><div></div><div><div>Azure Traffic Analytics</div><div>Azure ExpressRoute Monitor</div><div>Azure Service Endpoint Monitor</div><div>Azure DNS Analytics</div></div></div>
Visualize the VMs with their different processes and dependencies on other computers and external processes.	<div><div></div><div><div>Azure Service Map</div><div>Azure Activity Log</div><div>Azure Service Health</div><div>Azure Advisor</div></div></div>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application Description automatically generated

Box 1: Azure Traffic Analytics

Traffic Analytics is a cloud-based solution that provides visibility into user and application activity in cloud networks. Traffic analytics analyzes Network Watcher network security group (NSG) flow logs to provide insights into traffic flow in your Azure cloud. With traffic analytics, you can:

- Identify security threats to, and secure your network, with information such as open-ports, applications attempting internet access, and virtual machines (VM) connecting to rogue networks.
- Visualize network activity across your Azure subscriptions and identify hot spots.
- Understand traffic flow patterns across Azure regions and the internet to optimize your network deployment for performance and capacity.
- Pinpoint network misconfigurations leading to failed connections in your network.

Box 2: Azure Service Map

Service Map automatically discovers application components on Windows and Linux systems and maps the communication between services. With Service Map, you can view your servers in the way that you think of them: as interconnected systems that deliver critical services. Service Map shows connections between servers, processes, inbound and outbound connection latency, and ports across any TCP-connected architecture, with no configuration required other than the installation of an agent.

References:

<https://docs.microsoft.com/en-us/azure/network-watcher/traffic-analytics>

<https://docs.microsoft.com/en-us/azure/azure-monitor/insights/service-map>

NEW QUESTION 84

- (Exam Topic 5)

You have an Azure subscription. The subscription contains 100 virtual machine that am Windows Server. You need to recommend a solution that will provide monitoring and an audit trail of the following

modifications:

- Changes to the Windows registry on the virtual machines
- Changes to the DNS settings of the virtual machines

The solution must minimize administrative effort.

What should you recommend using for each change? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Windows registry changes:

Azure Automation Change Tracking
 Azure Monitor Change Analysis
 Azure Monitor for VM Insights

DNS settings changes:

Azure Automation Change Tracking
 Azure Monitor Change Analysis
 Azure Monitor for VM Insights

- A. Mastered
 B. Not Mastered

Answer: A

Explanation:

Answer Area

Windows registry changes:

Azure Automation Change Tracking
 Azure Monitor Change Analysis
 Azure Monitor for VM Insights

DNS settings changes:

Azure Automation Change Tracking
 Azure Monitor Change Analysis
 Azure Monitor for VM Insights

NEW QUESTION 88

- (Exam Topic 5)

Your company has an app named App1 that uses data from the on-premises Microsoft SQL Server databases shown in the following table.

Name	Size
DB1	450 GB
DB2	250 GB
DB3	300 GB
DB4	50 GB

App1 and the data are used on the first day of the month only. The data is not expected to grow more than 3% each year.

The company is rewriting App1 as an Azure web app and plans to migrate all the data to Azure. You need to migrate the data to Azure SQL Database. The solution must minimize costs. Which service tier should you use?

- A. vCore-based Business Critical
 B. vCore-based General Purpose
 C. DTU-based Standard
 D. DTU-based Basic

Answer: C

Explanation:

DTU-based Standard supports databases up to 1 TB in size. Reference:
<https://docs.microsoft.com/en-us/azure/azure-sql/database/service-tiers-dtu>

NEW QUESTION 91

- (Exam Topic 5)

You are designing a large Azure environment that will contain many subscriptions. You plan to use Azure Policy as part of a governance solution.

To which three scopes can you assign Azure Policy definitions? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

- A. management groups
- B. subscriptions
- C. Azure Active Directory (Azure AD) tenants
- D. resource groups
- E. Azure Active Directory (Azure AD) administrative units
- F. compute resources

Answer: ADE

Explanation:

Azure Policy evaluates resources in Azure by comparing the properties of those resources to business rules. Once your business rules have been formed, the policy definition or initiative is assigned to any scope of resources that Azure supports, such as management groups, subscriptions, resource groups, or individual resources.

Reference:

<https://docs.microsoft.com/en-us/azure/governance/policy/overview>

NEW QUESTION 96

- (Exam Topic 5)

You have an Azure subscription that contains 50 Azure SQL databases.

You create an Azure Resource Manager (ARM) template named Template1 that enables Transparent Data Encryption (TDE).

You need to create an Azure Policy definition named Policy1 that will use Template1 to enable IDE for any noncompliant Azure SQL databases.

How should you configure Policy 1? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Answer Area

Set available effects to:

- DepoIfNotExists
- EnforceRegoPolicy
- Modify

Include in the definition:

- The identity required to perform the remediation task
- The scopes of the policy assignments
- The role-based access control (RBAC) roles required to perform the remediation task

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Set available effects to:

- DepoIfNotExists
- EnforceRegoPolicy
- Modify

Include in the definition:

- The identity required to perform the remediation task
- The scopes of the policy assignments
- The role-based access control (RBAC) roles required to perform the remediation task

NEW QUESTION 99

- (Exam Topic 5)

You have an on-premises named App 1. Customers App1 to manage digital images. You plan to migrate App1 to Azure.

You need to recommend a data storage solution for Appl. The solution must meet the following image storage requirements:

- > Encrypt images at rest.
- > Allow files up to 50M

Services

Azure Blob storage

Azure Cosmos DB

Azure SQL Database

Azure Table storage

Answer Area

Image storage: Service

Customer accounts: Service

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:



NEW QUESTION 100

- (Exam Topic 5)

You have an Azure web app named App1 and an Azure key vault named KV1. App1 stores database connection strings in KV1. App1 performs the following types of requests to KV1:

- > Get
- > List
- > Wrap
- > Delete
- > Unwrap
- > Backup
- > Decrypt
- > Encrypt

You are evaluating the continuity of service for App1. You need to identify the following if the Azure region that hosts KV1 becomes unavailable:

- > To where will KV1 fail over?
- > During the failover, which request type will be unavailable?

What should you identify? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

To where will KV1 fail over?

A server in the same Availability Set

A server in the same fault domain

A server in the same paired region

A virtual machine in a scale set

During the failover, which request type will be unavailable?

Backup

Decrypt

Delete

Encrypt

Get

List

Unwrap

Wrap

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Table Description automatically generated
Box 1: A server in the same paired region
The contents of your key vault are replicated within the region and to a secondary region at least 150 miles away, but within the same geography to maintain high durability of your keys and secrets.

Box 2: Delete

During failover, your key vault is in read-only mode. Requests that are supported in this mode are:

- > List certificates
- > Get certificates
- > List secrets
- > Get secrets
- > List keys
- > Get (properties of) keys
- > Encrypt
- > Decrypt
- > Wrap
- > Unwrap
- > Verify
- > Sign
- > Backup

Reference:

<https://docs.microsoft.com/en-us/azure/key-vault/general/disaster-recovery-guidance>

NEW QUESTION 102

- (Exam Topic 5)

You need to design a highly available Azure SQL database that meets the following requirements:

- * Failover between replicas of the database must occur without any data loss.
- * The database must remain available in the event of a zone outage.
- * Costs must be minimized.

Which deployment option should you use?

- A. Azure SQL Database Premium
- B. Azure SQL Database Hyperscale
- C. Azure SQL Database Basic
- D. Azure SQL Managed Instance Business Critical

Answer: D

NEW QUESTION 107

- (Exam Topic 5)

You are planning an Azure Storage solution for sensitive data. The data will be accessed daily. The data set is less than 10 GB.

You need to recommend a storage solution that meets the following requirements:

- All the data written to storage must be retained for five years.
- Once the data is written, the data can only be read. Modifications and deletion must be prevented.
- After five years, the data can be deleted, but never modified.
- Data access charges must be minimized

What should you recommend? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Answer Area

Storage account type:

General purpose v2 with Archive access tier for blobs
General purpose v2 with Cool access tier for blobs
General purpose v2 with Hot access tier for blobs

Configuration to prevent modifications and deletions:

Container access level
Container access policy
Storage account resource lock

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application Description automatically generated

Box 1: General purpose v2 with Archive access tier for blobs

Archive - Optimized for storing data that is rarely accessed and stored for at least 180 days with flexible latency requirements, on the order of hours.

Cool - Optimized for storing data that is infrequently accessed and stored for at least 30 days. Hot - Optimized for storing data that is accessed frequently.

Box 2: Storage account resource lock

As an administrator, you can lock a subscription, resource group, or resource to prevent other users in your organization from accidentally deleting or modifying critical resources. The lock overrides any permissions the user might have.

Note: You can set the lock level to CanNotDelete or ReadOnly. In the portal, the locks are called Delete and Read-only respectively.

- > CanNotDelete means authorized users can still read and modify a resource, but they can't delete the resource.
- > ReadOnly means authorized users can read a resource, but they can't delete or update the resource.

Applying this lock is similar to restricting all authorized users to the permissions granted by the Reader role.

Reference:

<https://docs.microsoft.com/en-us/azure/storage/blobs/storage-blob-storage-tiers>

NEW QUESTION 111

- (Exam Topic 5)

Your on-premises network contains a file server named Server1 that stores 500 GB of data. You need to use Azure Data Factory to copy the data from Server1 to Azure Storage.

You add a new data factory.

What should you do next? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

From Server1:

From the data factory:

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application, email Description automatically generated

Box 1: Install a self-hosted integration runtime

The Integration Runtime is a customer-managed data integration infrastructure used by Azure Data Factory to provide data integration capabilities across different network environments.

Box 2: Create a pipeline

With ADF, existing data processing services can be composed into data pipelines that are highly available and managed in the cloud. These data pipelines can be scheduled to ingest, prepare, transform, analyze, and publish data, and ADF manages and orchestrates the complex data and processing dependencies

References:

<https://docs.microsoft.com/en-us/azure/machine-learning/team-data-science-process/move-sql-azure-adf> <https://docs.microsoft.com/pl-pl/azure/data-factory/tutorial-hybrid-copy-data-tool>

syu31svc 3 months, 4 weeks ago

<https://docs.microsoft.com/en-us/azure/data-factory/create-self-hosted-integration-runtime?tabs=data-factory> "A self-hosted integration runtime can run copy activities between a cloud data store and a data store in a private network"

<https://docs.microsoft.com/en-us/azure/data-factory/introduction>

"With Data Factory, you can use the Copy Activity in a data pipeline to move data from both on-premises and cloud source data stores to a centralization data store in the cloud for further analysis"

NEW QUESTION 116

- (Exam Topic 5)

You are designing an order processing system in Azure that will contain the Azure resources shown in the following table.

Name	Type	Purpose
App1	Web app	Processes customer orders
Function1	Function	Check product availability at vendor 1
Function2	Function	Check product availability at vendor 2
storage1	Storage account	Stores order processing logs

The order processing system will have the following transaction flow:

- > A customer will place an order by using App1.
- > When the order is received, App1 will generate a message to check for product availability at vendor 1 and vendor 2.
- > An integration component will process the message, and then trigger either Function1 or Function2 depending on the type of order.
- > Once a vendor confirms the product availability, a status message for App1 will be generated by Function1 or Function2.
- > All the steps of the transaction will be logged to storage1.

Which type of resource should you recommend for the integration component? D18912E1457D5D1DDCBD40AB3BF70D5D

Which type of resource should you recommend for the integration component?

- A. an Azure Data Factory pipeline
- B. an Azure Service Bus queue
- C. an Azure Event Grid domain
- D. an Azure Event Hubs capture

Answer: A

Explanation:

A data factory can have one or more pipelines. A pipeline is a logical grouping of activities that together perform a task. The activities in a pipeline define actions to perform on your data. Data Factory has three groupings of activities: data movement activities, data transformation activities, and control activities. Azure Functions is now integrated with Azure Data Factory, allowing you to run an Azure function as a step in your data factory pipelines. Reference:
<https://docs.microsoft.com/en-us/azure/data-factory/concepts-pipelines-activities>

NEW QUESTION 119

- (Exam Topic 5)

You have an Azure subscription that contains multiple storage accounts. You assign Azure Policy definitions to the storage accounts.

You need to recommend a solution to meet the following requirements:

- Trigger on-demand Azure Policy compliance scans.
- Raise Azure Monitor non-compliance alerts by querying logs collected by Log Analytics.

What should you recommend for each requirement? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Answer Area

To trigger the compliance scans, use:

The Azure Command-Line Interface (CLI)
An Azure template
The Azure Command-Line Interface (CLI)
The Azure portal

To generate the non-compliance alerts, configure diagnostic settings for the:

Log Analytics workspace
Azure activity logs
Log Analytics workspace
Storage accounts

- A. Mastered
 B. Not Mastered

Answer: A

Explanation:

Answer Area

To trigger the compliance scans, use:

The Azure Command-Line Interface (CLI)
An Azure template
The Azure Command-Line Interface (CLI)
The Azure portal

To generate the non-compliance alerts, configure diagnostic settings for the:

Log Analytics workspace
Azure activity logs
Log Analytics workspace
Storage accounts

NEW QUESTION 120

- (Exam Topic 5)

You are designing a microservices architecture that will support a web application.

The solution must meet the following requirements:

- Allow independent upgrades to each microservice
- Deploy the solution on-premises and to Azure
- Set policies for performing automatic repairs to the microservices
- Support low-latency and hyper-scale operations

You need to recommend a technology. What should you recommend?

- A. Azure Service Fabric
 B. Azure Container Service
 C. Azure Container Instance
 D. Azure Virtual Machine Scale Set

Answer: A

Explanation:

<https://docs.microsoft.com/en-us/azure/service-fabric/service-fabric-overview>

NEW QUESTION 123

- (Exam Topic 5)

You are designing an application that will aggregate content for users.

You need to recommend a database solution for the application. The solution must meet the following requirements:

- Support SQL commands.
- Support multi-master writes.
- Guarantee low latency read operations.

What should you include in the recommendation?

- A. Azure Cosmos DB SQL API
- B. Azure SQL Database that uses active geo-replication
- C. Azure SQL Database Hyperscale
- D. Azure Database for PostgreSQL

Answer: A

Explanation:

With Cosmos DB's novel multi-region (multi-master) writes replication protocol, every region supports both writes and reads. The multi-region writes capability also enables:

Unlimited elastic write and read scalability.

* 99.999% read and write availability all around the world.

Guaranteed reads and writes served in less than 10 milliseconds at the 99th percentile. Reference:

<https://docs.microsoft.com/en-us/azure/cosmos-db/distribute-data-globally>

NEW QUESTION 125

- (Exam Topic 5)

You have an Azure subscription.

Your on-premises network contains a file server named Server1. Server 1 stores 5 TB of company files that are accessed rarely.

You plan to copy the files to Azure Storage.

You need to implement a storage solution for the files that meets the following requirements:

- The files must be available within 24 hours of being requested.
- Storage costs must be minimized.

Which two possible storage solutions achieve this goal? Each correct answer presents a complete solution. NOTE: Each correct selection is worth one point.

- A. Create a general-purpose v1 storage account
- B. Create a blob container and copy the files to the blob container.
- C. Create a general-purpose v2 storage account that is configured for the Hot default access tier
- D. Create a blob container, copy the files to the blob container, and set each file to the Archive access tier.
- E. Create a general-purpose v1 storage account
- F. Create a file share in the storage account and copy the files to the file share.
- G. Create a general-purpose v2 storage account that is configured for the Cool default access tier
- H. Create a file share in the storage account and copy the files to the file share.
- I. Create an Azure Blob storage account that is configured for the Cool default access tier
- J. Create a blob container, copy the files to the blob container, and set each file to the Archive access tier.

Answer: BE

Explanation:

<https://docs.microsoft.com/en-us/azure/storage/blobs/manage-access-tier?tabs=portal>

NEW QUESTION 127

- (Exam Topic 5)

You have the Azure subscriptions shown in the following table.

Name	Location	Azure AD tenant
Sub1	East US	contoso.onmicrosoft.com
Sub2	East US	contoso-recovery.onmicrosoft.com

Contoso.onmicrosoft.com contains a user named User1.

You need to deploy a solution to protect against ransomware attacks. The solution must meet the following requirements:

- Ensure that all the resources in Sub1 are backed up by using Azure Backup.
- Require that User1 first be assigned a role for Sub2 before the user can make major changes to the backup configuration.

What should you create in each subscription? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Answer Area

Sub1:

Sub2:

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Sub1:

A Recovery Services vault
 A Resource Guard
 An Azure Site Recovery job
 Microsoft Azure Backup Server (MABS)
The Microsoft Azure Recovery Services (MARS) agent

Sub2:

A Recovery Services vault
 A Resource Guard
 An Azure Site Recovery job
 Microsoft Azure Backup Server (MABS)
 The Microsoft Azure Recovery Services (MARS) agent

NEW QUESTION 128

- (Exam Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your company plans to deploy various Azure App Service instances that will use Azure SQL databases. The App Service instances will be deployed at the same time as the Azure SQL databases.

The company has a regulatory requirement to deploy the App Service instances only to specific Azure regions. The resources for the App Service instances must reside in the same region.

You need to recommend a solution to meet the regulatory requirement.

Solution: You recommend creating resource groups based on locations and implementing resource locks on the resource groups.

Does this meet the goal?

A. Yes

B. No

Answer: B

Explanation:

Resource locks are not used for compliance purposes. Resource locks prevent changes from being made to resources.

Reference:

<https://docs.microsoft.com/en-us/azure/azure-resource-manager/management/lock-resources>

NEW QUESTION 129

- (Exam Topic 5)

You have a resource group named RG1 that contains the objects shown in the following table.

Name	Type	Location
ASP-RG1	App Service plan	East US
KV1	Azure Key Vault	East US
KV2	Azure Key Vault	West Europe
App1	Azure Logic Apps	West US

You need to configure permissions so that App1 can copy all the secrets from KV1 to KV2. App1 currently has the Get permission for the secrets in KV1.

Which additional permissions should you assign to App1? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Permission to assign so that App1 can copy the secrets from KV1:

▼

Add
Backup
Create
List
Unwrap Key

Permission to assign so that App1 can copy the secrets to KV2:

▼

Create
Import
List
Wrap Key

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application Description automatically generated

Box 1: List

Get: Gets the specified Azure key vault.

List: The List operation gets information about the vaults associated with the subscription. Box 2: Create

Create Or Update: Create or update a key vault in the specified subscription. Reference:

<https://docs.microsoft.com/en-us/rest/api/keyvault/>

NEW QUESTION 134

- (Exam Topic 5)

You have an Azure subscription that contains an Azure SQL database. You plan to use Azure reservations on the Azure SQL database.

To which resource type will the reservation discount be applied?

- A. vCore compute
- B. DTU compute
- C. Storage
- D. License

Answer: A

Explanation:

Quantity: The amount of compute resources being purchased within the capacity reservation. The quantity is a number of vCores in the selected Azure region and Performance tier that are being reserved and will get the billing discount. For example, if you run or plan to run multiple databases with the total compute capacity of Gen5 16 vCores in the East US region, then you would specify the quantity as 16 to maximize the benefit for all the databases.

Reference:

<https://docs.microsoft.com/en-us/azure/azure-sql/database/reserved-capacity-overview>

NEW QUESTION 139

- (Exam Topic 5)

You have an Azure App Service web app named Webapp1 that connects to an Azure SQL database named DB1. Webapp1 and DB1 are deployed to the East US Azure region.

You need to ensure that all the traffic between Webapp1 and DB1 is sent via a private connection. What should you do? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Create a virtual network that contains at least:

▼

1 subnet
2 subnets
3 subnets

From the virtual network, configure name resolution to use:

▼

A private DNS zone
A public DNS zone
The Azure DNS Private Resolver

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Create a virtual network that contains at least:

From the virtual network, configure name resolution to use:

NEW QUESTION 141

- (Exam Topic 5)

You have an on-premises network and an Azure subscription. The on-premises network has several branch offices. A branch office in Toronto contains a virtual machine named VM1 that is configured as a file server. Users access the shared files on VM1 from all the offices. You need to recommend a solution to ensure that the users can access the shares files as quickly as possible if the Toronto branch office is inaccessible. What should you include in the recommendation?

- A. a Recovery Services vault and Azure Backup
- B. an Azure file share and Azure File Sync
- C. Azure blob containers and Azure File Sync
- D. a Recovery Services vault and Windows Server Backup

Answer: B

Explanation:

Use Azure File Sync to centralize your organization's file shares in Azure Files, while keeping the flexibility, performance, and compatibility of an on-premises file server. Azure File Sync transforms Windows Server into a quick cache of your Azure file share. You need an Azure file share in the same region that you want to deploy Azure File Sync. Reference: <https://docs.microsoft.com/en-us/azure/storage/files/storage-sync-files-deployment-guide>

NEW QUESTION 144

- (Exam Topic 5)

You are designing an application that will use Azure Linux virtual machines to analyze video files. The files will be uploaded from corporate offices that connect to Azure by using ExpressRoute.

You plan to provision an Azure Storage account to host the files.

You need to ensure that the storage account meets the following requirements:

- Supports video files of up to 7 TB
- Provides the highest availability possible
- Ensures that storage is optimized for the large video files
- Ensures that files from the on-premises network are uploaded by using ExpressRoute

How should you configure the storage account? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Answer Area

Storage account type:

Data redundancy:

Networking:

These are the selections for Data redundancy

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Storage account type:

Premium file shares

Premium page blobs

Standard general-purpose v2

Data redundancy:

Geo-redundant storage (GRS)

Locally-redundant storage (LRS)

Zone-redundant storage (ZRS)

These are the selections for Data redundancy

Networking:

Azure Route Server

A private endpoint

A service endpoint

NEW QUESTION 148

- (Exam Topic 5)

You have several Azure App Service web apps that use Azure Key Vault to store data encryption keys. Several departments have the following requests to support the web app:

Department	Request
Security	<ul style="list-style-type: none">Review the membership of administrative roles and require users to provide a justification for continued membership.Get alerts about changes in administrator assignments.See a history of administrator activation, including which changes administrators made to Azure resources.
Development	<ul style="list-style-type: none">Enable the applications to access Key Vault and retrieve keys for use in code.

Which service should you recommend for each department's request? To answer, configure the appropriate options in the answer area.
NOTE: Each correct selection is worth one point.

Answer Area

Security:

Azure AD Privileged Identity Management

Azure AD Privileged Identity Management

Azure Managed Identity

Azure AD Connect

Azure AD Identity Protection

Development:

Azure Managed Identity

Azure AD Privileged Identity Management

Azure Managed Identity

Azure AD Connect

Azure AD Identity Protection

Quality Assurance:

Azure AD Privileged Identity Management

Azure AD Privileged Identity Management

Azure Managed Identity

Azure AD Connect

Azure AD Identity Protection

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application Description automatically generated

NEW QUESTION 153

- (Exam Topic 5)

You have an Azure subscription that contains a Windows Virtual Desktop tenant. You need to recommend a solution to meet the following requirements:

- > Start and stop Windows Virtual Desktop session hosts based on business hours.
- > Scale out Windows Virtual Desktop session hosts when required.
- > Minimize compute costs.

What should you include in the recommendation?

- A. Microsoft Intune

- B. a Windows Virtual Desktop automation task
- C. Azure Automation
- D. Azure Service Health

Answer: C

Explanation:

Reference:

<https://www.ciraltos.com/automatically-start-and-stop-wvd-vms-with-azure-automation/> <https://wvdlogix.net/windows-virtual-desktop-host-pool-automation-2>
<https://getnerdio.com/academy/how-to-optimize-windows-virtual-desktop-wvd-azure-costs-with-event-based-au>

NEW QUESTION 157

- (Exam Topic 5)

You have an Azure subscription named Sub1 that is linked to an Azure AD tenant named contoso.com.

You plan to implement two ASP.NET Core apps named App1 and App2 that will be deployed to 100 virtual machines in Sub1. Users will sign in to App1 and App2 by using their contoso.com credentials.


App1 requires read permissions to access the calendar of the signed-in user. App2 requires write permissions to access the calendar of the signed-in user.

You need to recommend an authentication and authorization solution for the apps. The solution must meet the following requirements:

- Use the principle of least privilege.
- Minimize administrative effort

What should you include in the recommendation? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Answer Area



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application Description automatically generated

NEW QUESTION 158

- (Exam Topic 5)

You have an Azure subscription. The subscription has a blob container that contains multiple blobs. Ten users in the finance department of your company plan to access the blobs during the month of April. You need to recommend a solution to enable access to the blobs during the month of April only. Which security solution should you include in the recommendation?

- A. shared access signatures (SAS)
- B. access keys
- C. conditional access policies
- D. certificates

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/storage/common/storage-sas-overview>

NEW QUESTION 162

- (Exam Topic 5)

You plan to deploy multiple instances of an Azure web app across several Azure regions.

You need to design an access solution for the app. The solution must meet the following replication requirements:

- Support rate limiting
 - Balance requests between all instances.
 - Ensure that users can access the app in the event of a regional outage
- Solution: You use Azure Load Balancer to provide access to the app. Does this meet the goal?

- A. Yes
- B. No

Answer: B

NEW QUESTION 164

- (Exam Topic 5)

You need to design a solution that will execute custom C# code in response to an event routed to Azure Event Grid. The solution must meet the following requirements:

- The executed code must be able to access the private IP address of a Microsoft SQL Server instance that runs on an Azure virtual machine.
- Costs must be minimized.
 What should you include in the solution?

- A. Azure Logic Apps in the integrated service environment
- B. Azure Functions in the Dedicated plan and the Basic Azure App Service plan
- C. Azure Logic Apps in the Consumption plan
- D. Azure Functions in the Consumption plan

Answer: D

Explanation:

When you create a function app in Azure, you must choose a hosting plan for your app. There are three basic hosting plans available for Azure Functions: Consumption plan, Premium plan, and Dedicated (App Service) plan.

For the Consumption plan, you don't have to pay for idle VMs or reserve capacity in advance. Connect to private endpoints with Azure Functions

As enterprises continue to adopt serverless (and Platform-as-a-Service, or PaaS) solutions, they often need a way to integrate with existing resources on a virtual network. These existing resources could be databases, file storage, message queues or event streams, or REST APIs.

Reference:

<https://docs.microsoft.com/en-us/azure/azure-functions/functions-scale> <https://techcommunity.microsoft.com/t5/azure-functions/connect-to-private-endpoints-with-azure-functions/ba-p> Reference:

<https://docs.microsoft.com/en-us/azure/azure-functions/functions-scale#hosting-plans-comparison>

NEW QUESTION 167

- (Exam Topic 5)

You need to recommend an Azure Storage Account configuration for two applications named Application1 and Applications. The configuration must meet the following requirements:

- Storage for Application1 must provide the highest possible transaction rates and the lowest possible latency.
- Storage for Application2 must provide the lowest possible storage costs per GB.
- Storage for both applications must be optimized for uploads and downloads.
- Storage for both applications must be available in an event of datacenter failure.

What should you recommend ? To answer, select the appropriate options in the answer area NOTE: Each correct selection is worth one point

Answer Area

Application1:

▼

BlobStorage with Standard performance, Hot access tier, and Read-access geo-redundant storage (RA-GRS) replication

BlockBlobStorage with Premium performance and Zone-redundant storage (ZRS) replication

General purpose v1 with Premium performance and Locally-redundant storage (LRS) replication

General purpose v2 with Standard performance, Hot access tier, and Locally-redundant storage (LRS) replication

Application2:

▼

BlobStorage with Standard performance, Cool access tier, and Geo-redundant storage (GRS) replication

BlockBlobStorage with Premium performance and Zone-redundant storage (ZRS) replication

General purpose v1 with Standard performance and Read-access geo-redundant storage (RA-GRS) replication

General purpose v2 with Standard performance, Cool access tier, and Read-access geo-redundant storage (RA-GRS) replication

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application Description automatically generated

Box 1: BloblBlobStorage with Premium performance and Zone-redundant storage (ZRS) replication.

BlockBlobStorage accounts: Storage accounts with premium performance characteristics for block blobs and append blobs. Recommended for scenarios with high transactions rates, or scenarios that use smaller objects or require consistently low storage latency.

Premium: optimized for high transaction rates and single-digit consistent storage latency. Box 2: General purpose v2 with Standard performance..

General-purpose v2 accounts: Basic storage account type for blobs, files, queues, and tables. Recommended for most scenarios using Azure Storage.

Reference:

<https://docs.microsoft.com/en-us/azure/storage/common/storage-account-overview>

<https://docs.microsoft.com/en-us/azure/storage/common/storage-redundancy>

NEW QUESTION 169

- (Exam Topic 5)

You are designing an Azure governance solution.

All Azure resources must be easily identifiable based on the following operational information: environment, owner, department, and cost center.

You need to ensure that you can use the operational information when you generate reports for the Azure resources.

What should you include in the solution?

- A. Azure Active Directory (Azure AD) administrative units
- B. an Azure data catalog that uses the Azure REST API as a data source
- C. an Azure policy that enforces tagging rules
- D. an Azure management group that uses parent groups to create a hierarchy

Answer: C

Explanation:

You use Azure Policy to enforce tagging rules and conventions. By creating a policy, you avoid the scenario of resources being deployed to your subscription that don't have the expected tags for your organization. Instead of manually applying tags or searching for resources that aren't compliant, you create a policy that automatically applies the needed tags during deployment.

Note: Organizing cloud-based resources is a crucial task for IT, unless you only have simple deployments. Use naming and tagging standards to organize your resources for these reasons:

Resource management: Your IT teams will need to quickly locate resources associated with specific workloads, environments, ownership groups, or other important information. Organizing resources is critical to assigning organizational roles and access permissions for resource management.

Reference:

<https://docs.microsoft.com/en-us/azure/cloud-adoption-framework/decision-guides/resource-tagging> <https://docs.microsoft.com/en-us/azure/azure-resource-manager/management/tag-policies>

NEW QUESTION 172

- (Exam Topic 5)

You have an Azure Data Lake Storage account that contains 1,000 10-MB CSV files and an Azure Synapse Analytics dedicated SQL pool named sql1. You need to load the files to sql1. The solution must meet the following requirements:

- Maximize data load performance.
- Eliminate the need to define external tables before the data loads.

What should you use?

- A. the copy statement
- B. PolyBase
- C. BCP
- D. the sqlBulkcopy object

Answer: B

NEW QUESTION 176

- (Exam Topic 5)


You have an Azure Active Directory (Azure AD) tenant.

You plan to use Azure Monitor to monitor user sign-ins and generate alerts based on specific user sign-in events.

You need to recommend a solution to trigger the alerts based on the events.

What should you include in the recommendation? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.



Send Azure AD logs to:

- An Azure event hub
- An Azure Log Analytics workspace
- An Azure Storage account

Signal type to use for triggering the alerts:

- Activity log
- Log
- Metric

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application Description automatically generated

Box 1: An Azure Log Analytics workspace

To be able to create an alert we send the Azure AD logs to An Azure Log Analytics workspace.

Note: You can forward your AAD logs and events to either an Azure Storage Account, an Azure Event Hub, Log Analytics, or a combination of all of these.

Box 2: Log

Ensure Resource Type is an analytics source like Log Analytics or Application Insights and signal type as Log.

Reference:

<https://4sysops.com/archives/how-to-create-an-azure-ad-admin-login-alert/> <https://docs.microsoft.com/en-us/azure/azure-monitor/platform/alerts-log>

NEW QUESTION 178

- (Exam Topic 5)

A company needs a datastore created in Azure for an application. Below are the key requirements for the data store.

Ability to store JSON based items

Ability to use SQL like queries on the datastore Ability to provide low latency access to data items

Which of the following would you consider as the data store?

- A. Azure BLOB storage
- B. Azure CosmosDB
- C. Azure HDInsight
- D. Azure Redis

Answer: B

NEW QUESTION 183

- (Exam Topic 5)

You deploy two instances of an Azure web app. One instance is in the East US Azure region and the other instance is in the West US Azure region. The web app uses Azure Blob storage to deliver large files to end users.

You need to recommend a solution for delivering the files to the users. The solution must meet the following requirements:

- Ensure that the users receive files from the same region as the web app that they access.
- Ensure that the files only need to be updated once.
- Minimize costs.

What should you include in the recommendation?

- A. Azure File Sync
- B. Distributed File System (DFS)
- C. read-access geo-redundant storage (RA-GRS)
- D. geo-redundant storage (GRS)

Answer: C

NEW QUESTION 188

- (Exam Topic 5)

You have an Azure subscription.

You need to deploy a relational database. The solution must meet the following requirements:

- Support multiple read-only replicas.
- Automatically load balance read-only requests across all the read-only replicas.
- Minimize administrative effort

What should you use? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Answer Area

Service:

A single Azure SQL database
 An Azure SQL Database elastic pool
 Azure SQL Managed Instances

Service tier:

Hyperscale
 Premium

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Service:

A single Azure SQL database
 An Azure SQL Database elastic pool
 Azure SQL Managed Instances

Service tier:

Hyperscale
 Premium

NEW QUESTION 193

- (Exam Topic 5)

You have an on-premises network and an Azure subscription. The on-premises network has several branch offices.

A branch office in Toronto contains a virtual machine named VM1 that is configured as a file server. Users access the shared files on VM1 from all the offices.

You need to recommend a solution to ensure that the users can access the shares files as quickly as possible if the Toronto branch office is inaccessible.

What should you include in the recommendation?

- A. a Recovery Services vault and Azure Backup
- B. an Azure file share and Azure File Sync
- C. Azure blob containers and Azure File Sync
- D. a Recovery Services vault and Windows Server Backup

Answer: B

Explanation:

Use Azure File Sync to centralize your organization's file shares in Azure Files, while keeping the flexibility, performance, and compatibility of an on-premises file server. Azure File Sync transforms Windows Server into a quick cache of your Azure file share.

You need an Azure file share in the same region that you want to deploy Azure File Sync. Reference:

<https://docs.microsoft.com/en-us/azure/storage/files/storage-sync-files-deployment-guide>

NEW QUESTION 196

- (Exam Topic 5)

Your on-premises network contains a server named Server1 that runs an ASP.NET application named App1. You have a hybrid deployment of Azure Active Directory (Azure AD).

You need to recommend a solution to ensure that users sign in by using their Azure AD account and Azure Multi-Factor Authentication (MFA) when they connect to App1 from the internet.

Which three Azure services should you recommend be deployed and configured in sequence? To answer, move the appropriate services from the list of services to the answer area and arrange them in the correct order.

Services

Answer Area

- an internal Azure Load Balancer
- an Azure AD conditional access policy
- Azure AD Application Proxy
- an Azure AD managed identity
- a public Azure Load Balancer
- an Azure AD enterprise application
- an App Service plan



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

AD Application Proxy

AD Enterprise Application AD Conditional access policy

<https://thesleepyadmins.com/2019/02/>

NEW QUESTION 199

- (Exam Topic 5)

You have an on-premises storage solution.

You need to migrate the solution to Azure. The solution must support Hadoop Distributed File System (HDFS).

What should you use?

- A. Azure Data Lake Storage Gen2
- B. Azure NetApp Files
- C. Azure Data Share
- D. Azure Table storage

Answer: A

NEW QUESTION 202

- (Exam Topic 5)

You have an Azure subscription.

You need to deploy an Azure Kubernetes Service (AKS) solution that will use Linux nodes. The solution must meet the following requirements:

- Minimize the time it takes to provision compute resources during scale-out operations.
- Support autoscaling of Linux containers.
- Minimize administrative effort.

Which scaling option should you recommend?

- A. Virtual Kubelet
- B. cluster autoscaler
- C. horizontal pod autoscaler
- D. AKS virtual nodes

Answer: D

Explanation:

<https://docs.microsoft.com/en-us/azure/aks/virtual-nodes>

NEW QUESTION 207

- (Exam Topic 5)

You have an Azure subscription.

You plan to deploy five storage accounts that will store block blobs and five storage accounts that will host file shares. The file shares will be accessed by using the SMB protocol.

You need to recommend an access authorization solution for the storage accounts. The solution must meet the following requirements:

- Maximize security.
- Prevent the use of shared keys.
- Whenever possible, support time-limited access.

What should you include in the solution? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Answer Area

For the blobs:

For the file shares:

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

For the blobs:

For the file shares:

NEW QUESTION 211

- (Exam Topic 5)

Your company has the infrastructure shown in the following table.

Location	Resource
Azure	<ul style="list-style-type: none"> • Azure subscription named Subscription1 • 20 Azure web apps
On-premises datacenter	<ul style="list-style-type: none"> • Active Directory domain • Server running Azure AD Connect • Linux computer named Server1

The on-premises Active Directory domain syncs to Azure Active Directory (Azure AD).

Server1 runs an application named Appl that uses LDAP queries to verify user identities in the on-premises Active Directory domain.

You plan to migrate Server1 to a virtual machine in Subscription1.

A company security policy states that the virtual machines and services deployed to Subscription1 must be prevented from accessing the on-premises network.

You need to recommend a solution to ensure that Appl continues to function after the migration. The solution must meet the security policy.

What should you include in the recommendation?

- A. Azure AD Domain Services (Azure AD DS)
- B. an Azure VPN gateway
- C. the Active Directory Domain Services role on a virtual machine
- D. Azure AD Application Proxy

Answer: A

Explanation:

<https://docs.microsoft.com/en-us/azure/active-directory-domain-services/overview>

Azure Active Directory Domain Services (Azure AD DS) provides managed domain services such as domain join, group policy, lightweight directory access protocol (LDAP), and Kerberos/NTLM authentication

Azure AD Domain Services (Azure AD DS) - This one could work since AAD DS will bring in the existing accounts from Azure AD which in turn are synchronised from on-premise AD over AD connect. However, you would probably need to reconfigure the app and update the LDAP connection

Azure Active Directory (Azure AD) supports LDAP Authentication via Azure AD Domain Services (AD DS). <https://docs.microsoft.com/en-us/azure/active-directory/fundamentals/auth-ldap>

<https://docs.microsoft.com/en-us/azure/active-directory-domain-services/synchronization>

NEW QUESTION 212

.....

Thank You for Trying Our Product

We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

AZ-305 Practice Exam Features:

- * AZ-305 Questions and Answers Updated Frequently
- * AZ-305 Practice Questions Verified by Expert Senior Certified Staff
- * AZ-305 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * AZ-305 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year

100% Actual & Verified — Instant Download, Please Click
[Order The AZ-305 Practice Test Here](#)