



Cisco

Exam Questions 350-701

Implementing and Operating Cisco Security Core Technologies

NEW QUESTION 1

Which feature requires a network discovery policy on the Cisco Firepower Next Generation Intrusion Prevention System?

- A. security intelligence
- B. impact flags
- C. health monitoring
- D. URL filtering

Answer: A

NEW QUESTION 2

Refer to the exhibit.

```
aaa new-model
radius-server host 10.0.0.12 key secret12
```

Which statement about the authentication protocol used in the configuration is true?

- A. The authentication request contains only a password
- B. The authentication request contains only a username
- C. The authentication and authorization requests are grouped in a single packet.
- D. There are separate authentication and authorization request packets.

Answer: C

NEW QUESTION 3

Which two preventive measures are used to control cross-site scripting? (Choose two.)

- A. Enable client-side scripts on a per-domain basis.
- B. Incorporate contextual output encoding/escaping.
- C. Disable cookie inspection in the HTML inspection engine.
- D. Run untrusted HTML input through an HTML sanitization engine.
- E. SameSite cookie attribute should not be used.

Answer: AB

NEW QUESTION 4

Which policy is used to capture host information on the Cisco Firepower Next Generation Intrusion Prevention System?

- A. correlation
- B. intrusion
- C. access control
- D. network discovery

Answer: D

NEW QUESTION 5

Refer to the exhibit.

| Interface | MAC Address | Method | Domain | Status | Fg Session ID |
|-----------|----------------|--------|--------|--------|---------------|
| Gi4/15 | 0050.b6d4.8a60 | dot1x | DATA | Auth | 0A02198200001 |
| Gi8/43 | 0024.c4fe.1832 | dot1x | VOICE | Auth | 0A02198200000 |
| Gi10/25 | 0026.7391.bbd1 | dot1x | DATA | Auth | 0A02198200001 |
| Gi8/28 | 0026.0b5e.51d5 | dot1x | VOICE | Auth | 0A02198200000 |
| Gi4/13 | 0025.4593.e575 | dot1x | VOICE | Auth | 0A02198200000 |
| Gi10/23 | 0025.8418.217f | dot1x | VOICE | Auth | 0A02198200000 |
| Gi7/4 | 0025.8418.1bc7 | dot1x | VOICE | Auth | 0A02198200000 |
| Gi7/7 | 0026.0b5e.50fb | dot1x | VOICE | Auth | 0A02198200000 |
| Gi8/14 | c85b.7604.fa1d | dot1x | DATA | Auth | 0A02198200001 |
| Gi10/29 | 0026.0b5e.528a | dot1x | VOICE | Auth | 0A02198200000 |
| Gi4/2 | 0026.0b5e.4f9f | dot1x | VOICE | Auth | 0A02198200000 |
| Gi10/30 | 0025.4593.e5ac | dot1x | VOICE | Auth | 0A02198200000 |
| Gi8/29 | 68bd.aba5.2e44 | dot1x | VOICE | Auth | 0A02198200001 |
| Gi7/4 | 54ee.75db.d766 | dot1x | DATA | Auth | 0A02198200001 |
| Gi2/34 | e804.62eb.a658 | dot1x | VOICE | Auth | 0A02198200000 |
| Gi10/22 | 482a.e307.d9c8 | dot1x | DATA | Auth | 0A02198200001 |
| Gi9/22 | 0007.b00c.8c35 | mab | DATA | Auth | 0A02198200000 |

Which command was used to generate this output and to show which ports are authenticating with dot1x or mab?

- A. show authentication registrations
- B. show authentication method
- C. show dot1x all
- D. show authentication sessions

Answer: B

NEW QUESTION 6

Which two capabilities does TAXII support? (Choose two.)

- A. exchange
- B. pull messaging
- C. binding
- D. correlation
- E. mitigating

Answer: BC

NEW QUESTION 7

Which two conditions are prerequisites for stateful failover for IPsec? (Choose two.)

- A. Only the IKE configuration that is set up on the active device must be duplicated on the standby device; the IPsec configuration is copied automatically.
- B. The active and standby devices can run different versions of the Cisco IOS software but must be the same type of device.
- C. The IPsec configuration that is set up on the active device must be duplicated on the standby device.
- D. Only the IPsec configuration that is set up on the active device must be duplicated on the standby device; the IKE configuration is copied automatically.
- E. The active and standby devices must run the same version of the Cisco IOS software and must be the same type of device.

Answer: BC

Explanation:

Reference: https://www.cisco.com/c/en/us/td/docs/ios-xml/ios/sec_conn_vpnnav/configuration/15-mt/sec-vpn-availability-15-mt-book/sec-state-fail-ipsec.html

NEW QUESTION 8

What two mechanisms are used to redirect users to a web portal to authenticate to ISE for guest services? (Choose two.)

- A. TACACS+
- B. central web auth
- C. single sign-on
- D. multiple factor auth
- E. local web auth

Answer: BE

Explanation:

Reference: https://www.cisco.com/c/en/us/td/docs/security/ise/2-2/admin_guide/b_ise_admin_guide_22/b_ise_admin_guide_22_chapter_01110.html

NEW QUESTION 9

Which flaw does an attacker leverage when exploiting SQL injection vulnerabilities?

- A. user input validation in a web page or web application
- B. Linux and Windows operating systems
- C. database
- D. web page images

Answer: C

Explanation:

Reference: https://tools.cisco.com/security/center/resources/sql_injection

NEW QUESTION 10

Which exfiltration method does an attacker use to hide and encode data inside DNS requests and queries?

- A. DNS tunneling
- B. DNSCrypt
- C. DNS security
- D. DNSSEC

Answer: A

Explanation:

Reference: <https://learn-umbrella.cisco.com/cloud-security/dns-tunneling>

NEW QUESTION 10

Which network monitoring solution uses streams and pushes operational data to provide a near real-time view of activity?

- A. SNMP
- B. SMTP
- C. syslog
- D. model-driven telemetry

Answer: D

Explanation:

Reference: <https://developer.cisco.com/docs/ios-xe/#!/streaming-telemetry-quick-start-guide>

NEW QUESTION 11

Which two probes are configured to gather attributes of connected endpoints using Cisco Identity Services Engine? (Choose two.)

- A. RADIUS
- B. TACACS+
- C. DHCP
- D. sFlow
- E. SMTP

Answer: AC

Explanation:

Reference: https://www.cisco.com/en/US/docs/security/ise/1.0/user_guide/ise10_prof_pol.html

NEW QUESTION 12

What are the two most commonly used authentication factors in multifactor authentication? (Choose two.)

- A. biometric factor
- B. time factor
- C. confidentiality factor
- D. knowledge factor
- E. encryption factor

Answer: AD

NEW QUESTION 14

Which technology is used to improve web traffic performance by proxy caching?

- A. WSA
- B. Firepower
- C. FireSIGHT
- D. ASA

Answer: A

NEW QUESTION 17

Which benefit does endpoint security provide the overall security posture of an organization?

- A. It streamlines the incident response process to automatically perform digital forensics on the endpoint.
- B. It allows the organization to mitigate web-based attacks as long as the user is active in the domain.
- C. It allows the organization to detect and respond to threats at the edge of the network.
- D. It allows the organization to detect and mitigate threats that the perimeter security devices do not detect.

Answer: D

NEW QUESTION 18

An engineer configured a new network identity in Cisco Umbrella but must verify that traffic is being routed through the Cisco Umbrella network. Which action tests the routing?

- A. Ensure that the client computers are pointing to the on-premises DNS servers.
- B. Enable the Intelligent Proxy to validate that traffic is being routed correctly.
- C. Add the public IP address that the client computers are behind to a Core Identity.
- D. Browse to <http://welcome.umbrella.com/> to validate that the new identity is working.

Answer: B

NEW QUESTION 23

What are two list types within AMP for Endpoints Outbreak Control? (Choose two.)

- A. blocked ports
- B. simple custom detections
- C. command and control
- D. allowed applications
- E. URL

Answer: BD

Explanation:

Reference: <https://docs.amp.cisco.com/en/A4E/AMP%20for%20Endpoints%20User%20Guide.pdf> chapter 2

NEW QUESTION 25

Which statement about IOS zone-based firewalls is true?

- A. An unassigned interface can communicate with assigned interfaces
- B. Only one interface can be assigned to a zone.
- C. An interface can be assigned to multiple zones.
- D. An interface can be assigned only to one zone.

Answer: D

Explanation:

Reference: <https://www.cisco.com/c/en/us/support/docs/security/ios-firewall/98628-zone-design-guide.html>

NEW QUESTION 30

Which two activities can be done using Cisco DNA Center? (Choose two.)

- A. DHCP
- B. design
- C. accounting
- D. DNS
- E. provision

Answer: BE

Explanation:

Reference: https://www.cisco.com/c/en/us/td/docs/cloud-systems-management/network-automation-and-management/dna-center/1-2-1/user_guide/b_dnac_ug_1_2_1/b_dnac_ug_1_2_chapter_00.pdf

NEW QUESTION 32

What is the difference between deceptive phishing and spear phishing?

- A. Deceptive phishing is an attacked aimed at a specific user in the organization who holds a C-level role.
- B. A spear phishing campaign is aimed at a specific person versus a group of people.
- C. Spear phishing is when the attack is aimed at the C-level executives of an organization.
- D. Deceptive phishing hijacks and manipulates the DNS server of the victim and redirects the user to a false webpage.

Answer: B

NEW QUESTION 35

An engineer needs a solution for TACACS+ authentication and authorization for device administration. The engineer also wants to enhance wired and wireless network security by requiring users and endpoints to use 802.1X, MAB, or WebAuth. Which product meets all of these requirements?

- A. Cisco Prime Infrastructure
- B. Cisco Identity Services Engine
- C. Cisco Stealthwatch
- D. Cisco AMP for Endpoints

Answer: B

NEW QUESTION 36

Which VPN technology can support a multivendor environment and secure traffic between sites?

- A. SSL VPN
- B. GET VPN
- C. FlexVPN
- D. DMVPN

Answer: C

Explanation:

Reference: https://www.cisco.com/c/en/us/products/collateral/routers/asr-1000-series-aggregation-services-routers/data_sheet_c78-704277.html

NEW QUESTION 37

Which SNMPv3 configuration must be used to support the strongest security possible?

- A. asa-host(config)#snmp-server group myv3 v3 priv asa-host(config)#snmp-server user andy myv3 auth sha cisco priv des ciscXXXXXXXXX asa-host(config)#snmp-server host inside 10.255.254.1 version 3 andy
- B. asa-host(config)#snmp-server group myv3 v3 noauth asa- host(config)#snmp-server user andy myv3 auth sha cisco priv aes 256 ciscXXXXXXXXX asa-host(config)#snmp-server host inside 10.255.254.1 version 3 andy
- C. asa-host(config)#snmp- server group myv3 v3 noauth asa-host(config)#snmp-server user andy myv3 auth sha cisco priv 3des ciscXXXXXXXXXasa-host(config)#snmp-server host inside 10.255.254.1 version 3 andy
- D. asa- host(config)#snmp-server group myv3 v3 priv asa-host(config)#snmp-server user andy myv3 auth sha cisco priv aes 256 ciscXXXXXXXXX asa-host(config)#snmp-server host inside 10.255.254.1 version 3 andy

Answer: D

NEW QUESTION 41

Which feature is supported when deploying Cisco ASAv within AWS public cloud?

- A. multiple context mode
- B. user deployment of Layer 3 networks
- C. IPv6
- D. clustering

Answer: B

Explanation:

Reference: <https://www.cisco.com/c/en/us/td/docs/security/asa/asa96/asav/quick-start-book/asav-96-qsg/asav-aws.html>

NEW QUESTION 42

Under which two circumstances is a CoA issued? (Choose two.)

- A. A new authentication rule was added to the policy on the Policy Service node.
- B. An endpoint is deleted on the Identity Service Engine server.
- C. A new Identity Source Sequence is created and referenced in the authentication policy.
- D. An endpoint is profiled for the first time.
- E. A new Identity Service Engine server is added to the deployment with the Administration persona.

Answer: BD

Explanation:

Reference: https://www.cisco.com/en/US/docs/security/ise/1.0/user_guide/ise10_prof_pol.html

NEW QUESTION 44

Which solution combines Cisco IOS and IOS XE components to enable administrators to recognize applications, collect and send network metrics to Cisco Prime and other third-party management tools, and prioritize application traffic?

- A. Cisco Security Intelligence
- B. Cisco Application Visibility and Control
- C. Cisco Model Driven Telemetry
- D. Cisco DNA Center

Answer: B

NEW QUESTION 46

Which two endpoint measures are used to minimize the chances of falling victim to phishing and social engineering attacks? (Choose two.)

- A. Patch for cross-site scripting.
- B. Perform backups to the private cloud.
- C. Protect against input validation and character escapes in the endpoint.
- D. Install a spam and virus email filter.
- E. Protect systems with an up-to-date antimalware program.

Answer: DE

NEW QUESTION 51

Why would a user choose an on-premises ESA versus the CES solution?

- A. Sensitive data must remain onsite.
- B. Demand is unpredictable.
- C. The server team wants to outsource this service.
- D. ESA is deployed inline.

Answer: A

NEW QUESTION 56

Which technology must be used to implement secure VPN connectivity among company branches over a private IP cloud with any-to-any scalable connectivity?

- A. DMVPN
- B. FlexVPN
- C. IPsec DVTI
- D. GET VPN

Answer: D

NEW QUESTION 60

Which cloud service model offers an environment for cloud consumers to develop and deploy applications without needing to manage or maintain the underlying cloud infrastructure?

- A. PaaS
- B. XaaS
- C. IaaS
- D. SaaS

Answer: A

NEW QUESTION 65

Which two request of REST API are valid on the Cisco ASA Platform? (Choose two.)

- A. put
- B. options
- C. get
- D. push
- E. connect

Answer: AC

Explanation:

Reference: <https://www.cisco.com/c/en/us/td/docs/security/asa/api/qsg-asa-api.html>

NEW QUESTION 67

In a PaaS model, which layer is the tenant responsible for maintaining and patching?

- A. hypervisor
- B. virtual machine
- C. network
- D. application

Answer: D

Explanation:

Reference: <https://www.bmc.com/blogs/saas-vs-paas-vs-iaas-whats-the-difference-and-how-to-choose/>

NEW QUESTION 72

What can be integrated with Cisco Threat Intelligence Director to provide information about security threats, which allows the SOC to proactively automate responses to those threats?

- A. Cisco Umbrella
- B. External Threat Feeds
- C. Cisco Threat Grid
- D. Cisco Stealthwatch

Answer: C

NEW QUESTION 75

What provides visibility and awareness into what is currently occurring on the network?

- A. CMX
- B. WMI
- C. Prime Infrastructure
- D. Telemetry

Answer: C

NEW QUESTION 77

Refer to the exhibit.

```
Sysauthcontrol          Enabled
Dot1x Protocol Version    3

Dot1x Info for GigabitEthernet1/0/12
-----
PAE                      = AUTHENTICATOR
PortControl              = FORCE_AUTHORIZED
ControlDirection        = Both
HostMode                 = SINGLE_HOST
QuietPeriod              = 60
ServerTimeout            = 0
SuppTimeout              = 30
ReAuthMax                = 2
MaxReq                   = 2
TxPeriod                 = 30
```

Which command was used to display this output?

- A. show dot1x all
- B. show dot1x
- C. show dot1x all summary
- D. show dot1x interface gi1/0/12

Answer: A

Explanation:

Reference: https://www.cisco.com/c/en/us/td/docs/ios-xml/ios/sec_usr_8021x/configuration/xe-3se/3850/sec-user-8021x-xe-3se-3850-book/config-ieee-802x-pba.html

NEW QUESTION 78

Which two prevention techniques are used to mitigate SQL injection attacks? (Choose two.)

- A. Check integer, float, or Boolean string parameters to ensure accurate values.
- B. Use prepared statements and parameterized queries.
- C. Secure the connection between the web and the app tier.
- D. Write SQL code instead of using object-relational mapping libraries.
- E. Block SQL code execution in the web application database login.

Answer: AB

Explanation:

Reference: https://en.wikipedia.org/wiki/SQL_injection

NEW QUESTION 80

How does Cisco Stealthwatch Cloud provide security for cloud environments?

- A. It delivers visibility and threat detection.
- B. It prevents exfiltration of sensitive data.
- C. It assigns Internet-based DNS protection for clients and servers.
- D. It facilitates secure connectivity between public and private networks.

Answer: A

Explanation:

<https://www.content.shi.com/SHIcom/ContentAttachmentImages/SharedResources/FBLP/Cisco/Cisco-091919-Simple-IT-Whitepaper.pdf>

NEW QUESTION 84

The main function of northbound APIs in the SDN architecture is to enable communication between which two areas of a network?

- A. SDN controller and the cloud
- B. management console and the SDN controller
- C. management console and the cloud
- D. SDN controller and the management solution

Answer: D

NEW QUESTION 86

Which two kinds of attacks are prevented by multifactor authentication? (Choose two.)

- A. phishing
- B. brute force
- C. man-in-the-middle
- D. DDOS
- E. tear drop

Answer: BC

NEW QUESTION 91

.....

Thank You for Trying Our Product

We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

350-701 Practice Exam Features:

- * 350-701 Questions and Answers Updated Frequently
- * 350-701 Practice Questions Verified by Expert Senior Certified Staff
- * 350-701 Most Realistic Questions that Guarantee you a Pass on Your First Try
- * 350-701 Practice Test Questions in Multiple Choice Formats and Updates for 1 Year

100% Actual & Verified — Instant Download, Please Click
[Order The 350-701 Practice Test Here](#)