

Salesforce

Exam Questions CRT-450

Salesforce Certified Platform Developer I (SU18)



NEW QUESTION 1

Which statement results in an Apex compiler error?

- A. Map<Id,Leas> lmap = new Map<Id,Lead>([Select ID from Lead Limit 8]);
- B. Date d1 = Date.Today(), d2 = Date.ValueOf('2018-01-01');
- C. Integer a=5, b=6, c, d = 7;
- D. List<string> s = List<string>{'a','b','c'};

Answer: D

NEW QUESTION 2

Which three tools can deploy metadata to production? (Choose three.)

- A. Change Set from Developer Org
- B. Force.com IDE
- C. Data Loader
- D. Change Set from Sandbox
- E. Metadata API

Answer: ADE

NEW QUESTION 3

How should a developer make sure that a child record on a custom object, with a lookup to the Account object, has the same sharing access as its associated account?

- A. Create a Sharing Rule comparing the custom object owner to the account owner.
- B. Create a validation rule on the custom object comparing the record owners on both records.
- C. Include the sharing related list on the custom object page layout.
- D. Ensure that the relationship between the objects is Master-Detail

Answer: D

NEW QUESTION 4

Which tool allows a developer to send requests to the Salesforce REST APIs and view the responses?

- A. REST resource path URL
- B. Workbench REST Explorer
- C. Developer Console REST tab
- D. Force.com IDE REST Explorer tab

Answer: B

NEW QUESTION 5

What are three characteristics of static methods? (Choose three.)

- A. Initialized only when a class is loaded
- B. A static variable outside of the scope of an Apex transaction
- C. Allowed only in outer classes
- D. Allowed only in inner classes
- E. Excluded from the view state for a Visualforce page

Answer: ACE

NEW QUESTION 6

What is the requirement for a class to be used as a custom Visualforce controller?

- A. Any top-level Apex class that has a constructor that returns a PageReference
- B. Any top-level Apex class that extends a PageReference
- C. Any top-level Apex class that has a default, no-argument constructor
- D. Any top-level Apex class that implements the controller interface

Answer: D

NEW QUESTION 7

When viewing a Quote, the sales representative wants to easily see how many discounted items are included in the Quote Line Items. What should a developer do to meet this requirement?

- A. Create a trigger on the Quote object that queries the Quantity field on discounted Quote Line Items.
- B. Create a Workflow Rule on the Quote Line Item object that updates a field on the parent Quote when the item is discounted.
- C. Create a roll-up summary field on the Quote object that performs a SUM on the quote Line Item Quantity field, filtered for only discounted Quote Line Items.
- D. Create a formula field on the Quote object that performs a SUM on the Quote Line Item Quantity field, filtered for only discounted Quote Line Items.

Answer: C

NEW QUESTION 8

Which three options allow a developer to use custom styling in a Visualforce page? (Choose three.)

- A. <apex:stylesheet> tag
- B. Inline CSS
- C. <apex:style>tag
- D. <apex:stylesheets>tag
- E. A static resource

Answer: ABE

NEW QUESTION 9

An org has a single account named 'NoContacts' that has no related contacts. Given the query:

List<Account> accounts = [Select ID, (Select ID, Name from Contacts) from Account where Name='NoContacts']; What is the result of running this Apex?

- A. accounts[0].contacts is invalid Apex.
- B. accounts[0].contacts is an empty Apex.
- C. accounts[0].contacts is Null.
- D. A QueryException is throw

Answer: B

NEW QUESTION 10

The operation manager at a construction company uses a custom object called Machinery to manage the usage and maintenance of its cranes and other machinery. The manager wants to be able to assign machinery to different constructions jobs, and track the dates and costs associated with each job. More than one piece of machinery can be assigned to one construction job.

What should a developer do to meet these requirements?

- A. Create a lookup field on the Construction Job object to the Machinery object.
- B. Create a lookup field on the Machinery object to the Construction Job object.
- C. Create a junction object with Master-Detail Relationship to both the Machinery object and the Construction Job object.
- D. Create a Master-Detail Lookup on the Machinery object to the Construction Job objec

Answer: A

NEW QUESTION 10

A Platform Developer needs to write an Apex method that will only perform an action if a record is assigned to a specific Record Type.

Which two options allow the developer to dynamically determine the ID of the required Record Type by its name? (Choose two.)

- A. Make an outbound web services call to the SOAP API.
- B. Hardcode the ID as a constant in an Apex class.
- C. Use the getRecordTypeInfoByName() method in the DescribeSObjectResult class.
- D. Execute a SOQL query on the RecordType objec

Answer: CD

NEW QUESTION 15

A developer executes the following query in Apex to retrieve a list of contacts for each account:

List<account> accounts = [Select ID, Name, (Select ID, Name from Contacts) from Account] ;

Which two exceptions may occur when it executes? (Choose two.)

- A. CPU limit exception due to the complexity of the query.
- B. SOQL query row limit exception due to the number of contacts.
- C. SOQL query limit exception due to the number of contacts.
- D. SOQL query row limit exception due to the number of account

Answer: CD

NEW QUESTION 19

Which three declarative fields are correctly mapped to variable types in Apex? (Choose three.)

- A. Number maps to Decimal.
- B. Number maps to Integer.
- C. TextArea maps to List of type String.
- D. Date/Time maps to Dateline.
- E. Checkbox maps to Boolea

Answer: ADE

NEW QUESTION 20

A developer encounters APEX heap limit errors in a trigger.

Which two methods should the developer use to avoid this error? (Choose two.)

- A. Use the transient keyword when declaring variables.
- B. Query and store fields from the related object in a collection when updating related objects.
- C. Remove or set collections to null after use.
- D. Use SOQL for loops instead of assigning large queries results to a single collection and looping through the collectio

Answer: AD

NEW QUESTION 24

What are two uses for External IDs? (Choose two.)

- A. To create relationships between records imported from an external system.
- B. To create a record in a development environment with the same Salesforce ID as in another environment
- C. To identify the sObject type in Salesforce
- D. To prevent an import from creating duplicate records using Upsert

Answer: AD

NEW QUESTION 26

Which SOQL query successfully returns the Accounts grouped by name?

- A. SELECT Type, Max(CreatedDate) FROM Account GROUP BY Name
- B. SELECT Name, Max(CreatedDate) FROM Account GROUP BY Name
- C. SELECT Id, Type, Max(CreatedDate) FROM Account GROUP BY Name
- D. SELECT Type, Name, Max(CreatedDate) FROM Account GROUP BY Name LIMIT 5

Answer: B

NEW QUESTION 28

Why would a developer consider using a custom controller over a controller extension?

- A. To increase the SOQL query governor limits.
- B. To implement all of the logic for a page and bypass default Salesforce functionality
- C. To leverage built-in functionality of a standard controller
- D. To enforce user sharing settings and permissions

Answer: B

NEW QUESTION 31

Where can a developer identify the time taken by each process in a transaction using Developer Console log inspector?

- A. Performance Tree tab under Stack Tree panel
- B. Execution Tree tab under Stack Tree panel
- C. Timeline tab under Execution Overview panel
- D. Save Order tab under Execution Overview panel

Answer: C

NEW QUESTION 33

What is a benefit of using an after insert trigger over using a before insert trigger?

- A. An after insert trigger allows a developer to bypass validation rules when updating fields on the new record.
- B. An after insert trigger allows a developer to insert other objects that reference the new record.
- C. An after insert trigger allows a developer to make a callout to an external service.
- D. An after insert trigger allows a developer to modify fields in the new record without a query.

Answer: B

NEW QUESTION 35

Which two number expressions evaluate correctly? (Choose two.)

- A. Double d = 3.14159;
- B. Integer l = 3.14159;
- C. Decimal d = 3.14159;
- D. Long l = 3.14159;

Answer: AC

NEW QUESTION 40

While writing a test class that covers an OpportunityLineItem trigger, a Developer is unable to create a standard PriceBook since one already exists in the org. How should the Developer overcome this problem?

- A. Use Test.getStandardPricebookId() to get the standard PriceBook ID.
- B. Use @IsTest(SeeAllData=true) and delete the existing standard PriceBook.
- C. Use Test.loadData() and a Static Resource to load a standard Pricebook.
- D. Use @TestVisible to allow the test method to see the standard PriceBoo

Answer: A

NEW QUESTION 43

A newly hired developer discovers that there are multiple triggers on the case object.
What should the developer consider when working with triggers?

- A. Developers must dictate the order of trigger execution.
- B. Trigger execution order is based on creation date and time.
- C. Unit tests must specify the trigger being tested.
- D. Trigger execution order is not guaranteed for the same sObject

Answer: D

NEW QUESTION 47

What is the result of the debug statements in testMethod3 when you create test data using testSetup in below code?

- A. Account0.Phone=333-8781, Account1.Phone=333-8780
- B. Account0.Phone=888-1515, Account1.Phone=999-2525
- C. Account0.Phone=333-8780, Account1.Phone=333-8781
- D. Account0.Phone=888-1515, Account1.Phone=999-1515

Answer: C

NEW QUESTION 50

A developer executes the following code in the Developer Console:

```
List<Account> fList = new List <Account> ();For(integer i= 1; i <= 200; i++){fList.add(new Account ( Name = 'Universal Account ' + i));}Insert fList;List <Account> sList = new List<Account>();For (integer I = 201; I <= 20000; i ++){sList.add(new Account (Name = 'Universal Account ' + i));}Insert sList;How many accounts are created in the Salesforce organization ?
```

- A. 20000
- B. 200
- C. 1000

Answer: B

NEW QUESTION 54

Which trigger event allows a developer to update fields in the Trigger.new list without using an additional DML statement? Choose 2 answers

- A. Before insert
- B. Before update
- C. After update
- D. After insert

Answer: AB

NEW QUESTION 59

What is a valid source and destination pair that can send or receive change sets? (Choose 2)

- A. Developer Edition to Sandbox
- B. Sandbox to Production
- C. Sandbox to Sandbox
- D. Developer Edition to Production

Answer: BC

NEW QUESTION 60

A developer in a Salesforce org with 100 Accounts executes the following code using the Developer console: Account myAccount = new Account(Name = 'MyAccount');Insert myAccount;For (Integer x = 0; x < 250; x++)

```
{Account newAccount = new Account (Name='MyAccount' + x);try {Insert newAccount;}catch (Exception ex)
{System.debug (ex) ;}}insert new Account (Name='myAccount'); How many accounts are in the org after this code is run?
```

- A. 101
- B. 100
- C. 102
- D. 252

Answer: B

NEW QUESTION 65

What is the return data type when `ApexPages.currentPage().getParameters()` is used to retrieve URL parameters from a visualforce controller?

- A. Map
- B. List
- C. Enum
- D. String[]

Answer: A

NEW QUESTION 70

A developer wants to create a custom object to track Customer Invoices. How should Invoices and Accounts be related to ensure that all Invoices are visible to everyone with access to an Account?

- A. The Account should have a Master-Detail relationship to the Invoice.
- B. The Invoice should have a Master-Detail relationship to the Account
- C. The Account should have a Lookup relationship to the Invoice
- D. The Invoice should have a Lookup relationship to the Account Previous

Answer: B

NEW QUESTION 74

A custom exception "RecordNotFoundException" is defined by the following code of block.`public class RecordNotFoundException extends Exception()` which statement can a developer use to throw a custom exception? choose 2 answers

- A. `Throw new RecordNotFoundException("problem occurred");`
- B. `Throw new RecordNotFoundException();`
- C. `throw RecordNotFoundException("problem occurred");`
- D. `Throw RecordNotFoundException();`

Answer: AB

NEW QUESTION 75

In an organization that has enabled multiple currencies, a developer needs to aggregate the sum of the Estimated_value c currency field from the CampaignMember object using a roll-up summary field called Total_estimated_value c on Campaign.

- A. The values in Campaignmember.Estimated_value c are converted into the currency of the Campaign record and the sum is displayed using the currency on the Campaign record.
- B. The values in CampaignMember.Estimated_value c are converted into the currency on the majority of the CampaignMember records and the sum is displayed using that currency.
- C. The values in CampaignMember.Estimated_value c are summed up and the resulting Total_estimated_value c field is displayed as a numeric field on the Campaign record.
- D. The values In CampaignMember.Estimated_value c are converted into the currency of the current user, and the sum is displayed using the currency on the Campaign record.

Answer: A

NEW QUESTION 79

What is an accurate statement about variable scope? (Choose 3)

- A. Parallel blocks can use the same variable name.
- B. A variable can be defined at any point in a block.
- C. Sub-blocks cannot reuse a parent block's variable name.
- D. Sub-blocks can reuse a parent block's variable name if it's value is null.
- E. A static variable can restrict the scope to the current block of its value is nul

Answer: ABC

NEW QUESTION 81

A developer needs to know if all tests currently pass in a Salesforce environment. Which feature can the developer use? (Choose 2)

- A. ANT Migration Tool
- B. Workbench Metadata Retrieval
- C. Salesforce UI Apex Test Execution
- D. Developer Console

Answer: CD

NEW QUESTION 85

What is true for a partial sandbox that is not true for a full sandbox? Choose 2 answers:

- A. More frequent refreshes.
- B. Only Includes necessary metadata.
- C. Use of change sets.
- D. Limited to 5 GB of dat

Answer: AD

NEW QUESTION 89

When can a developer use a custom Visualforce page in a Force.com application? (Choose 2)

- A. To generate a PDF document with application data
- B. To create components for dashboards and layouts
- C. To deploy components between two organizations
- D. To modify the page layout settings for a custom object

Answer: AB

NEW QUESTION 93

Which code block returns the ListView of an Account object using the following debug statement? `system.debug(controller.getListViewOptions());`

- A. `ApexPages.StandardSetController controller = new ApexPages.StandardSetController(Database.getQueryLocator('SELECT Id FROM Account LIMIT 1'));`
- B. `ApexPages.StandardController controller = new ApexPages.StandardController([SELECT Id FROM Account LIMIT 1]);`
- C. `ApexPages.StandardController controller = new ApexPages.StandardController(Database.getQueryLocator('SELECT Id FROM Account LIMIT 1'));`
- D. `ApexPages.StandardController controller = new ApexPages.StandardController([SELECT Id FROM Account LIMIT 1]);`

Answer: A

NEW QUESTION 94

What is a capability of cross-object formula fields? Choose 3 answers

- A. Formula fields can reference fields from master-detail or lookup parent relationships.
- B. Formula fields can expose data the user does not have access to in a record.
- C. Formula fields can be used in three roll-up summaries per object.
- D. Formula fields can reference fields in a collect of records from a child relationship.
- E. Formula fields can reference fields from objects that are up to 10 relationships awa

Answer: ABE

NEW QUESTION 98

What is the result of the following code block ?

```
Integer x = 1; Integer Y = 0; While(x < 10){Y++;}
```

- A. An error occurs
- B. Y = 9
- C. Y = 10
- D. X = 0

Answer: A

NEW QUESTION 99

How would a developer determine if a CustomObject c record has been manually shared with the current user in Apex?

- A. By querying the role hierarchy.
- B. By calling the `isShared()` method for the record.
- C. By querying CustomObject Share.
- D. By calling the profile settings of the current use

Answer: C

NEW QUESTION 101

A visualforce interface is created for Case Management that includes both standard and custom functionality defined in an Apex class called `myControllerExtension`. The visualforce page should include which `<apex:page>` attribute(s) to correctly implement controller functionality?

- A. `StandardController = "case"` and `extensions = " myControllerExtension"`
- B. `Extensions=" myControllerExtension"`
- C. `Controller=" myControllerExtension"`
- D. `Controller = "case"` and `extensions = " myControllerExtension"`

Answer: A

NEW QUESTION 104

Where can the custom roll-up summary fields be created using Standard Object relationships (Choose 3)

- A. On Opportunity using Opportunity Product records.
- B. On Account using Case records.
- C. On Quote using Order records.
- D. On Campaign using Campaign Member records.
- E. On Account using Opportunity record

Answer: ADE

NEW QUESTION 105

When loading data into an operation, what can a developer do to match records to update existing records? (Choose 2)

- A. Match an auto-generated Number field to a column in the imported file.
- B. Match an external Id Text field to a column in the imported file.
- C. Match the Name field to a column in the imported file.
- D. Match the Id field to a column in the imported fil

Answer: BD

NEW QUESTION 110

What is a capability of the Developer Console?

- A. Execute Anonymous Apex code, Create/Edit code, view Debug Logs.
- B. Execute Anonymous Apex code, Run REST API, create/Edit code.
- C. Execute Anonymous Apex code, Create/Edit code, Deploy code changes.
- D. Execute Anonymous Apex code, Run REST API, deploy code change

Answer: A

NEW QUESTION 112

Why would a developer use Test.startTest() and Test.stopTest()?

- A. To avoid Apex code coverage requirements for the code between these lines
- B. To start and stop anonymous block execution when executing anonymous Apex code
- C. To indicate test code so that it does not Impact Apex line count governor limits.
- D. To create an additional set of governor limits during the execution of a single test clas

Answer: D

NEW QUESTION 117

An org has different Apex Classes that provide Account -related functionality.After a new validation rule is added to the object, many of the test methods fail.What can be done to resolve the failures and reduce the number of code changes needed for future validation rules?Choose 2 answers:

- A. Create a method that creates valid Account records, and call this method from within test methods.
- B. Create a method that loads valid Account records from a Static Resource, and call this method within test methods.
- C. Create a method that performs a callout for a valid Account record, and call this method from within test methods.
- D. Create a method that queries for valid Account records, and call this method from within test method

Answer: AB

NEW QUESTION 121

A user selects a value from a multi-select picklist. How is this selected value represented in Apex?

- A. As a string ending with a comma
- B. As a string
- C. As a list< String > with one element
- D. As a set< string > with one element

Answer: B

NEW QUESTION 123

Where would a developer build a managed package?

- A. Developer Sandbox
- B. Unlimited Edition
- C. Partial Copy Sandbox
- D. Developer Edition

Answer: D

NEW QUESTION 128

Which two are true regarding a Dyno? Choose 2 answers

- A. Is a light weight VM used to run code on the Heroku Platform

- B. Has the ability to sleep as a standard and performance Dyno
- C. Is a lightweight Linux container used in a collection to run Heroku applications
- D. Has Ephemeral filesystems and is rebooted every 24 hour

Answer: CD

NEW QUESTION 131

A developer creates an Apex helper class to handle complex trigger logic. How can the helper class warn users when the trigger exceeds DML governor limits?

- A. By using `PageReference.setRedirect()` to redirect the user to a custom Visualforce page before the number of DML statements is exceeded.
- B. By using `Messaging.sendEmail()` to continue toe transaction and send an alert to the user after the number of DML statements is exceeded.
- C. By using `AmexMessage.Messages()` to display an error message after the number of DML statements is exceeded.
- D. By using `Limits.getDMLRows()` and then displaying an error message before the number of DML statements is exceeded.

Answer: D

NEW QUESTION 133

A company that uses a Custom object to track candidates would like to send candidate information automatically to a third -party human resource system when a candidate is hired. What can a developer do to accomplish this task?

- A. Create an escalation rule to the hiring manager.
- B. Create an auto response rule to the candidate.
- C. Create a Process Builder with an outbound message action.
- D. Create a workflow rule with an outbound message action.

Answer: D

NEW QUESTION 135

What features are available when writing apex test classes?(Choose 2 Answers)

- A. The ability to select error types to ignore in the developer console.
- B. The ability to write assertions to test after a `@future` method.
- C. The ability to set and modify the `CreatedDate` field in apex tests.
- D. The ability to set breakpoints to freeze the execution at a given point.
- E. The ability to select testing data using csv files stored in the syste

Answer: CE

NEW QUESTION 136

Which statement about change set deployments is accurate? (Choose 3)

- A. They use an all or none deployment model.
- B. They require a deployment connection.
- C. They ca be used to transfer Contact records.
- D. They can be used to deploy custom settings data.
- E. They can be used only between related organization

Answer: ABE

NEW QUESTION 140

What are two testing consideration when deploying code from a sandbox to production? Choose 2 answers

- A. 75% of test must execute without failure
- B. 100% of test must execute without failure
- C. Apex code requires 75% coverage
- D. Apex code requires 100% coverage

Answer: BC

NEW QUESTION 144

A Visualforce page has a standard controller for an object that has a lookup relationship to a parent object. How can a developer display data from the parent record on the page?

- A. By adding a second standard controller to the page for the parent record.
- B. By using a roll-up formula field on the child record to include data from the parent record.
- C. By using SOQL on the Visualforce page to query for data from the parent record.
- D. By using merge field syntax to retrieve data from the parent record.

Answer: D

NEW QUESTION 149

Given the code block: Integer x; For(x=0;x<10; x+=2) { If(x==8) break; If(x==10) break; } System.debug(x); Which value will the system debug statement display?

- A. 2
- B. 10

- C. 8
- D. 4

Answer: C

NEW QUESTION 152

What is a capability of the Force.com IDE? Choose 2 answers

- A. Roll back deployments.
- B. Run Apex tests.
- C. Download debug logs.
- D. Edit metadata component

Answer: BD

NEW QUESTION 153

Which type of code represents the Controller in MVC architecture on the Force.com platform? (Choose 2)

- A. JavaScript that is used to make a menu item display itself.
- B. A static resource that contains CSS and images.
- C. Custom Apex and JavaScript code that is used to manipulate data.
- D. StandardController system methods that are referenced by Visualforce

Answer: CD

NEW QUESTION 157

A developer is creating an application to track engines and their parts. An individual part can be used in different types of engines. What data model should be used to track the data and to prevent orphan records?

- A. Create a junction object to relate many engines to many parts through a master-detail relationship
- B. Create a lookup relationship to represent how each part relates to the parent engine object.
- C. Create a master-detail relationship to represent the one-to-many model of engines to parts.
- D. Create a junction object to relate many engines to many parts through a lookup relationship

Answer: A

NEW QUESTION 159

A developer writes a before insert trigger. How can the developer access the incoming records in the trigger body?

- A. By accessing the Trigger.new context variable.
- B. By accessing the Trigger.newRecords context variable.
- C. By accessing the Trigger.newMap context variable.
- D. By accessing the Trigger.newList context variable

Answer: A

NEW QUESTION 162

What is a benefit of the Lightning Component framework? Choose 3 answers

- A. It uses client-side Apex controllers for logic.
- B. It uses a traditional publish-subscribe model.
- C. It uses an event-driven architecture
- D. It uses an MVC architectural design pattern.
- E. It uses server-side JavaScript controller for logic.

Answer: BCD

NEW QUESTION 164

What is a good practice for a developer to follow when writing a trigger? (Choose 2)

- A. Using @future methods to perform DML operations.
- B. Using the Map data structure to hold query results by ID.
- C. Using the Set data structure to ensure distinct records.
- D. Using synchronous callouts to call external system

Answer: BC

NEW QUESTION 166

A developer creates an Apex Trigger with the following code block:
`List<Account> customers = new List<Account>();
for (Order o : trigger.new) {
 Account a = [SELECT Id, Is_Customer c FROM Account WHERE Id = :o.Customer c];
 a.Is_Customer c = true;
 customers.add(a);
} Database.update(customers, false);`
The developer tests the code using Apex Data Loader and successfully loads 10 Orders. Then, the developer loads 150 Orders. How many Orders are successfully loaded when the developer attempts to load the 150 Orders?

- A. 1
- B. 150

C. 100

Answer: A

NEW QUESTION 169

How can a developer refer to, or instantiate a PageReference in Apex? Choose 2 answers

- A. By using a PageReference with a partial or full URL.
- B. By using the Page object and a Visualforce page name.
- C. By using the ApexPages.Page() method with a Visualforce page name.
- D. By using the PageReference.Page() method with a partial or full UR

Answer: AB

NEW QUESTION 172

A developer uses a before insert trigger on the Lead object to fetch the Territory c object, where the Territory c.PostalCode c matches the Lead.PostalCode. The code fails when the developer uses the Apex Data Loader to insert 10,000 Lead records. The developer has the following code block: Line-01: for (Lead l : Trigger.new){Line-02: if (l.PostalCode != null) {Line-03: List<Territory__c> terrList = [SELECT Id FROM Territory c WHERE PostalCode c = :l.PostalCode];Line-04: if(terrList.size() > 0) Line-05: l.Territory c = terrList[0].Id; Line-06: }Line-07: }Which line of code is causing the code block to fail?

- A. Line-03: A SOQL query is located inside of the for loop code.
- B. Line-01: Trigger:new is not valid in a before insert Trigger.
- C. Line-02: A NullPointerException is thrown if PostalCode is null.
- D. Line-05: The Lead in a before insert trigger cannot be update

Answer: A

NEW QUESTION 175

A developer has a block of code that omits any statements that indicate whether the code block should execute with or without sharing. What will automatically obey the organization-wide defaults and sharing settings for the user who executes the code in the Salesforce organization?

- A. Apex Triggers
- B. HTTP Callouts
- C. Apex Controllers
- D. Anonymous Blocks

Answer: D

NEW QUESTION 177

What is a valid way of loading external JavaScript files into a Visualforce page? (Choose 2) A. Using an (apex:includeScript)* tag. \>

- A. Using an (apex:define)* tag.
- B. Using a (link)* tag.
- C. Using a (script)* ta

Answer: AD

NEW QUESTION 179

Which actions can a developer perform using the Schema Builder?Choose 2 answers

- A. Create a custom field and automatically add it to an existing page layout.
- B. Create a view containing only standard and system objects.
- C. Create a custom object and define a lookup relationship on that object
- D. Create a view of objects and relationships without fields

Answer: BC

NEW QUESTION 184

Developer needs to automatically populate the Reports To field in a Contact record based on the values of the related Account and Department fields in the Contact record. Which type of trigger would the developer create? Choose 2 answers

- A. Before update
- B. After insert
- C. Before insert
- D. After update

Answer: AC

NEW QUESTION 185

What are two correct examples of the model in the salesforce MVC architecture? Choose 2 answers.

- A. Custom field on the custom wizard_c object
- B. Standard lightning component
- C. Workflow rule on the contact object

D. Standard account lookup on the contract object

Answer: BC

NEW QUESTION 186

The Review_c object have a lookup relationship to the job_Application_c object. The job_Application_c object has a master detail relationship up to the position_c object. The relationship is based on the auto populated defaults?

What is the recommended way to display field data from the related Review _C records a Visualforce page for a single Position_c record? Select one of the following:

- A. Utilize the Standard Controller for Position_c and cross-object Formula Fields on the Job_Application_c object to display Review_c data.
- B. Utilize the Standard Controller for Position_c and a Controller Extension to query for Review_c data.
- C. Utilize the Standard Controller for Position_c and expression syntax in the Page to display related Review_c through the Job_Application_c inject.
- D. Utilize the Standard Controller for Position_c and cross-object Formula Fields on the Review_c object to display Review_c data.

Answer: B

NEW QUESTION 189

A developer is creating a test coverage for a class and needs to insert records to validate functionality. Which method annotation should be used to create records for every method in the test class?

- A. @BeforeTest
- B. @isTest(SeeAllData=True)
- C. @TestSetup
- D. @PreTest

Answer: C

NEW QUESTION 194

A developer creates a method in an Apex class and needs to ensure that errors are handled properly.What would the developer use? (There are three correct answers.)

- A. ApexPages.addErrorMessage()
- B. A custom exception
- C. .addError()
- D. Database.handleException()
- E. A try/catch construct

Answer: BCE

NEW QUESTION 197

How can a developer retrieve all Opportunity record type labels to populate a list collection?Choose 2 answers

- A. Obtain describe object results for the Opportunity objct.
- B. Write a for loop that extracts values from the Opportunity.RecordType.Name field.
- C. Use the global variable \$RecordType and extract a list from the map.
- D. Write a SOQL for loop that iterates on the RecordType objec

Answer: AD

NEW QUESTION 199

The initial value for a number field on a record is 1. A user updated the value of the number field to 10. This action invokes a workflow field update, which changes the value of the number field to 11. After the workflow field update, an update trigger fires.What is the value of the number field of the object that is obtained from Trigger.old?

- A. Null
- B. 11
- C. 1
- D. 10

Answer: C

NEW QUESTION 200

A candidate may apply to multiple jobs at the company Universal Containers by submtting a single application per job posting. Once an application is submitted for a job posting, that application cannot be modified to be resubmitted to a different job posting.What can the administrator do to associate an application with each job posting in the schema for the organization?

- A. Create a master-detail relationship in the Job Postings custom object to the Applications custom object.
- B. Create a master-detail relationship in the Application custom object to the Job Postings custom object.
- C. Create a lookup relationship on both objects to a junction object called Job Posting Applications.
- D. Create a lookup relationship in the Applications custom object to the Job Postings custom object

Answer: A

NEW QUESTION 205

Which code segment can be used to control when the dowork() method is called?

- A. For (Trigger.isRunning t: Trigger.new) { dowork(); }
- B. If(Trigger.isRunning) dowork();
- C. For (Trigger.isInsert t: Trigger.new) { dowork(); }
- D. If(Trigger.isInsert) dowork();

Answer: D

NEW QUESTION 206

What is a capability of a StandardSetController? Choose 2 answers

- A. It allows pages to perform mass updates of records
- B. It allows pages to perform pagination with large record sets
- C. It enforces field-level security when reading large record sets
- D. It extends the functionality of a standard or custom controller

Answer: AB

NEW QUESTION 210

How can a developer avoid exceeding governor limits when using an Apex Trigger? choose 2 answers

- A. By using a helper class that can be invoked from multiple triggers.
- B. By using the Database class to handle DML transactions.
- C. By using Maps to hold data from query results.
- D. By performing DML transactions on lists of SObject

Answer: CD

NEW QUESTION 211

What is a valid Apex statement?

- A. Map conMap = (SELECT Name FROM Contact);
- B. Account[] acctList = new List{new Account()}
- C. Integer w, x, y = 123, z = 'abc',
- D. Private static constant Double rate = 775;

Answer: B

NEW QUESTION 216

A developer needs to write a method that searches for a phone number that could be on multiple object types. Which method should the developer use to accomplish this task?

- A. SOQL Query that includes ALL ROWS
- B. SOQL query on each object
- C. SOSL Query that includes ALL ROWS
- D. SOSL query on each object

Answer: C

NEW QUESTION 221

How would a developer change the field type of a custom field on the Account object from string to an integer?

- A. Make the changes in the developer console, and then the change will automatically be reflected in the Apex code.
- B. Mate the change in the declarative UI, then update the field type to an integer field in the Apex code.
- C. Make the change in the declarative UI, an then the change will automatically be reflected in the Apex code.
- D. Remove all references in the code, make the change in the declarative UI, and restore the references with the new typ

Answer: D

NEW QUESTION 223

What can a Lightning Component contain in its resource bundle? Choose 2 answer

- A. Custom client side rendering behavior.
- B. Build scripts for minification
- C. Properties files with global settings
- D. CSS styles scoped to the component

Answer: AD

NEW QUESTION 228

.....

Thank You for Trying Our Product

We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

CRT-450 Practice Exam Features:

- * CRT-450 Questions and Answers Updated Frequently
- * CRT-450 Practice Questions Verified by Expert Senior Certified Staff
- * CRT-450 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * CRT-450 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year

100% Actual & Verified — Instant Download, Please Click
[Order The CRT-450 Practice Test Here](#)