

Microsoft

Exam Questions MS-102

Microsoft 365 Administrator Exam



NEW QUESTION 1

- (Topic 6)

You have a Microsoft 365 tenant that is signed up for Microsoft Store for Business and contains a user named User1. You need to ensure that User1 can perform the following tasks in Microsoft Store for Business:

- Assign licenses to users.
- Procure apps from Microsoft Store.
- Manage private store availability for all items.

The solution must use the principle of least privilege.

Which Microsoft Store for Business role should you assign to User1?

- A. Basic Purchaser
- B. Device Guard signer
- C. Admin
- D. Purchaser

Answer: C

Explanation:

Reference:

<https://docs.microsoft.com/en-us/microsoft-store/microsoft-store-for-business-overview>

NEW QUESTION 2

DRAG DROP - (Topic 6)

You have a Microsoft 365 E5 subscription that contains a Microsoft SharePoint Online site named Site1.

You need to automatically label the documents on Site1 that contain credit card numbers. Which three actions should you perform in sequence? To answer, move the appropriate

actions from the list of actions to the answer area and arrange them in the correct order.

Actions	Answer Area
Create a sensitivity label.	
Create an auto-labeling policy.	
Create a sensitive information type.	
Wait 24 hours, and then turn on the policy.	
Publish the label.	
Create a retention label.	
Wait eight hours, and then turn on the policy.	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Actions	Answer Area
Create a sensitivity label.	Create a sensitivity label.
Create an auto-labeling policy.	
Create a sensitive information type.	Publish the label.
Wait 24 hours, and then turn on the policy.	
Publish the label.	Create an auto-labeling policy.
Create a retention label.	
Wait eight hours, and then turn on the policy.	

NEW QUESTION 3

HOTSPOT - (Topic 6)

HOTSPOT

Your network contains an on-premises Active Directory domain. The domain contains the servers shown in the following table.

Name	Operating system	Configuration
Server1	Windows Server 2022	Domain controller
Server2	Windows Server 2016	Member server
Server3	Server Core installation of Windows Server 2022	Member server

You purchase a Microsoft 365 E5 subscription.
 You need to implement Azure AD Connect cloud sync.
 What should you install first and on which server? To answer, select the appropriate options in the answer area.
 NOTE: Each correct selection is worth one point.

Answer Area

Install: ▼

- The Azure AD Application Proxy connector
- Azure AD Connect
- The Azure AD Connect provisioning agent
- Active Directory Federation Services (AD FS)

Server: ▼

- Server1 only
- Server2 only
- Server3 only
- Server1 or Server2 only
- Server1 or Server3 only
- Server1, Server2, or Server3

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: The Azure AD Connect provisioning agent Install the Azure AD Connect provisioning agent
 How is Azure AD Connect cloud sync different from Azure AD Connect sync?
 With Azure AD Connect cloud sync, provisioning from AD to Azure AD is orchestrated in Microsoft Online Services. An organization only needs to deploy, in their on-premises or IaaS-hosted environment, a light-weight agent that acts as a bridge between Azure AD and AD. The provisioning configuration is stored in Azure AD and managed as part of the service.
 Box 2: Server1 or Server2 only.
 Cloud provisioning agent requirements include:
 * An on-premises server for the provisioning agent with Windows 2016 or later.
 This server should be a tier 0 server based on the Active Directory administrative tier model. Installing the agent on a domain controller is supported.
 Note: Windows Server Core is a minimal installation option for the Windows Server operating system (OS) that has no GUI and only includes the components required to perform server roles and run applications.

NEW QUESTION 4

- (Topic 6)
 You have a Microsoft 365 E5 subscription that contains a user named User1.
 User1 exceeds the default daily limit of allowed email messages and is on the Restricted entities list.
 You need to remove User1 from the Restricted entities list. What should you use?

- A. the Exchange admin center
- B. the Microsoft Purview compliance portal
- C. the Microsoft 365 admin center
- D. the Microsoft 365 Defender portal
- E. the Microsoft Entra admin center

Answer: D

Explanation:

Admins can remove user accounts from the Restricted entities page in the Microsoft 365 Defender portal or in Exchange Online PowerShell.
 Remove a user from the Restricted entities page in the Microsoft 365 Defender portal In the Microsoft 365 Defender portal at <https://security.microsoft.com>, go to Email & collaboration > Review > Restricted entities. Or, to go directly to the Restricted entities page, use <https://security.microsoft.com/restrictedentities>.
 Reference:
<https://learn.microsoft.com/en-us/microsoft-365/security/office-365-security/removing-user-from-restricted-users-portal-after-spam>

NEW QUESTION 5

HOTSPOT - (Topic 6)
 HOTSPOT
 You have a Microsoft 365 E5 subscription.
 You need to implement identity protection. The solution must meet the following requirements:

? Identify when a user's credentials are compromised and shared on the dark web.
 ? Provide users that have compromised credentials with the ability to self-remediate.
 What should you do? To answer, select the appropriate options in the answer area.
 NOTE: Each correct selection is worth one point.

Answer Area

To identify when users have compromised credentials, configure:

<input type="checkbox"/>	A registration policy
<input type="checkbox"/>	A sign-in risk policy
<input type="checkbox"/>	A user risk policy
<input type="checkbox"/>	A multifactor authentication registration policy

To enable self-remediation, select:

<input type="checkbox"/>	Generate a temporary password
<input type="checkbox"/>	Require multi-factor authentication
<input type="checkbox"/>	Require password change

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: A user risk policy

Identify when a user's credentials are compromised and shared on the dark web.

User risk-based Conditional Access policy

Identity Protection analyzes signals about user accounts and calculates a risk score based on the probability that the user has been compromised. If a user has risky sign-in behavior, or their credentials have been leaked, Identity Protection will use these signals to calculate the user risk level. Administrators can configure user risk-based Conditional Access policies to enforce access controls based on user risk, including requirements such as:

Block access

Allow access but require a secure password change.

A secure password change will remediate the user risk and close the risky user event to prevent unnecessary noise for administrators.

Box 2: Require password change

Provide users that have compromised credentials with the ability to self-remediate.

A secure password change will remediate the user risk and close the risky user event to prevent unnecessary noise for administrators

NEW QUESTION 6

- (Topic 6)

You have a Microsoft 365 E5 tenant.

You plan to deploy 1,000 new iOS devices to users. The devices will be shipped directly from the supplier to the users.

You need to recommend a Microsoft Intune enrollment option that meets the following requirements:

- Minimizes user interaction
 - Minimizes administrative effort
 - Automatically installs corporate apps
- What should you recommend?

- A. Automated Device Enrollment (ADE)
- B. bring your own device (BYOD) user and device enrollment
- C. Apple Configurator enrollment

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/mem/intune/enrollment/ios-enroll>

NEW QUESTION 7

- (Topic 6)

Your company has 10,000 users who access all applications from an on-premises data center.

You plan to create a Microsoft 365 subscription and to migrate data to the cloud. You plan to implement directory synchronization.

User accounts and group accounts must sync to Azure AD successfully. You discover that several user accounts fail to sync to Azure AD.

You need to resolve the issue as quickly as possible. What should you do?

- A. From Active Directory Administrative Center, search for all the users, and then modify the properties of the user accounts.
- B. Run idfix.exe, and then click Edit.
- C. From Windows PowerShell, run the start-AdSyncSyncCycle -PolicyType Delta command.
- D. Run idfix.exe, and then click Complete.

Answer: B

Explanation:

IdFix is used to perform discovery and remediation of identity objects and their attributes in an on-premises Active Directory environment in preparation for migration to Azure Active Directory. IdFix is intended for the Active Directory administrators responsible for directory synchronization with Azure Active Directory.

Reference:

<https://docs.microsoft.com/en-us/office365/enterprise/prepare-directory-attributes-for-synch-with-idfix>

NEW QUESTION 8

- (Topic 6)

You have a Microsoft 365 tenant.
 You plan to enable BitLocker Disk Encryption (BitLocker) automatically for all Windows 10 devices that enroll in Microsoft Intune.
 What should you use?

- A. an attack surface reduction (ASR) policy
- B. an app configuration policy
- C. a device compliance policy
- D. a device configuration profile

Answer: D

Explanation:

Reference:
<https://docs.microsoft.com/en-us/mem/intune/protect/encrypt-devices>

NEW QUESTION 9

- (Topic 6)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft 365 E5 subscription that contains a user named User1. You need to enable User1 to create Compliance Manager assessments.

Solution: From the Microsoft 365 admin center, you assign User1 the Compliance data admin role.

Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Reference:
<https://github.com/MicrosoftDocs/microsoft-365-docs/blob/public/microsoft-365/security/office-365-security/permissions-in-the-security-and-compliance-center.md>

NEW QUESTION 10

- (Topic 6)

Your network contains an on-premises Active Directory domain named contoso.com. The domain contains the objects shown in the following table.

Name	Configuration
Group1	Global security group
User1	Enabled user account
User2	Disabled user account

You configure Azure AD Connect to sync contoso.com to Azure AD.
 Which objects will sync to Azure AD?

- A. Group1 only
- B. User1 and User2 only
- C. Group1 and User1 only
- D. Group1, User1, and User2

Answer: D

Explanation:

Disabled accounts

Disabled accounts are synchronized as well to Azure AD. Disabled accounts are common to represent resources in Exchange, for example conference rooms. The exception is users with a linked mailbox; as previously mentioned, these will never provision an account to Azure AD.

The assumption is that if a disabled user account is found, then we won't find another active account later and the object is provisioned to Azure AD with the userPrincipalName and sourceAnchor found. In case another active account will join to the same metaverse object, then its userPrincipalName and sourceAnchor will be used.

Reference:
<https://learn.microsoft.com/en-us/azure/active-directory/hybrid/connect/concept-azure-ad-connect-sync-user-and-contacts>

NEW QUESTION 10

- (Topic 6)

From the Security & Compliance admin center, you create a content export as shown in the exhibit. (Click the Exhibit tab.)

✕

SharePoint Content_Export

↓ Restart report

↓ Download report

🗑️ Delete

Status:

The export has completed. You can start downloading the results.

Items included from the search:

All items, excluding ones that have unrecognized format, are encrypted, or weren't indexed for other reasons.

Exchange content format:

One PST file for each mailbox.

De-duplication for Exchange content:

Not enabled.

SharePoint document versions:

Included

Export files in a compressed (zipped) folder:

Yes

The export data was prepared within region:

Default region

Close

Feedback

What will be excluded from the export?

- A. a 10-MB XLSX file
- B. a 5-MB MP3 file
- C. a 5-KB RTF file
- D. an 80-MB PPTX file

Answer: B

Explanation:

Unrecognized file formats are excluded from the search.

Certain types of files, such as Bitmap or MP3 files, don't contain content that can be indexed. As a result, the search indexing servers in Exchange and SharePoint don't perform full-text indexing on these types of files. These types of files are considered to be unsupported file types.

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/partially-indexed-items-in-content-search?view=o365-worldwide>

<https://docs.microsoft.com/en-us/office365/securitycompliance/export-a-content-search-report>

NEW QUESTION 15

- (Topic 6)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft 365 E5 subscription.

You create an account for a new security administrator named SecAdmin1.

You need to ensure that SecAdmin1 can manage Microsoft Defender for Office 365 settings and policies for Microsoft Teams, SharePoint, and OneDrive.

Solution: From the Microsoft 365 admin center, you assign SecAdmin1 the SharePoint Administrator role.

Does this meet the goal?

- A. Yes
- B. No

Answer: B

NEW QUESTION 17

HOTSPOT - (Topic 6)

You have a Microsoft 365 tenant that contains devices enrolled in Microsoft Intune. The devices are configured as shown in the following table.

Name	Platform
Device1	Windows 10
Device2	Android
Device3	iOS

You plan to perform the following device management tasks in Microsoft Endpoint Manager:

- ? Deploy a VPN connection by using a VPN device configuration profile.
- ? Configure security settings by using an Endpoint Protection device configuration profile.

You support the management tasks.

What should you identify? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

VPN device configuration profile:

▼

Device1 only
Device1 and Device2 only
Device1 and Device3 only
Device1, Device2 and Device3

Endpoint Protection device configuration profile:

▼

Device1 only
Device1 and Device2 only
Device1 and Device3 only
Device1, Device2 and Device3

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

VPN device configuration profile:

▼

Device1 only
Device1 and Device2 only
Device1 and Device3 only
Device1, Device2 and Device3

Endpoint Protection device configuration profile:

▼

Device1 only
Device1 and Device2 only
Device1 and Device3 only
Device1, Device2 and Device3

NEW QUESTION 21

- (Topic 6)

You purchase a new computer that has Windows 10, version 2004 preinstalled.

You need to ensure that the computer is up-to-date. The solution must minimize the number of updates installed.

What should you do on the computer?

- A. Install all the feature updates released since version 2004 and all the quality updates released since version 2004 only.
- B. install the West feature update and the latest quality update only.
- C. install all the feature updates released since version 2004 and the latest quality update only.
- D. install the latest feature update and all the quality updates released since version 2004.

Answer: B

NEW QUESTION 24

- (Topic 6)

You have a Microsoft 365 subscription that uses Microsoft Defender for Office 365. A Built-in protection preset security policy is applied to the subscription.

Which two policy types will be applied by the Built-in protection policy? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

- A. Anti-malware
- B. Anti-phishing
- C. Safe Attachments

- D. Anti-spam
- E. Safe Links

Answer: CE

NEW QUESTION 27

- (Topic 6)

You have a Microsoft 365 subscription.

You plan to use Adoption Score and need to ensure that it can obtain device and software metrics.

What should you do?

- A. Enable Endpoint analytics.
- B. Run the Microsoft 365 network connectivity test on each device.
- C. Enable privileged access.
- D. Configure Support integration.

Answer: A

NEW QUESTION 28

- (Topic 6)

Your company has multiple offices.

You have a Microsoft 365 E5 tenant that uses Microsoft Intune for device management. Each office has a local administrator.

You need to ensure that the local administrators can manage only the devices in their respective office.

What should you use?

- A. scope tags
- B. configuration profiles
- C. device categories
- D. conditional access policies

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/mem/intune/fundamentals/scope-tags>

NEW QUESTION 32

- (Topic 6)

You have a Microsoft 365 E5 subscription that contains the resources shown in the following table.

Name	Type
Group1	Microsoft 365 group
Group2	Distribution group
Site1	Microsoft SharePoint site

You create a sensitivity label named Label1. To which resource can you apply Label1?

- A. Group1 only
- B. Group2 only
- C. Site1 only
- D. Group1 and Group2 only
- E. Group1, Group2, and Site1

Answer: E

Explanation:

Assign sensitivity labels to Microsoft 365 groups in Azure Active Directory

Azure Active Directory (Azure AD), part of Microsoft Entra, supports applying sensitivity labels published by the Microsoft Purview compliance portal to Microsoft 365 groups.

In addition to using sensitivity labels to protect documents and emails, you can also use sensitivity labels to protect content in the following containers: Microsoft Teams sites, Microsoft 365 groups (formerly Office 365 groups), and SharePoint sites.

When you configure a label policy, you can:

Choose which users and groups see the labels. Labels can be published to any specific user or email-enabled security group, distribution group, or Microsoft 365 group (which can have dynamic membership) in Azure AD.

Reference:

<https://learn.microsoft.com/en-us/microsoft-365/compliance/sensitivity-labels-teams-groups-sites>

<https://learn.microsoft.com/en-us/microsoft-365/compliance/sensitivity-labels?view=o365-worldwide>

NEW QUESTION 37

- (Topic 6)

You have a Microsoft 365 F5 subscription.

You plan to deploy 100 new Windows 10 devices.

You need to order the appropriate version of Windows 10 for the new devices. The version must

Meet the following requirements.

Be serviced for a minimum of 24 months.

Support Microsoft Application Virtualization (App-V) Which version should you identify?

- A. Window 10 Pro, version 1909
- B. Window 10 Pro, version 2004
- C. Window 10 Pro, version 1909
- D. Window 10 Enterprise, version 2004

Answer: D

Explanation:

Reference:

<https://docs.microsoft.com/en-us/windows/release-health/release-information>

<https://docs.microsoft.com/en-us/windows/application-management/app-v/appv-supported-configurations>

NEW QUESTION 39

HOTSPOT - (Topic 6)

HOTSPOT

You have a Microsoft 365 E5 subscription.

From Azure AD Privileged Identity Management (PIM), you configure Role settings for the Global Administrator role as shown in the following exhibit.

Activation

Setting	State
Activation maximum duration (hours)	8 hour(s)
On activation, require	Azure MFA
Require justification on activation	Yes
Require ticket information on activation	No
Require approval to activate	No
Approvers	None

Assignment

Setting	State
Allow permanent eligible assignment	No
Expire eligible assignments after	3 month(s)
Allow permanent active assignment	No
Expire active assignments after	15 day(s)
Require Azure Multi-Factor Authentication on active assignment	Yes
Require justification on active assignment	Yes

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.

NOTE: Each correct selection is worth one point.

Answer Area

A user that is assigned the Global Administrator role as active [answer choice].

- will lose the role after eight hours
- can reactivate the role every eight hours
- can reactivate the role every 15 days
- will lose the role after 15 days

You can make the Global Administrator role available to activation requests [answer choice].

- for up to eight hours
- for up to three months
- for up to 15 days
- until the requests are revoked manually

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: will lose the role after eight hours

From exhibit: Activation, Activation maximum duration (hours): 8 hour(s)

Box 2: for up to three months

We see from exhibit: Assignment, Expire eligible assignment after: 3 month(s)

NEW QUESTION 42

- (Topic 6)

You have a Microsoft 365 subscription that contains the alerts shown in the following table.

Name	Severity	Status	Comment	Category
Alert1	Medium	Active	Comment1	Threat management
Alert2	Low	Resolved	Comment2	Other

Which properties of the alerts can you modify?

- A. Status only
- B. Status and Comment only
- C. Status and Severity only
- D. Status, Severity, and Comment only
- E. Status, Severity, Comment and Category

Answer: B

Explanation:

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/security/defender-endpoint/update-alert?view=o365-worldwide#limitations>

NEW QUESTION 46

HOTSPOT - (Topic 6)

You have a Microsoft 365 E5 subscription that contains the groups shown in the following table.

Name	Type	Role
Group1	Security	Helpdesk Administrator
Group2	Security	None
Group3	Microsoft 365	User Administrator

The subscription contains the users shown in the following table.

Name	Member of
User1	Group1
User2	Group2
User3	Group3

In Azure AD, you configure the External collaboration settings as shown in the following exhibit.

Guest user access

Guest user access restrictions ⓘ

[Learn more](#)

- Guest users have the same access as members (most inclusive)
- Guest users have limited access to properties and memberships of directory objects
- Guest user access is restricted to properties and memberships of their own directory objects (most restrictive)

Guest invite settings

Guest invite restrictions ⓘ

[Learn more](#)

- Anyone in the organization can invite guest users including guests and non-admins (most inclusive)
- Member users and users assigned to specific admin roles can invite guest users including guests with member permissions
- Only users assigned to specific admin roles can invite guest users
- No one in the organization can invite guest users including admins (most restrictive)

Enable guest self-service sign up via user flows ⓘ

[Learn more](#)

Yes No

External user leave settings

Allow external users to remove themselves from your organization (recommended) ⓘ

[Learn more](#)

Collaboration restrictions

- Allow invitations to be sent to any domain (most inclusive)
- Deny invitations to the specified domains
- Allow invitations only to the specified domains (most restrictive)

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

For each of the following statements, select Yes if the statement is true. Otherwise, select No.
 NOTE: Each correct selection is worth one point.

Answer Area

Statements	Yes	No
User1 can invite guest users.	<input type="radio"/>	<input type="radio"/>
User2 can invite guest users.	<input type="radio"/>	<input type="radio"/>
User3 can invite guest users.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Statements	Yes	No
User1 can invite guest users.	<input type="radio"/>	<input checked="" type="radio"/>
User2 can invite guest users.	<input type="radio"/>	<input checked="" type="radio"/>
User3 can invite guest users.	<input checked="" type="radio"/>	<input type="radio"/>

NEW QUESTION 50

- (Topic 6)

You have a Microsoft Azure Active Directory (Azure AD) tenant named Contoso.com. You create a Microsoft Defender for identity instance Contoso. The tenant contains the users shown in the following table.

Name	Member of group	Azure AD role
User1	Defender for Identity Contoso Administrators	None
User2	Defender for Identity Contoso Users	None
User3	None	Security administrator
User4	Defender for Identity Contoso Users	Global administrator

You need to modify the configuration of the Defender for identify sensors.

Solutions: You instruct User1 to modify the Defender for identity sensor configuration. Does this meet the goal?

- A. Yes
- B. No

Answer: A

NEW QUESTION 53

- (Topic 6)

Your network contains an Active Directory forest named Contoso. Local. You have a Microsoft 365 subscription.

You plan to implement a directory synchronization solution that will use password hash synchronization.

From the Microsoft 365 admin center, you successfully verify the contoso.com domain name.

You need to prepare the environment for the planned directory synchronization solution. What should you do first?

- A. From Active Directory Domains and Trusts, add contoso.com as a UPN suffix.
- B. From the Microsoft 365 admin center verify the Contos
- C. Local domain name.
- D. From the public DNS zone of contoso.com, add a new mail exchanger (MX) record.
- E. From Active Directory Users and Computers, modify the UPN suffix for all users.

Answer: A

NEW QUESTION 57

DRAG DROP - (Topic 6)

Your company has a Microsoft 365 E5 tenant.

Users access resources in the tenant by using both personal and company-owned Android devices. Company policies requires that the devices have a threat level of medium or lower to access Microsoft Exchange Online mailboxes.

You need to recommend a solution to identify the threat level of the devices and to control access of the devices to the resources. What should you include in the solution for each device type? To answer, drag the appropriate components to the correct devices. Each component may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content. NOTE: Each correct selection is worth one point.

Solutions	Answer Area
An app configuration policy	Company-owned devices: Solution
An app protection policy	Personal devices: Solution
A compliance policy	
A configuration profile	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Solutions	Answer Area
An app configuration policy	Company-owned devices: A compliance policy
An app protection policy	Personal devices: An app protection policy
A compliance policy	
A configuration profile	

NEW QUESTION 62

- (Topic 6)

You have a Microsoft 365 E5 subscription that uses Microsoft Defender for Endpoint. You plan to perform device discovery and authenticated scans of network devices. You install and register the network scanner on a device named Device1. What should you do next?

- A. Connect Defender for Endpoint to Microsoft Intune.
- B. Apply for Microsoft Threat Experts - Targeted Attack Notifications.
- C. Create an assessment job.
- D. Download and run an onboarding package.

Answer: C

NEW QUESTION 63

- (Topic 6)

You have a Microsoft 365 subscription. You view the Service health Overview as shown in the following exhibit.

Service health

October 18, 2022 4:20 PM

Overview Issue history Reported issues

View the issues and health status of all services that are available with your current subscriptions. [Learn more about Service Health](#)

Report an issue Customize

Active issues

Issue title	Affected service	Issue type
Microsoft service health (6)		
Issues in your environment that require action (0)		

Microsoft service health

Shows the current health status of your Microsoft services, and updates when we fix issues.

Service	Status
Exchange Online	3 advisories
Microsoft 365 suite	2 advisories
Microsoft Teams	1 advisory
OneDrive for Business	1 advisory
SharePoint Online	2 advisories

You need to ensure that a user named User1 can view the advisories to investigate service health issues. Which role should you assign to User1?

- A. Message Center Reader
- B. Reports Reader
- C. Service Support Administrator
- D. Compliance Administrator

Answer: B

Explanation:

Service Support admin

Assign the Service Support admin role as an additional role to admins or users who need to do the following in addition to their usual admin role:

- Open and manage service requests
- View and share message center posts
- Monitor service health

Incorrect:

* Message center reader

Assign the Message center reader role to users who need to do the following:

- Monitor message center notifications
- Get weekly email digests of message center posts and updates
- Share message center posts
- Have read-only access to Azure AD services, such as users and groups

* Reports reader

Assign the Reports reader role to users who need to do the following:

- View usage data and the activity reports in the Microsoft 365 admin center
- Get access to the Power BI adoption content pack
- Get access to sign-in reports and activity in Azure AD
- View data returned by Microsoft Graph reporting API

Reference:

<https://learn.microsoft.com/en-us/microsoft-365/admin/add-users/about-admin-roles?view=o365-worldwide>

NEW QUESTION 68

HOTSPOT - (Topic 6)

You have a Microsoft 365 E5 subscription that uses Microsoft Defender for Office 365.

The subscription has the default inbound anti-spam policy and a custom Safe Attachments policy.

You need to identify the following information:

- The number of email messages quarantined by zero-hour auto purge (ZAP)
- The number of times users clicked a malicious link in an email message

Which Email & collaboration report should you use? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Answer Area

To identify the number of emails quarantined by ZAP:

- Threat protection status
- Mailflow status report
- Spoof detections
- Threat protection status**
- URL threat protection

To identify the number of times users clicked a malicious link in an email:

- Mailflow status report
- Mailflow status report**
- Spoof detections
- Threat protection status
- URL threat protection

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

To identify the number of emails quarantined by ZAP:

- Threat protection status
- Mailflow status report
- Spoof detections
- Threat protection status**
- URL threat protection

To identify the number of times users clicked a malicious link in an email:

- Mailflow status report
- Mailflow status report**
- Spoof detections
- Threat protection status
- URL threat protection

NEW QUESTION 73

- (Topic 6)

Your network contains three Active Directory forests. There are forests trust relationships between the forests.

You create an Azure AD tenant.

You plan to sync the on-premises Active Directory to Azure AD.

You need to recommend a synchronization solution. The solution must ensure that the synchronization can complete successfully and as quickly as possible if a single server fails.

What should you include in the recommendation?

- A. one Azure AD Connect sync server and one Azure AD Connect sync server in staging mode
- B. three Azure AD Connect sync servers and one Azure AD Connect sync server in staging mode
- C. six Azure AD Connect sync servers and three Azure AD Connect sync servers in staging mode
- D. three Azure AD Connect sync servers and three Azure AD Connect sync servers in staging mode

Answer: A

Explanation:

Azure AD Connect can be active on only one server. You can install Azure AD Connect on another server for redundancy but the additional installation would need to be in Staging mode. An Azure AD connect installation in Staging mode is configured and ready to go but it needs to be manually switched to Active to perform directory synchronization.

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/hybrid/how-to-connect-install-custom>

NEW QUESTION 77

- (Topic 6)

You have a Microsoft 365 E5 tenant that contains the devices shown in the following table.

Name	Platform
Device1	Windows 10 Enterprise
Device2	iOS
Device3	Android
Device4	Windows 10 Pro

The devices are managed by using Microsoft Intune.

You plan to use a configuration profile to assign the Delivery Optimization settings. Which devices will support the settings?

- A. Device1 only
- B. Device1 and Device4

- C. Device1, Device3, and Device4
- D. Device1, Device2, Device3, and Device4

Answer: A

NEW QUESTION 79

HOTSPOT - (Topic 6)

You have a Microsoft 365 E5 subscription that contains the users shown in the following table.

Name	Member of
User1	Group1
User2	Group2
User3	None

You create an administrative unit named AU1 that contains the members shown in the following exhibit.

AU1

Members [Role assignments](#)

Add users and groups, or select and remove them. The administrators assigned to this unit will manage these users and groups. Adding groups doesn't add users to the unit, it lets the assigned admins manage group settings.

[Add users](#) [Add groups](#) [Upload users](#) ... [Filter](#)

<input type="checkbox"/>	Members	Email address	Last sign-in	Member type
<input type="checkbox"/>	User1	User1@sk220912outlook.onmicrosoft.com	November 4, 2022 at 10:25 PM	User
<input type="checkbox"/>	User3	User3@sk220912outlook.onmicrosoft.com	November 4, 2022 at 10:27 PM	User

General [Assigned](#) [Permissions](#)

You can assign this role to users and groups, and select users and groups to remove or manage them.

[Learn more about assigning admin roles](#)

[Add users](#) [Add groups](#)

<input type="checkbox"/>	Admin name	Last sign-in	Scope
<input type="checkbox"/>	Group1	Unavailable for groups	Organization
<input type="checkbox"/>	Group2	Unavailable for groups	AU1

For each of the following statements, select Yes if the statement is true. Otherwise, select No.
 NOTE; Each correct selection is worth one point.

Answer Area

Statements	Yes	No
User1 can reset the password of User3.	<input type="radio"/>	<input type="radio"/>
User2 can reset the password of User3.	<input type="radio"/>	<input type="radio"/>
User2 can reset the password of User1.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Statements	Yes	No
User1 can reset the password of User3.	<input type="radio"/>	<input checked="" type="radio"/>
User2 can reset the password of User3.	<input type="radio"/>	<input checked="" type="radio"/>
User2 can reset the password of User1.	<input type="radio"/>	<input checked="" type="radio"/>

NEW QUESTION 82

DRAG DROP - (Topic 6)

You have a Microsoft 365 subscription.

You have the devices shown in the following table.

Name	TPM version	Operating system	BIOS/UEFI	BitLocker Drive Encryption (BitLocker)
Device1	TPM 1.2	Windows 10 Pro	BIOS	Enabled
Device2	TPM 2	Windows 10 Home	BIOS	Not applicable
Device3	TPM 2	Windows 8.1 Pro	UEFI	Enabled

You plan to join the devices to Azure Active Directory (Azure AD)

What should you do on each device to support Azure AU join? To answer, drag the appropriate actions to the collect devices, Each action may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Actions

- Disable BitLocker.
- Disable TPM.
- Switch to UEFI.
- Upgrade to Windows 10 Enterprise.

Answer Area

Device1:

Device2:

Device3:

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Actions

- Disable BitLocker.
- Disable TPM.
- Switch to UEFI.
- Upgrade to Windows 10 Enterprise.

Answer Area

Device1:

Device2:

Device3:

NEW QUESTION 87

HOTSPOT - (Topic 6)

HOTSPOT

You have a new Microsoft 365 E5 tenant. Enable Security defaults is set to Yes.

A user signs in to the tenant for the first time.

Which multi-factor authentication (MFA) method can the user use, and how many days does the user have to register for MFA? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

MFA method:

- Call to phone
- Email message
- Security questions
- Text message to phone
- Notification to Microsoft Authenticator app

Number of days:

- 7
- 14
- 30
- 60

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Notification to Microsoft Authenticator app

Do users have 14 days to register for Azure AD Multi-Factor Authentication?

Users have 14 days to register for MFA with the Microsoft Authenticator app from their smart phones, which begins from the first time they sign in after security defaults has been enabled. After 14 days have passed, the user won't be able to sign in until MFA registration is completed.

Box 2: 14

Azure AD Identity Protection will prompt your users to register the next time they sign in interactively and they'll have 14 days to complete registration. During this 14-day period, they can bypass registration if MFA isn't required as a condition, but at the end of the period they'll be required to register before they can complete the sign-in process.

NEW QUESTION 90

- (Topic 6)

You have a Microsoft 365 subscription.

You need to configure a compliance solution that meets the following requirements: Defines sensitive data based on existing data samples

Automatically prevents data that matches the samples from being shared externally in Microsoft SharePoint or email messages

Which two components should you configure? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. a trainable classifier
- B. a sensitive info type
- C. an insider risk policy
- D. an adaptive policy scope
- E. a data loss prevention (DLP) policy

Answer: AE

Explanation:

A: Classifiers

This categorization method is well suited to content that isn't easily identified by either the manual or automated pattern-matching methods. This method of categorization is more about using a classifier to identify an item based on what the item is, not by elements that are in the item (pattern matching). A classifier learns how to identify a type of content by looking at hundreds of examples of the content you're interested in identifying.

Where you can use classifiers

Classifiers are available to use as a condition for: Office auto-labeling with sensitivity labels

Auto-apply retention label policy based on a condition Communication compliance

Sensitivity labels can use classifiers as conditions, see Apply a sensitivity label to content automatically.

Data loss prevention

E: Organizations have sensitive information under their control such as financial data, proprietary data, credit card numbers, health records, or social security numbers. To help protect this sensitive data and reduce risk, they need a way to prevent their users from inappropriately sharing it with people who shouldn't have it. This practice is called data loss prevention (DLP).

Reference:

<https://learn.microsoft.com/en-us/microsoft-365/compliance/classifier-learn-about> <https://learn.microsoft.com/en-us/microsoft-365/compliance/dlp-learn-about-dlp>

NEW QUESTION 94

- (Topic 6)

You have a Microsoft 365 E5 tenant.

Industry regulations require that the tenant comply with the ISO 27001 standard. You need to evaluate the tenant based on the standard

- A. From Policy in the Azure portal, select Compliance, and then assign a pokey
- B. From Compliance Manager, create an assessment
- C. From the Microsoft J6i compliance center, create an audit retention policy.
- D. From the Microsoft 365 admin center enable the Productivity Score.

Answer: B

NEW QUESTION 96

- (Topic 6)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your network contains an on-premises Active Directory domain. The domain contains domain controllers that run Windows Server 2019. The functional level of the forest and the domain is Windows Server 2012 R2.

The domain contains 100 computers that run Windows 10 and a member server named Server1 that runs Windows Server 2012 R2.

You plan to use Server1 to manage the domain and to configure Windows 10 Group Policy settings.

You install the Group Policy Management Console (GPMC) on Server1.

You need to configure the Windows Update for Business Group Policy settings on Server1. Solution: You raise the forest functional level to Windows Server 2016.

You copy the Group

Policy Administrative Templates from a Windows 10 computer to the Netlogon share on all the domain controllers.

Does this meet the goal?

- A. yes
- B. No

Answer: B

NEW QUESTION 99

HOTSPOT - (Topic 6)

HOTSPOT

You have a Microsoft 365 E5 subscription that uses Microsoft Defender for Endpoint and contains the devices shown in the following table.

Name	Operating system	Tag
Device1	Windows 10	Inventory1
Computer1	Windows 10	Inventory2
Device3	Android	Inventory3

Defender for Endpoint has the device groups shown in the following table.

Rank	Name	Matching rule
1	Group1	Tag Contains Inventory And OS in Android
2	Group2	Name Starts with Device And Tag Contains Inventory
Last	Ungrouped devices (default)	Not applicable

You create an incident email notification rule configured as shown in the following table.

Setting	Value
Name	Rule1
Alert severity	Low
Device group scope	Group1, Group2
Recipient email address	User1@contoso.com

For each of the following statements, select Yes if the statement is true. Otherwise, select No.
 NOTE: Each correct selection is worth one point.

Answer Area

Statements

	Yes	No
If a high-severity incident is triggered for Device1, an incident email notification will be sent.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
If a low-severity incident is triggered for Computer1, an incident notification email will be sent.	<input type="checkbox"/>	<input type="checkbox"/>
If a low-severity incident is triggered for Device3, an incident notification email will be sent.	<input type="checkbox"/>	<input type="checkbox"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: No
 Device1 is in Group2 as Name starts with Device and Tag contains Inventory. However, the Group2 has alert severity low.
 Box 2: No
 Computer1 does not belong to either Group1 or Group2
 Box 3: Yes
 Device3 belongs to both Group1 and Group2.
 Note: Understanding alert severity
 Microsoft Defender Antivirus and Defender for Endpoint alert severities are different because they represent different scopes.
 The Microsoft Defender Antivirus threat severity represents the absolute severity of the detected threat (malware), and is assigned based on the potential risk to the individual device, if infected.

NEW QUESTION 103

- (Topic 6)
 You have a Microsoft 365 E5 subscription that has Microsoft Defender for Endpoint integrated with Microsoft Endpoint Manager. Devices are onboarded by using Microsoft Defender for Endpoint. You plan to block devices based on the results of the machine risk score calculated by Microsoft Defender for Endpoint. What should you create first?

- A. a device configuration policy
- B. a device compliance policy
- C. a conditional access policy
- D. an endpoint detection and response policy

Answer: B

Explanation:

Reference:
<https://docs.microsoft.com/en-us/mem/intune/protect/advanced-threat-protection-configure>

NEW QUESTION 108

- (Topic 6)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it as a result these questions will not appear in the review screen.

Your network contains an Active Directory forest. You deploy Microsoft 365.

You plan to implement directory synchronization.

You need to recommend a security solution for the synchronized identities. The solution must meet the following requirements:

- Users must be able to authenticate successfully to Microsoft 365 services if Active Directory becomes unavailable.
- User passwords must be 10 characters or more.

Solution: implement password hash synchronization and modify the password settings from the Default Domain Policy in Active Directory. Does this meet the goal?

- A. Yes
- B. No

Answer: A

NEW QUESTION 112

- (Topic 6)

You have a Microsoft 365 subscription that uses Microsoft Defender for Endpoint.

All the devices in your organization are onboarded to Microsoft Defender for Endpoint.

You need to ensure that an alert is generated if malicious activity was detected on a device during the last 24 hours.

What should you do?

- A. From the Microsoft Purview compliance portal, create a data loss prevention (DLP) policy.
- B. From Alerts queue, create a suppression rule and assign an alert.
- C. From Advanced hunting, create a query and a detection rule.
- D. From the Microsoft Purview compliance portal, create an audit log search.

Answer: C

NEW QUESTION 115

HOTSPOT - (Topic 6)

You have a Microsoft 365 subscription that contains the users shown in the following table.

Name	Group	MFA Status
User1	Group1	Enabled
User2	Group1, Group2	Enforced

You have the named locations shown in the following table.

Named location	IP range
Montreal	133.107.0.0/16
Toronto	193.77.10.0/24

You create a conditional access policy that has the following configurations:

- Users or workload identities:
 - o Include: Group1
 - o Exclude: Group2
- Cloud apps or actions: Include all cloud apps
- Conditions:
 - o Include: Any location
 - o Exclude: Montreal
- Access control: Grant access, Require multi-factor authentication User1 is on the multi-factor authentication (MFA) blocked users list.

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Answer Area

Statements	Yes	No
User1 can access Microsoft Office 365 from a device that has an IP address of 133.107.10.20.	<input type="radio"/>	<input type="radio"/>
User1 can access Microsoft Office 365 from a device that has an IP address of 193.77.10.15.	<input type="radio"/>	<input type="radio"/>
User2 can access Microsoft Office 365 from a device that has an IP address of 193.77.10.20.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Statements	Yes	No
User1 can access Microsoft Office 365 from a device that has an IP address of 133.107.10.20.	<input checked="" type="radio"/>	<input type="radio"/>
User1 can access Microsoft Office 365 from a device that has an IP address of 193.77.10.15.	<input type="radio"/>	<input checked="" type="radio"/>
User2 can access Microsoft Office 365 from a device that has an IP address of 193.77.10.20.	<input checked="" type="radio"/>	<input type="radio"/>

NEW QUESTION 119

HOTSPOT - (Topic 6)

You have a Microsoft 365 E5 tenant that contains two users named User1 and User2 and the groups shown in the following table.

Name	Members
Group1	User1
Group2	User2, Group1

You have a Microsoft Intune enrollment policy that has the following settings:

? MDM user scope: Some

? uk.co.certification.simulator.questionpool.PList@184e72e0

? MAM user scope: Some

? uk.co.certification.simulator.questionpool.PList@184e7360 You purchase the devices shown in the following table.

Name	Platform
Device1	Windows 10
Device2	Android

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Statements	Yes	No
User1 can enroll Device1 in Intune by using automatic enrollment	<input type="radio"/>	<input type="radio"/>
User1 can enroll Device2 in Intune by using automatic enrollment	<input type="radio"/>	<input type="radio"/>
User2 can enroll Device2 in Intune by using automatic enrollment	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Statements	Yes	No
User1 can enroll Device1 in Intune by using automatic enrollment	<input checked="" type="radio"/>	<input type="radio"/>
User1 can enroll Device2 in Intune by using automatic enrollment	<input checked="" type="radio"/>	<input type="radio"/>
User2 can enroll Device2 in Intune by using automatic enrollment	<input type="radio"/>	<input checked="" type="radio"/>

NEW QUESTION 121

DRAG DROP - (Topic 6)

You have a Microsoft 365 subscription.

You need to meet the following requirements:

- Report a Microsoft 365 service issue.
- Request help on how to add a new user to an Azure AD tenant.

What should you use in the Microsoft 365 admin center? To answer, drag the appropriate features to the correct requirements. Each feature may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Features	Answer Area
Message center	To report issues regarding a Microsoft 365 service: <input type="text"/>
New service request	To request help on how to add a new user to the tenant: <input type="text"/>
Product feedback	
Service health	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Features	Answer Area
Message center	To report issues regarding a Microsoft 365 service: <input type="text" value="New service request"/>
New service request	To request help on how to add a new user to the tenant: <input type="text" value="Message center"/>
Product feedback	
Service health	

NEW QUESTION 123

HOTSPOT - (Topic 6)

You have a Microsoft 365 E5 subscription that contains the users shown in the following table.

Name	Member of	Role
User1	Group1	User Administrator
User2	Group1	None
User3	Group2	None
User4	None	Global Administrator

You enable self-service password reset (SSPR) for Group1. You configure security questions as the only authentication method for SSPR. Which users can use SSPR, and which users must answer security questions to reset their password? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Users that can use SSPR:

Users that must answer security questions to reset their password:

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Users that can use SSPR:

- User1 and User2 only
- User1, User2, and User3 only
- User1, User2, and User4 only**
- User1, User2, User3, and User4

Users that must answer security questions to reset their password:

- User1 only
- User2 only
- User1 and User2 only**
- User1, User2, and User3 only
- User1, User2, and User4 only
- User1, User2, User3, and User4

NEW QUESTION 124

HOTSPOT - (Topic 6)

You have a Microsoft 365 tenant that contains 100 Windows 10 devices. The devices are managed by using Microsoft Endpoint Manager. You plan to create two attack surface reduction (ASR) policies named ASR1 and ASR2. ASR1 will be used to configure Microsoft Defender Application Guard. ASR2 will be used to configure Microsoft Defender SmartScreen.

Which ASR profile type should you use for each policy? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

ASR1:

- Device control
- Exploit protection
- Application control
- App and browser isolation
- Attack surface reduction rules

ASR2:

- Device control
- Exploit protection
- Application control
- App and browser isolation
- Attack surface reduction rules

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

ASR1:

- Device control
- Exploit protection
- Application control
- App and browser isolation**
- Attack surface reduction rules

ASR2:

- Device control
- Exploit protection**
- Application control
- App and browser isolation
- Attack surface reduction rules

NEW QUESTION 128

- (Topic 6)

You have a Microsoft 365 tenant and a LinkedIn company page.

You plan to archive data from the LinkedIn page to Microsoft 365 by using the LinkedIn connector.

Where can you store data from the LinkedIn connector?

- A. a Microsoft OneDrive for Business folder
- B. a Microsoft SharePoint Online document library
- C. a Microsoft 365 mailbox
- D. Azure Files

Answer: C

Explanation:

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/archive-linkedin-data?view=o365-worldwide>

NEW QUESTION 133

- (Topic 6)

You have a Microsoft 365 subscription that uses an Azure AD tenant named contoso.com. The tenant contains the users shown in the following table.

Name	Role
User1	Exchange Administrator
User2	User Administrator
User3	Global Administrator
User4	None

You add another user named User5 to the User Administrator role. You need to identify which two management tasks User5 can perform.

Which two tasks should you identify? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

- A. Delete User2 and User4 only.
- B. Reset the password of User4 only
- C. Reset the password of any user in Azure AD.
- D. Delete User1, User2, and User4 only.
- E. Reset the password of User2 and User4 only.
- F. Delete any user in Azure AD.

Answer: AE

Explanation:

Users with the User Administrator role can create users and manage all aspects of users with some restrictions (see below).

Only on users who are non-admins or in any of the following limited admin roles:

- Directory Readers
- Guest Inviter
- Helpdesk Administrator
- Message Center Reader
- Reports Reader
- User Administrator Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/users-groups-roles/directory-assign-admin-roles#available-roles>

NEW QUESTION 135

- (Topic 6)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it as a result, these questions will not appear in the review screen.

Your network contains an Active Directory domain. You deploy an Azure AD tenant.

Another administrator configures the domain to synchronize to Azure AD.

You discover that 10 user accounts in an organizational unit (OU) are NOT synchronized to Azure AD. All the other user accounts synchronized successfully.

You review Azure AD Connect Health and discover that all the user account synchronizations completed successfully.

You need to ensure that the 10 user accounts are synchronized to Azure AD. Solution: From Azure AD Connect, you modify the filtering settings.

Does this meet the goal?

- A. Yes
- B. No

Answer: A

NEW QUESTION 139

DRAG DROP - (Topic 6)

You have an Azure subscription that is linked to a hybrid Microsoft Entra tenant.

All users sync from Active Directory Domain Services (AD DS) to the tenant by using Express Settings in Microsoft Entra Connect.

You plan to implement self-service password reset (SSPR).

You need to ensure that when a user resets or changes a password, the password syncs with AD DS.

Which actions should you perform in sequence? To answer, drag the appropriate actions to the correct order. Each action may be used once, more than once, or

not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Actions	Answer Area
From the Microsoft Entra admin center, configure on-premises integration password writeback.	Step 1: Validate permissions for the Microsoft Entra Connect account.
From the Microsoft Entra admin center, configure the authentication methods for SSPR.	Step 2: <input type="text"/>
From the Microsoft Entra admin center, configure the registration settings for SSPR.	Step 3: <input type="text"/>
Select Group writeback in Microsoft Entra Connect.	
Select Password writeback in Microsoft Entra Connect.	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Actions	Answer Area
From the Microsoft Entra admin center, configure on-premises integration password writeback.	Step 1: Validate permissions for the Microsoft Entra Connect account.
From the Microsoft Entra admin center, configure the authentication methods for SSPR.	Step 2: From the Microsoft Entra admin center, configure on-premises integration password writeback.
From the Microsoft Entra admin center, configure the registration settings for SSPR.	Step 3: Select Password writeback in Microsoft Entra Connect.
Select Group writeback in Microsoft Entra Connect.	
Select Password writeback in Microsoft Entra Connect.	

NEW QUESTION 142

- (Topic 6)

You have a Microsoft 365 E5 subscription.

You create an account for a new security administrator named SecAdmin1.

You need to ensure that SecAdmin1 can manage Microsoft Defender for Office 365 settings and policies for Microsoft Teams, SharePoint and OneDrive.

Solution: From the Azure Active Directory admin center, you assign SecAdmin1 the Teams Administrator role.

Does this meet the goal?

- A. Yes
- B. no

Answer: B

NEW QUESTION 144

- (Topic 6)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft 365 E5 subscription.

You create an account for a new security administrator named SecAdmin1.

You need to ensure that SecAdmin1 can manage Office 365 Advanced Threat Protection (ATP) settings and policies for Microsoft Teams, SharePoint, and OneDrive.

Solution: From the Azure Active Directory admin center, you assign SecAdmin1 the Security administrator role.

Does this meet the goal?

- A. Yes
- B. No

Answer: A

NEW QUESTION 149

- (Topic 6)

You have a Microsoft 365 subscription.

You plan to implement Microsoft Purview Privileged Access Management. Which Microsoft Office 365 workloads support privileged access?

- A. Microsoft Exchange Online only
- B. Microsoft Teams only

- C. Microsoft Exchange Online and SharePoint Online only
- D. Microsoft Teams and SharePoint Online only
- E. Microsoft Teams, Exchange Online, and SharePoint Online

Answer: A

Explanation:

Privileged access management

Having standing access by some users to sensitive information or critical network configuration settings in Microsoft Exchange Online is a potential pathway for compromised accounts or internal threat activities. Microsoft Purview Privileged Access Management helps protect your organization from breaches and helps to meet compliance best practices by limiting standing access to sensitive data or access to critical configuration settings. Instead of administrators having constant access, just-in-time access rules are implemented for tasks that need elevated permissions. Enabling privileged access management for Exchange Online in Microsoft 365 allows your organization to operate with zero standing privileges and provide a layer of defense against standing administrative access vulnerabilities.

Note: When will privileged access support Office 365 workloads beyond Exchange? Privileged access management will be available in other Office 365 workloads soon.

Reference:

<https://learn.microsoft.com/en-us/microsoft-365/compliance/privileged-access-management-solution-overview>

<https://learn.microsoft.com/en-us/microsoft-365/compliance/privileged-access-management>

NEW QUESTION 153

HOTSPOT - (Topic 6)

You have a Microsoft 365 E5 subscription that contains the users shown in the following table.

Name	Role
Admin1	Global Administrator
Admin2	Security Administrator
Admin3	Security Operator
Admin4	Security Reader
Admin5	Application Administrator

You are implementing Microsoft Defender for Endpoint

You need to enable role-based access control (RBAC) to restrict access to the Microsoft 365 Defender portal.

Which users can enable RBAC, and which users will no longer have access to the Microsoft 365 Defender portal after RBAC is enabled? To answer, select the appropriate options in the answer area.

NOTE Each correct selection is worth one point.

Answer Area

Users that can enable RBAC:

- Admin1 only
- Admin1 and Admin2 only**
- Admin1, Admin2, and Admin5 only
- Admin1, Admin2, Admin3, and Admin5 only

Users that will no longer have access to the Microsoft 365 Defender portal:

- Admin5 only
- Admin3 and Admin4 only
- Admin4 and Admin5 only
- Admin3, Admin4, and Admin5 only**

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Users that can enable RBAC:

- Admin1 only
- Admin1 and Admin2 only**
- Admin1, Admin2, and Admin5 only
- Admin1, Admin2, Admin3, and Admin5 only

Users that will no longer have access to the Microsoft 365 Defender portal:

- Admin5 only
- Admin3 and Admin4 only
- Admin4 and Admin5 only
- Admin3, Admin4, and Admin5 only**

NEW QUESTION 157

HOTSPOT - (Topic 6)


HOTSPOT

Your network contains an on-premises Active Directory domain. You have a Microsoft 365 E5 subscription.

You plan to implement directory synchronization.

You need to identify potential synchronization issues for the domain. The solution must use the principle of least privilege. What should you use? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Answer Area



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: IdFix

Query and fix invalid object attributes with the IdFix tool

Microsoft is working to reduce the time required to remediate identity issues when onboarding to Microsoft 365. A portion of this effort is intended to address the time involved in remediating the Windows Server Active Directory (Windows Server AD) errors reported by the directory synchronization tools such as Azure AD Connect and Azure AD Connect cloud sync. The focus of IdFix is to enable you to accomplish this task in a simple, expedient fashion.

The IdFix tool provides you the ability to query, identify, and remediate the majority of object synchronization errors in your Windows Server AD forests in preparation for deployment to Microsoft 365. The utility does not fix all errors, but it does find and fix the majority. This remediation will then allow you to successfully synchronize users, contacts, and groups from on-premises Active Directory into Microsoft 365. Note: IdFix might identify errors beyond those that emerge during synchronization. The most common example is compliance with rfc 2822 for smtp addresses. Although invalid attribute values can be synchronized to the cloud, the product group recommends that these errors be corrected.

Incorrect:

* AccessChk

Box 2: Enterprise Admins

IdFix permissions requirements

The user account that you use to run IdFix must have read and write access to the AD DS domain.

If you aren't sure if your user account meets these requirements, and you're not sure how to check, you can still download and run IdFix. If your user account doesn't have the right permissions, IdFix will simply display an error when you try to run it.

* Enterprise Admins

The Enterprise Admins group exists only in the root domain of an Active Directory forest of domains. The group is a Universal group if the domain is in native mode. The group is a Global group if the domain is in mixed mode. Members of this group are authorized to make forest-wide changes in Active Directory, like adding child domains.

Incorrect:

* Domain Admins

Members of the Domain Admins security group are authorized to administer the domain. By default, the Domain Admins group is a member of the Administrators group on all computers that have joined a domain, including the domain controllers. The Domain Admins group is the default owner of any object that's created in Active Directory for the domain by any member of the group. If members of the group create other objects, such as files, the default owner is the Administrators group.

* Server Operator

Server Operators can log on to a server interactively; create and delete network shares; start and stop services; back up and restore files; format the hard disk of the computer; and shut down the computer. Any service that accesses the system has the Service identity.

* Domain Users - too few permissions

The Domain Users group includes all user accounts in a domain. When you create a user account in a domain, it's automatically added to this group.

NEW QUESTION 162

- (Topic 6)

You have a Microsoft 365 tenant that contains a Windows 10 device. The device is onboarded to Microsoft Defender for Endpoint.

From Microsoft Defender Security Center, you perform a security investigation. You need to run a PowerShell script on the device to collect forensic information.

Which action should you select on the device page?

- A. Initiate Live Response Session
- B. Initiate Automated Investigation
- C. Collect investigation package
- D. Go hunt

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/security/defender-endpoint/live-response?view=o365-worldwide>

NEW QUESTION 165

HOTSPOT - (Topic 6)
 HOTSPOT

You have a Microsoft 365 E5 subscription that contains a Microsoft SharePoint Online site named Site1 and the users shown in the following table.

Name	Member of	Device
User1	Group1	Device1
User2	Group1	Device2, Device3

The devices are configured as shown in the following table.

Name	Platform	Azure AD join type
Device1	Windows 11	None
Device2	Windows 10	Joined
Device3	Android	Registered

You have a Conditional Access policy named CAPolicy1 that has the following settings: 1.Assignments

? Users or workload identities: Group1

? Cloud apps or actions: Office 365 SharePoint Online

? Conditions

- Filter for devices: Exclude filtered devices from the policy

- Rule syntax: device.displayName -startsWith "Device" 2.Access controls

? Grant

- Grant: Block access

? Session: 0 controls selected 3.Enable policy: On

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Answer Area

Statements

Yes

No

User1 can access Site1 from Device1.

User2 can access Site1 from Device2.

User2 can access Site1 from Device3.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: No

User1 is member of Group1 and has Device1.

Device1 is not Azure AD joined.

Note: Requiring a hybrid Azure AD joined device is dependent on your devices already being hybrid Azure AD joined.

Box 2: Yes

User2 is member of Group1 and has devices Device2 and Device3. Device2 is Azure AD joined.

Device2 is excluded from CAPolicy1 (which would block access to Site1).

Box 3: Yes

User2 is member of Group1 and has devices Device2 and Device3.

Device3 is Android and is Azure AD registered.

Device3 is excluded from CAPolicy1 (which would block access to Site1).

Note: On Windows 7, iOS, Android, macOS, and some third-party web browsers, Azure AD identifies the device using a client certificate that is provisioned when the device is registered with Azure AD. When a user first signs in through the browser the user is prompted to select the certificate. The end user must select this certificate before they can continue to use the browser.

NEW QUESTION 168

- (Topic 6)

You have a Microsoft 365 E5 tenant that contains four devices enrolled in Microsoft Intune as shown in the following table.

Name	Platform
Device1	Windows 10
Device2	Android
Device3	macOS
Device4	iOS

You plan to deploy Microsoft 365 Apps for enterprise by using Microsoft Endpoint Manager. To which devices can you deploy Microsoft 365 Apps for enterprise?

- A. Device1 only
- B. Device1 and Device3 only
- C. Device2 and Device4 only
- D. Device1, Device2, and Device3 only
- E. Device1, Device2, Device3, and Device4

Answer: B

Explanation:

Reference:
<https://docs.microsoft.com/en-us/mem/intune/apps/apps-add>

NEW QUESTION 173

- (Topic 6)

You have a Microsoft 365 E5 subscription that contains a user named User1. You create a retention label named Retention1 that is published to all locations. You need to ensure that User1 can label email messages by using Retention1 as soon as possible. Which cmdlet should you run in Microsoft Exchange Online PowerShell?

- A. Start-MpScan
- B. Start-Process
- C. Start-ManagedFolderAsslstant
- D. Start-AppBackgroundTask

Answer: C

NEW QUESTION 177

- (Topic 6)

You have a Microsoft 365 E5 subscription that uses Microsoft Defender for Endpoint. When users attempt to access the portal of a partner company, they receive the message shown in the following exhibit.




You need to enable user access to the partner company's portal. Which Microsoft Defender for Endpoint setting should you modify?

- A. Alert notifications
- B. Alert suppression
- C. Custom detections
- D. Advanced hunting
- E. Indicators

Answer: E

Explanation:



This Website Is Blocked By Your Organization
 Custom indicators will block malicious IPs, URLs, and domains. Then, they will display the above message for the user.
 Reference: <https://jadexstrategic.com/web-protection/>


NEW QUESTION 179

HOTSPOT - (Topic 6)

From the Microsoft 365 compliance center, you configure a data loss prevention (DLP) policy for a Microsoft SharePoint Online site named Site1. Site1 contains the roles shown in the following table.

Role	Member
Site owner	Prvi
Site member	User1
Site visitor	User2

Prvi creates the files shown in the exhibit. (Click the Exhibit tab.)



Which files can User1 and User2 open? To answer, select the appropriate options in the answer area.
 NOTE: Each correct selection is worth one point.

User1:

File1.docx only

File1.docx and File2.docx only

File1.docx, File2.docx, and File3.docx

User2:

File1.docx only

File1.docx and File2.docx only

File1.docx, File2.docx, and File3.docx

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

User1:

File1.docx only

File1.docx and File2.docx only

File1.docx, File2.docx, and File3.docx

User2:

File1.docx only

File1.docx and File2.docx only

File1.docx, File2.docx, and File3.docx

NEW QUESTION 183

- (Topic 6)

You have a Microsoft 365 E5 subscription that contains the users shown in the following table.

Name	Passwordless authentication	Multi-factor authentication (MFA) method registered
User1	Not configured	Microsoft Authenticator app (push notification)
User2	Configured	Microsoft Authenticator app (push notification)
User3	Not configured	Mobile phone
User4	Not configured	Email

You plan to create a Conditional Access policy that will use GPS-based named locations. Which users can the policy protect?

- A. User2 and User4 only
- B. User1 and User3 only
- C. User1 only
- D. User1, User2, User3, and User4

Answer: C

NEW QUESTION 185

HOTSPOT - (Topic 6)

You have a Microsoft 365 E5 subscription and an Azure AD tenant named contoso.com.

All users have computers that run Windows 11, are joined to contoso.com, and are protected by using BitLocker Drive Encryption (BitLocker).

You plan to create a user named Admin1 that will perform following tasks:

- View BitLocker recovery keys.
- Configure the usage location for the users in contoso.com.

You need to assign roles to Admin1 to meet the requirements. The solution must use the principle of least privilege. Which two roles should you assign? To answer, select the appropriate roles in the answer area.

NOTE: Each correct selection is worth one point

Answer Area

Devices

- Cloud Device Administrator ⓘ
- Desktop Analytics Administrator ⓘ
- Intune Administrator ⓘ
- Printer Administrator ⓘ
- Printer Technician ⓘ
- Windows 365 Administrator ⓘ

Global

- Global Administrator ⓘ

Identity

- Application Administrator ⓘ
- Application Developer ⓘ
- Authentication Administrator ⓘ
- Cloud Application Administrator ⓘ
- Conditional Access Administrator ⓘ
- Domain Name Administrator ⓘ
- External Identity Provider Administrator ⓘ
- Guest Inviter ⓘ
- Helpdesk Administrator ⓘ
- Hybrid Identity Administrator ⓘ
- License Administrator ⓘ
- Password Administrator ⓘ

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Devices

- Cloud Device Administrator ⓘ
- Desktop Analytics Administrator ⓘ
- Intune Administrator ⓘ
- Printer Administrator ⓘ
- Printer Technician ⓘ
- Windows 365 Administrator ⓘ

Global

- Global Administrator ⓘ

Identity

- Application Administrator ⓘ
- Application Developer ⓘ
- Authentication Administrator ⓘ
- Cloud Application Administrator ⓘ
- Conditional Access Administrator ⓘ
- Domain Name Administrator ⓘ
- External Identity Provider Administrator ⓘ
- Guest Inviter ⓘ
- Helpdesk Administrator ⓘ
- Hybrid Identity Administrator ⓘ
- License Administrator ⓘ
- Password Administrator ⓘ

NEW QUESTION 186

- (Topic 6)

You have a Microsoft 365 tenant that contains two users named User1 and User2. You create the alert policy shown in the following exhibit.

Policy1
✕

✎ Edit policy
🗑 Delete policy

Status On

Description Add a description

Severity ● Medium Edit

Category Information governance

Conditions Activity is FileModified

Aggregation Aggregated

Threshold 5 activities Edit

Window 60 minutes

Scope All users

Email recipients User1@M365x082103.onmicrosoft.com

Daily notification limit 25 Edit

User2 runs a script that modifies a file in a Microsoft SharePoint Online library once every four minutes and runs for a period of two hours. How many alerts will User1 receive?

- A. 2
- B. 5
- C. 10
- D. 25

Answer: D

NEW QUESTION 188

- (Topic 6)

You have a Microsoft 365 E5 subscription.

Conditional Access is configured to block high-risk sign-ins for all users.

All users are in France and are registered for multi-factor authentication (MFA). Users in the media department will travel to various countries during the next month.

You need to ensure that if the media department users are blocked from signing in while traveling, the users can remediate the issue without administrator intervention.

What should you configure?

- A. an exclusion group
- B. the MFA registration policy
- C. named locations
- D. self-service password reset (SSPR)

Answer: D

Explanation:

Self-remediation with self-service password reset

If a user has registered for self-service password reset (SSPR), then they can also remediate their own user risk by performing a self-service password reset.

Reference:

<https://learn.microsoft.com/en-us/azure/active-directory/identity-protection/howto-identity-protection-remediate-unblock>

NEW QUESTION 193

- (Topic 6)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it as a result these questions will not appear in the review screen.

Your network contains an Active Directory forest. You deploy Microsoft 365.

You plan to implement directory synchronization.

You need to recommend a security solution for the synchronized identities. The solution must meet the following requirements:

- Users must be able to authenticate successfully to Microsoft 365 services if Active Directory becomes unavailable.
- User passwords must be 10 characters or more.

Solution: Implement pass-through authentication and configure password protection in the Azure AD tenant. Does this meet the goal?

- A. Yes
- B. No

Answer: B

NEW QUESTION 196

- (Topic 6)

You have a Microsoft 365 E5 subscription. The subscription contains users that have the following types of devices:

- Windows 10
- Android
- OS

On which devices can you configure the Endpoint DLP policies?

- A. Windows 10 only
- B. Windows 10 and Android only
- C. Windows 10 and macOS Only
- D. Windows 10, Android, and iOS

Answer: D

Explanation:

Endpoint data loss prevention (Endpoint DLP) extends the activity monitoring and protection capabilities of DLP to sensitive items that are physically stored on Windows 10, Windows 11, and macOS (Catalina 10.15 and higher) devices. Once devices are onboarded into the Microsoft Purview solutions, the information about what users are doing with sensitive items is made visible in activity explorer and you can enforce protective actions on those items via DLP policies.

<https://docs.microsoft.com/en-us/microsoft-365/compliance/endpoint-dlp-learn-about?view=o365-worldwide>

NEW QUESTION 201

HOTSPOT - (Topic 6)

HOTSPOT

You have a Microsoft 365 E5 subscription that contains a Microsoft SharePoint site named Site1 and a data loss prevention (DLP) policy named DLP1. DLP1 contains the rules shown in the following table.

Name	Priority	Action
Rule1	0	Notify users by using email and policy tips. Customize the policy tip as Rule1 tip. Disable user overrides.
Rule2	1	Notify users by using email and policy tips. Customize the policy tip as Rule2 tip. Restrict access to the content. Disable user overrides.
Rule3	2	Notify users by using email and policy tips. Customize the policy tip as Rule3 tip. Restrict access to the content. Enable user overrides.
Rule4	3	Notify users by using email and policy tips. Customize the policy tip as Rule4 tip. Restrict access to the content. Disable user overrides.

Site1 contains the files shown in the following table.

Name	Matched DLP rule
File1.docx	Rule1, Rule2, Rule3
File2.docx	Rule1, Rule3, Rule4

Which policy tips are shown for each file? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

File1.docx:

File2.docx:

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Rule1 tip only

File1 matches Rule1, Rule2, and Rule3. Rule1 has the highest priority.

Note: The Priority parameter specifies a priority value for the policy that determines the order of policy processing. A lower integer value indicates a higher priority, the value 0 is the highest priority, and policies can't have the same priority value.

Box 2: Rule1 tip only

Note: User Override support

The option to override is per rule, and it overrides all of the actions in the rule (except sending a notification, which can't be overridden).

It's possible for content to match several rules in a DLP policy or several different DLP policies, but only the policy tip from the most restrictive, highest-priority rule will be shown (including policies in Test mode). For example, a policy tip from a rule that blocks access to content will be shown over a policy tip from a rule that simply sends a notification. This prevents people from seeing a cascade of policy tips.

If the policy tips in the most restrictive rule allow people to override the rule, then overriding this rule also overrides any other rules that the content matched.

NEW QUESTION 205

- (Topic 6)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your network contains an Active Directory domain. You deploy an Azure AD tenant.

Another administrator configures the domain to synchronize to Azure AD.

You discover that 10 user accounts in an organizational unit (OU) are NOT synchronized to Azure AD. All the other user accounts synchronized successfully.

You review Azure AD Connect Health and discover that all the user account synchronizations completed successfully.

You need to ensure that the 10 user accounts are synchronized to Azure AD. Solution: You run idfix.exe and export the 10 user accounts.

Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

The question states that "all the user account synchronizations completed successfully". If there were problems with the 10 accounts that needed fixing with idfix.exe, there would have been synchronization errors in Azure AD Connect Health.

It is likely that the 10 user accounts are being excluded from the synchronization cycle by a filtering rule.

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/hybrid/how-to-connect-sync-configure-filtering>

NEW QUESTION 206

HOTSPOT - (Topic 6)

You have a Microsoft 365 E5 tenant that contains 100 Windows 10 devices. You plan to attack surface reduction (ASR) rules for the Windows 10 devices.

You configure the ASR rules in audit mode and collect audit data in a Log Analytics workspace.

You need to find the ASR rules that match the activities on the devices.

How should you complete the Kusto query? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

AlertInfo
DeviceEvents
DeviceInfo

lookup
project
render
where

ActionType startswith 'ASR'

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

AlertInfo
DeviceEvents
DeviceInfo

lookup
project
render
where

ActionType startswith 'ASR'

NEW QUESTION 209

HOTSPOT - (Topic 6)

Your company has a Microsoft 365 subscription That contains the domains shown in the following exhibit.

Domains

Domain name ↑	Status	Choose columns
<input type="checkbox"/> contoso221018.onmicrosoft.com (Default)	Healthy	
<input type="checkbox"/> contoso.com	Incomplete setup	
<input type="checkbox"/> east.contoso221018.onmicrosoft.com	No services selected	

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.
 NOTE; Each correct selection is worth one point.

Answer Area

An administrator can create usernames that contain the [answer choice].

Exchange Online can receive inbound email messages sent to the [answer choice].

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

An administrator can create usernames that contain the [answer choice].

Exchange Online can receive inbound email messages sent to the [answer choice].

NEW QUESTION 211

HOTSPOT - (Topic 6)

You have a Microsoft 365 subscription that uses Microsoft Defender for Office 365.

You need to identify the settings that are below the Standard protection profile settings in the preset security policies.

What should you use? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Answer Area

Portal: Microsoft 365 Defender portal

Feature: Configuration analyzer

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Portal: Microsoft 365 Defender portal

Feature: Configuration analyzer

NEW QUESTION 214

- (Topic 6)

You have a Microsoft 365 E5 subscription that has published sensitivity labels shown in the following exhibit.

Home > sensitivity

Labels Label policies Auto-labeling (preview)

Sensitivity labels are used to classify email messages, documents, sites, and more. When a label is applied (automatically or by the user), the content or site is protected based on the settings you choose. For example, you can create labels that encrypt files, add content marking, and control user access to specific sites. [Learn more about sensitivity labels](#)

+ Create a label Publish labels Refresh

Name	Order	Created by	Last modified
Label1	0 - highest	Pvi	04/24/2020
Label2	1	Pvi	04/24/2020
Label3	0 - highest	Pvi	04/24/2020
Label4	0 - highest	Pvi	04/24/2020
Label5	5	Pvi	04/24/2020
Label6	0 - highest	Pvi	04/24/2020

Which labels can users apply to content?

- A. Label1, Label2, and Label5 only

- B. Label3, Label4, and Label6 only
- C. Label1, Label3, Label2, and Label6 only
- D. Label1, Label2, Label3, Label4, Label5, and Label6

Answer: C

NEW QUESTION 219

- (Topic 6)

You have the sensitivity labels shown in the following exhibit.

[Home](#) > sensitivity

Labels Label policies Auto-labeling(preview)

Sensitivity labels are used to classify email messages, documents, sites, and more. When a label is applied (automatically or by the user), the content or site is protected based on the settings you choose. For example, you can create labels that encrypt files, add content marking, and control user access to specific sites. [Learn more about sensitivity labels](#)

+ Create a label Publish labels Refresh

Name ↑	Order	Created by	Last modified
Label1	0-highest	Prvi	04/24/2020
- Label2	1	Prvi	04/24/2020
Label3	0-highest	Prvi	04/24/2020
Label4	0-highest	Prvi	04/24/2020
- Label5	5	Prvi	04/24/2020
Label6	0-highest	Prvi	04/24/2020

Which labels can users apply to content?

- A. Label3, Label4, and Label6 only
- B. Label1, Label2, Label3, Label4, Label5, and Label6
- C. Label1, Label2, and Label5 only
- D. Label1, Label3, Label4, and Label6 only

Answer: D

Explanation:

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/sensitivity-labels?view=o365-worldwide>

NEW QUESTION 223

- (Topic 6)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a computer that runs Windows 10.

You need to verify which version of Windows 10 is installed. Solution: From Device Manager, you view the computer properties. Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Reference:

<https://support.microsoft.com/en-us/windows/which-version-of-windows-operating-system-am-i-running-628bec99-476a-2c13-5296-9dd081cdd808>

NEW QUESTION 227

- (Topic 6)

You have a Microsoft 365 subscription that contains an Azure AD tenant named contoso.com. The tenant contains the users shown in the following table.

Name	Username	Type
User1	User1@contoso.com	Member
User2	User2@sub.contoso.com	Member
User3	User3@adatum.com	Member
User4	User4@outlook.com	Guest
User5	User5@gmail.com	Guest

You create and assign a data loss prevention (DLP) policy named Policy1. Policy1 is configured to prevent documents that contain Personally Identifiable Information (PII) from being emailed to users outside your organization. To which users can User1 send documents that contain PII?

- A. User2only
- B. User2and User3only
- C. User2, User3, and User4 only
- D. User2, User3, User4, and User5

Answer: B

NEW QUESTION 232

HOTSPOT - (Topic 6)
HOTSPOT

You have a Microsoft 365 E5 subscription.

All company-owned Windows 11 devices are onboarded to Microsoft Defender for Endpoint.

You need to configure Defender for Endpoint to meet the following requirements:

? Block a vulnerable app until the app is updated.

? Block an application executable based on a file hash.

The solution must minimize administrative effort.

What should you configure for each requirement? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Block a vulnerable app until the app is updated:

▼

An allow or block file

A file indicator

A remediation request

An update ring

Block an application executable based on a file hash:

▼

An allow or block file

A file indicator

A remediation request

An update ring

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: A remediation request

Block a vulnerable app until the app is updated.

Block vulnerable applications

How to block vulnerable applications

? Go to Vulnerability management > Recommendations in the Microsoft 365 Defender portal.

? Select a security recommendation to see a flyout with more information.

? Select Request remediation.

? Select whether you want to apply the remediation and mitigation to all device groups or only a few.

? Select the remediation options on the Remediation request page. The remediation options are software update, software uninstall, and attention required.

? Pick a Remediation due date and select Next.

? Under Mitigation action, select Block or Warn. Once you submit a mitigation action, it is immediately applied.

? Review the selections you made and Submit request. On the final page you can

choose to go directly to the remediation page to view the progress of remediation activities and see the list of blocked applications.

Box 2: A file indicator

Block an application executable based on a file hash.

While taking the remediation steps suggested by a security recommendation, security admins with the proper permissions can perform a mitigation action and block vulnerable versions of an application. File indicators of compromise (IOC)s are created for each of the executable files that belong to vulnerable versions of that application. Microsoft Defender Antivirus then enforces blocks on the devices that are in the specified scope.

The option to View details of blocked versions in the Indicator page brings you to the Settings > Endpoints > Indicators page where you can view the file hashes and response actions.

NEW QUESTION 235

- (Topic 6)

You have a Microsoft 365 E5 tenant.
 You need to create a policy that will trigger an alert when unusual Microsoft Office 365 usage patterns are detected.
 What should you use to create the policy?

- A. the Microsoft 365 admin center
- B. the Microsoft Purview compliance portal
- C. the Microsoft Defender for Cloud Apps portal
- D. the Microsoft Apps admin center

Answer: C

NEW QUESTION 237

HOTSPOT - (Topic 6)

You have a Microsoft 365 E5 subscription that contains a Microsoft SharePoint site named Sitel. You need to perform the following tasks:

- Create a sensitive info type named SIT1 based on a regular expression.
- Add a watermark to all new documents that are matched by SIT1.

Which two settings should you use in the Microsoft Purview compliance portal? To answer, select the appropriate settings in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area



A. Mastered

B. Not Mastered

Answer: A

Explanation:

Answer Area



NEW QUESTION 239

- (Topic 6)

You have a hybrid deployment of Microsoft 365 that contains the users shown in the following table.

Name	Source	Last sign in
User1	Azure AD	Yesterday
User2	Active Directory Domain Services (AD DS)	Two days ago
User3	Active Directory Domain Services (AD DS)	Never

Azure AD Connect has the following settings:

? Password Hash Sync: Enabled

? Pass-through authentication: Enabled

You need to identify which users will be able to authenticate by using Azure AD if connectivity between on-premises Active Directory and the internet is lost. Which users should you identify?

- A. none
- B. Used only1
- C. User1 and User2 only
- D. User1, User2, and User3

Answer: D

Explanation:

Reference:
<https://docs.microsoft.com/en-us/azure/active-directory/hybrid/choose-ad-authn>

NEW QUESTION 243

- (Topic 6)

Your company has a Microsoft E5 tenant.

The company must meet the requirements of the ISO/IEC 27001:2013 standard. You need to assess the company's current state of compliance. What should you use?

- A. eDiscovery
- B. Information governance
- C. Compliance Manager
- D. Data Subject Requests (DSRs)

Answer: C

Explanation:

Reference:
<https://docs.microsoft.com/en-us/compliance/regulatory/offering-iso-27001>

NEW QUESTION 247

HOTSPOT - (Topic 6)

You have a Microsoft 365 E5 subscription that uses Microsoft Intune. You have devices enrolled in Intune as shown in the following table. You create the device configuration profiles shown in the following table.

Name	Platform	Assignments: Included groups	Assignments: Excluded groups	Scope tags
Profile1	Windows 10 and later	Group1	Group3	Tag1, Tag2
Profile2	Android Enterprise	All devices	Group2	Tag1, Tag2
Profile3	Android Enterprise	Group2, Group3	Group3	Tag1
Profile4	Windows 10 and later	Group3	None	Default

Which profiles will be applied to each device? To answer, select the appropriate options in the answer area.
 NOTE: Each correct selection is worth one point.

Device 1:

<input type="checkbox"/> No profiles <input type="checkbox"/> Profile1 only <input type="checkbox"/> Profile4 only <input type="checkbox"/> Profile1 and Profile4 only <input type="checkbox"/> Profile1, Profile1, and Profile4 only

Device 2:

<input type="checkbox"/> No profiles <input type="checkbox"/> Profile1 only <input type="checkbox"/> Profile2 only <input type="checkbox"/> Profile3 only <input type="checkbox"/> Profile1 and Profile2 only <input type="checkbox"/> Profile2 and Profile3 only
--

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Device 1:

No profiles
Profile1 only
Profile4 only
Profile1 and Profile4 only
Profile1, Profile1, and Profile4 only

Device 2:

No profiles
Profile1 only
Profile2 only
Profile3 only
Profile1 and Profile2 only
Profile2 and Profile3 only

NEW QUESTION 250

- (Topic 6)

You have a Microsoft 365 E5 subscription.

All users have Mac computers. All the computers are enrolled in Microsoft Endpoint Manager and onboarded to Microsoft Defender for Endpoint.

You need to configure Microsoft Defender for Endpoint on the computers. What should you create from the Endpoint Management admin center?

- A. a Microsoft Defender for Endpoint baseline profile
- B. an update policy for iOS
- C. a device configuration profile
- D. a mobile device management (MDM) security baseline profile

Answer: D

NEW QUESTION 253

- (Topic 6)

Your on-premises network contains an Active Directory domain.

You have a Microsoft 365 subscription.

You need to sync the domain with the subscription. The solution must meet the following requirements:

On-premises Active Directory password complexity policies must be enforced. Users must be able to use self-service password reset (SSPR) in Azure AD. What should you use?

- A. password hash synchronization
- B. Azure AD Identity Protection
- C. Azure AD Seamless Single Sign-On (Azure AD Seamless SSO)
- D. pass-through authentication

Answer: D

Explanation:

Azure Active Directory (Azure AD) Pass-through Authentication allows your users to sign in to both on-premises and cloud-based applications using the same passwords.

This feature is an alternative to Azure AD Password Hash Synchronization, which provides the same benefit of cloud authentication to organizations. However, certain organizations

wanting to enforce their on-premises Active Directory security and password policies, can choose to use Pass-through Authentication instead.

Note: Azure Active Directory (Azure AD) self-service password reset (SSPR) lets users reset their passwords in the cloud, but most companies also have an on-premises Active Directory Domain Services (AD DS) environment for users. Password writeback allows password changes in the cloud to be written back to an on-premises directory in real time by using either Azure AD Connect or Azure AD Connect cloud sync. When users change or reset their passwords using SSPR in the cloud, the updated passwords also written back to the on-premises AD DS environment.

Password writeback is supported in environments that use the following hybrid identity models:

Password hash synchronization Pass-through authentication

Active Directory Federation Services

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/hybrid/how-to-connect-pta> <https://docs.microsoft.com/en-us/azure/active-directory/authentication/concept-sspr-writeback>

NEW QUESTION 257

DRAG DROP - (Topic 6)
 DRAG DROP

You have a Microsoft 365 E5 tenant.

You need to implement compliance solutions that meet the following requirements:

- Use a file plan to manage retention labels.
- Identify, monitor, and automatically protect sensitive information.
- Capture employee communications for examination by designated reviewers.

Which solution should you use for each requirement? To answer, drag the appropriate solutions to the correct requirements. Each solution may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

NEW QUESTION 260

- (Topic 6)

You have a Microsoft 365 subscription.

You have a data loss prevention (DLP) policy that blocks sensitive data from being shared in email messages.

You need to modify the policy so that when an email message containing sensitive data is sent to both external and internal recipients, the message is only prevented from being delivered to the external recipients.

What should you modify?

- A. the policy rule exceptions
- B. the DLP policy locations
- C. the policy rule conditions
- D. the policy rule actions

Answer: C

NEW QUESTION 264

- (Topic 6)

You have a Microsoft 365 tenant.

Company policy requires that all Windows 10 devices meet the following minimum requirements:

- ? Require complex passwords.
- ? Require the encryption of data storage devices.
- ? Have Microsoft Defender Antivirus real-time protection enabled.

You need to prevent devices that do not meet the requirements from accessing resources in the tenant.

Which two components should you create? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. a configuration policy
- B. a compliance policy
- C. a security baseline profile
- D. a conditional access policy
- E. a configuration profile

Answer: BD

Explanation:

Reference:

<https://docs.microsoft.com/en-us/mem/intune/protect/device-compliance-get-started>

NEW QUESTION 267

- (Topic 6)

You have a Microsoft 365 E5 subscription that uses Azure Advanced Threat Protection (ATP).

You need to create a detection exclusion in Azure ATP. Which tool should you use?

- A. the Security & Compliance admin center
- B. Microsoft Defender Security Center

- C. the Microsoft 365 admin center
- D. the Azure Advanced Threat Protection portal
- E. the Cloud App Security portal

Answer: D

Explanation:

Reference:

<https://docs.microsoft.com/en-us/defender-for-identity/what-is> <https://docs.microsoft.com/en-us/defender-for-identity/excluding-entities-from-detections>

NEW QUESTION 268

HOTSPOT - (Topic 6)

You have a Microsoft 365 E5 subscription that contains the users shown in the following table.

The subscription has the following two anti-spam policies:

- Name: AntiSpam1
- Priority: 0
- Induce these users, groups and domains
 - o Users: User3
 - o Groups: Group1
- Exclude these users, groups and domains
 - o Groups: Group2
- Message limits
 - o Set a daily message limit 100
- Name: AntiSpam2
- Priority: 1
- Include these users, groups and domains
 - o Users: User1 o Groups: Group2
- Exclude these users, groups and domains
 - o Users: User3
- Message limits
 - o Set a daily message limit 50

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Answer Area

Statements	Yes	No
User1 can send a maximum of 150 email messages per day.	<input type="radio"/>	<input type="radio"/>
User2 can send a maximum of 50 email messages per day.	<input type="radio"/>	<input type="radio"/>
User3 can send a maximum of 100 email messages per day.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Statements	Yes	No
User1 can send a maximum of 150 email messages per day.	<input type="radio"/>	<input checked="" type="radio"/>
User2 can send a maximum of 50 email messages per day.	<input checked="" type="radio"/>	<input type="radio"/>
User3 can send a maximum of 100 email messages per day.	<input checked="" type="radio"/>	<input type="radio"/>

NEW QUESTION 272

- (Topic 6)

You have a Microsoft 365 E5 subscription that uses Microsoft Intune. You need to access service health alerts from a mobile phone.

What should you use?

- A. the Microsoft Authenticator app
- B. the Microsoft 365 Admin mobile app
- C. Intune Company Portal
- D. the Intune app

Answer: B

NEW QUESTION 274

HOTSPOT - (Topic 6)


Your network contains an Active Directory domain and an Azure AD tenant.

You implement directory synchronization for all 10,000 users in the organization. You automate the creation of 100 new user accounts.

You need to ensure that the new user accounts synchronize to Azure AD as quickly as possible.

Which command should you run? To answer, select the appropriate options in the answer area.

Answer Area




- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area



NEW QUESTION 276

- (Topic 6)

You have a new Microsoft 365 E5 tenant.

You need to enable an alert policy that will be triggered when an elevation of Microsoft Exchange Online administrative privileges is detected.

What should you do first?

- A. Enable auditing.
- B. Enable Microsoft 365 usage analytics.
- C. Create an Insider risk management policy.
- D. Create a communication compliance policy.

Answer: A

Explanation:

Microsoft Purview auditing solutions provide an integrated solution to help organizations effectively respond to security events, forensic investigations, internal investigations, and compliance obligations. Thousands of user and admin operations performed in dozens of Microsoft 365 services and solutions are captured, recorded, and retained in your organization's unified audit log. Audit records for these events are searchable by security ops, IT admins, insider risk teams, and compliance and legal investigators in your organization. This capability provides visibility into the activities performed across your Microsoft 365 organization.

Note: Permissions alert policies

Example: Elevation of Exchange admin privilege

Generates an alert when someone is assigned administrative permissions in your Exchange Online organization. For example, when a user is added to the Organization Management role group in Exchange Online.

Reference:

<https://learn.microsoft.com/en-us/microsoft-365/compliance/audit-solutions-overview> <https://learn.microsoft.com/en-us/microsoft-365/compliance/alert-policies>

NEW QUESTION 278

- (Topic 6)

Your network contains an on-premises Active Directory domain named contoso.local. The domain contains five domain controllers.

Your company purchases Microsoft 365 and creates an Azure AD tenant named contoso.onmicrosoft.com.

You plan to install Azure AD Connect on a member server and implement pass-through authentication.

You need to prepare the environment for the planned implementation of pass-through authentication.

Which three actions should you perform? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. From a domain controller install an Authentication Agent
- B. From the Microsoft Entra admin center, configure an authentication method.
- C. From Active Director, ' Domains and Trusts add a UPN suffix
- D. Modify the email address attribute for each user account.
- E. From the Microsoft Entra admin center, add a custom domain name.
- F. Modify the User logon name for each user account.

Answer: ABE

Explanation:

Deploy Azure AD Pass-through Authentication Step 1: Check the prerequisites

Ensure that the following prerequisites are in place. In the Entra admin center

* 1. Create a cloud-only Hybrid Identity Administrator account or a Hybrid Identity administrator account on your Azure AD tenant. This way, you can manage the configuration of your tenant should your on-premises services fail or become unavailable.

(E) 2. Add one or more custom domain names to your Azure AD tenant. Your users can sign in with one of these domain names.

(A) In your on-premises environment

* 1. Identify a server running Windows Server 2016 or later to run Azure AD Connect. If not enabled already, enable TLS 1.2 on the server. Add the server to the same Active Directory forest as the users whose passwords you need to validate. It should be noted that installation of Pass-Through Authentication agent on Windows Server Core versions is not supported.

* 2. Install the latest version of Azure AD Connect on the server identified in the preceding step. If you already have Azure AD Connect running, ensure that the version is supported.

* 3. Identify one or more additional servers (running Windows Server 2016 or later, with TLS 1.2 enabled) where you can run standalone Authentication Agents. These additional servers are needed to ensure the high availability of requests to sign in. Add the servers to the same Active Directory forest as the users whose

passwords you need to validate.

* 4. Etc.

(B) Step 2: Enable the feature

Enable Pass-through Authentication through Azure AD Connect.

If you're installing Azure AD Connect for the first time, choose the custom installation path. At the User sign-in page, choose Pass-through Authentication as the Sign On method. On successful completion, a Pass-through Authentication Agent is installed on the same server as Azure AD Connect. In addition, the Pass-through Authentication feature is enabled on your tenant.

Incorrect:

Not C: From Active Directory Domains and Trusts, add a UPN suffix Not D. Modify the email address attribute for each user account. Not F. Modify the User logon name for each user account.

Reference:

<https://learn.microsoft.com/en-us/azure/active-directory/hybrid/connect/how-to-connect-pta-quick-start>

NEW QUESTION 281

HOTSPOT - (Topic 6)

You have a Microsoft 365 E5 subscription that contains the security groups shown in the following table.

Name	Membership type	Membership rule
Group1	Assigned	<i>Not applicable</i>
Group2	Dynamic	(user.department -eq "Finance")
Group3	Dynamic	(user.department -eq "R&D")

The subscription contains the users shown in the following table.

Name	Department	Assigned group membership
User1	Finance	Group1
User2	Technical	<i>None</i>
User3	R&D	Group1

You have a Conditional Access policy that has the following settings:

- Assignments o Users

Include: Group1

Exclude: Group2. Group3 o Target resources

Cloud apps App1

Access controls Grant

Block access

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Answer Area

Statements	Yes	No
User1 can sign in to App1.	<input type="radio"/>	<input type="radio"/>
User2 can sign in to App1.	<input type="radio"/>	<input type="radio"/>
User3 can sign in to App1.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Statements	Yes	No
User1 can sign in to App1.	<input checked="" type="radio"/>	<input type="radio"/>
User2 can sign in to App1.	<input type="radio"/>	<input checked="" type="radio"/>
User3 can sign in to App1.	<input type="radio"/>	<input checked="" type="radio"/>

NEW QUESTION 285

-(Topic 6)

Your company has three main offices and one branch office. The branch office is used for research.

The company plans to implement a Microsoft 365 tenant and to deploy multi-factor authentication.

You need to recommend a Microsoft 365 solution to ensure that multi-factor authentication is enforced only for users in the branch office.

What should you include in the recommendation?

- A. Azure AD password protection
- B. a Microsoft Intune device configuration profile
- C. a Microsoft Intune device compliance policy
- D. Azure AD conditional access

Answer: D

NEW QUESTION 287

- (Topic 6)

You have a Microsoft 365 tenant that contains 1,000 Windows 10 devices. The devices are enrolled in Microsoft Intune. Company policy requires that the devices have the following configurations:

- ? Require complex passwords.
- ? Require the encryption of removable data storage devices.
- ? Have Microsoft Defender Antivirus real-time protection enabled.

You need to configure the devices to meet the requirements. What should you use?

- A. an app configuration policy
- B. a compliance policy
- C. a security baseline profile
- D. a conditional access policy

Answer: B

Explanation:

Reference:

<https://docs.microsoft.com/en-us/mem/intune/protect/device-compliance-get-started>

NEW QUESTION 288

HOTSPOT - (Topic 6)

You have an Azure AD tenant that contains the users shown in the following table.

Name	Role
User1	Global Administrator
User2	Billing Administrator
User3	None

You enable self-service password reset for all users. You set Number of methods required to reset to 1, and you set Methods available to users to Security questions only.

What information must be configured for each user before the user can perform a self-service password reset? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

User1: Phone number and email address
 Email address only
 Phone number only
 Security questions only
 Phone number and email address

User2: Phone number and email address
 Email address only
 Phone number only
 Security questions only
 Phone number and email address

User3: Security questions only
 Email address only
 Phone number only
 Security questions only
 Phone number and email address

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

User1: (dropdown menu open with options: Phone number and email address, Email address only, Phone number only, Security questions only, Phone number and email address)

User2: (dropdown menu open with options: Phone number and email address, Email address only, Phone number only, Security questions only, Phone number and email address)

User3: (dropdown menu open with options: Security questions only, Email address only, Phone number only, Security questions only, Phone number and email address)


NEW QUESTION 289

HOTSPOT - (Topic 6)

HOTSPOT

You have a Microsoft 365 tenant.

You plan to create a retention policy as shown in the following exhibit.



Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.
 NOTE: Each correct selection is worth one point.

Answer Area

Microsoft SharePoint files that are affected by the policy will be [answer choice].

Once the policy is created, [answer choice].

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Deleted seven years after they were created. From the exhibit:

The retention policy applies to SharePoint sites.

Delete items that are older than 7 years based on when they were created.

Box 2: data will retained for a minimum of seven years

The longest retention period wins. If content is subject to multiple retention settings that retain content for different periods of time, the content will be retained until the end of the longest retention period for the item.

Note: Use a retention policy to assign the same retention settings for content at a site or mailbox level, and use a retention label to assign retention settings at an item level (folder, document, email).

For example, if all documents in a SharePoint site should be retained for 5 years, it's more efficient to do this with a retention policy than apply the same retention

label to all documents in that site. However, if some documents in that site should be retained for 5 years and others retained for 10 years, a retention policy wouldn't be able to do this. When you need to specify retention settings at the item level, use retention labels.

NEW QUESTION 292

HOTSPOT - (Topic 6)

You have device compliance policies shown in the following table.

Name	Platform	Assignment
Policy1	Windows 10 and later	Device1
Policy2	Windows 10 and later	Device1
Policy3	Windows 10 and later	Device2
Policy4	Windows 10 and later	Device2
Policy5	iOS/iPadOS	Device3
Policy6	iOS/iPadOS	Device3

The device compliance state for each policy is shown in the following table.

Policy	State
Policy1	Compliant
Policy2	In grace period
Policy3	Compliant
Policy4	Not compliant
Policy5	In grace period
Policy6	Compliant

NOTE: Each correct selection is worth one point.

Answer Area

Statements	Yes	No
Device1 has an overall compliance state of Compliant.	<input type="radio"/>	<input type="radio"/>
Device2 has an overall compliance state of Not compliant.	<input type="radio"/>	<input type="radio"/>
Device3 has an overall compliance state of In grace period.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Statements	Yes	No
Device1 has an overall compliance state of Compliant.	<input checked="" type="radio"/>	<input type="radio"/>
Device2 has an overall compliance state of Not compliant.	<input checked="" type="radio"/>	<input type="radio"/>
Device3 has an overall compliance state of In grace period.	<input type="radio"/>	<input type="radio"/>

NEW QUESTION 297

- (Topic 6)

You have a Microsoft Azure Active Directory (Azure AD) tenant named Contoso.com. You create a Microsoft Defender for identity instance Contoso. The tenant contains the users shown in the following table.

Name	Member of group	Azure AD role
User1	Defender for Identity Contoso Administrators	None
User2	Defender for Identity Contoso Users	None
User3	None	Security administrator
User4	Defender for Identity Contoso Users	Global administrator

You need to modify the configuration of the Defender for identify sensors.

Solutions: You instruct User3 to modify the Defender for identity sensor configuration. Does this meet the goal?

- A. Yes
- B. No

Answer: A

NEW QUESTION 298

DRAG DROP - (Topic 6)

You have a Microsoft 365 subscription.

You need to review reports to identify the following:

- The storage usage of files stored in Microsoft Teams
- The number of active users per team

Which report should you review for each requirement? To answer, drag the appropriate reports to the correct requirements. Each report may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content

Report	Requirements
The device usage report in Teams	The storage usage of files stored in Microsoft Teams:
The OneDrive usage report	Number of active users per Microsoft Team:
The SharePoint site usage report	
The Teams usage report in Teams	
The User activity report in Teams	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Report	Requirements
The device usage report in Teams	The storage usage of files stored in Microsoft Teams: The SharePoint site usage report
The OneDrive usage report	Number of active users per Microsoft Team: The Teams usage report in Teams
The SharePoint site usage report	
The Teams usage report in Teams	
The User activity report in Teams	

NEW QUESTION 303

- (Topic 6)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your network contains an on-premises Active Directory domain named contoso.com. The domain contains the users shown in the following table.

Name	UPN suffix
User1	Contoso.com
User2	Fabrikam.com

The domain syncs to an Azure AD tenant named contoso.com as shown in the exhibit. (Click the Exhibit tab.)

PROVISION FROM ACTIVE DIRECTORY



Azure AD Connect cloud provisioning

This feature allows you to manage provisioning from the cloud.

[Manage provisioning \(Preview\)](#)

Azure AD Connect sync

Sync Status	Enabled
Last Sync	Less than 1 hour ago
Password Hash Sync	Enabled

USER SIGN-IN



Federation	Disabled	0 domains
Seamless single sign-on	Enabled	1 domain
Pass-through authentication	Enabled	2 agents

User2 fails to authenticate to Azure AD when signing in as user2@fabrikam.com. You need to ensure that User2 can access the resources in Azure AD.

Solution: From the on-premises Active Directory domain, you assign User2 the Allow logon locally user right. You instruct User2 to sign in as user2@fabrikam.com.

Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

This is not a permissions issue.

The on-premises Active Directory domain is named contoso.com. To enable users to sign on using a different UPN (different domain), you need to add the domain to Microsoft 365 as a custom domain.

NEW QUESTION 305

HOTSPOT - (Topic 6)

You have three devices enrolled in Microsoft Endpoint Manager as shown in the following table.

Name	Platform	BitLocker Drive Encryption (BitLocker)	Member of
Device1	Windows 10	Disabled	Group3
Device2	Windows 10	Disabled	Group2, Group3
Device3	Windows 10	Disabled	Group2

The device compliance policies in Endpoint Manager are configured as shown in the following table.

Name	Platform	Require BitLocker	Assigned
Policy1	Windows 10 and later	Require	Yes
Policy2	Windows 10 and later	Not configured	Yes
Policy3	Windows 10 and later	Require	No

The device compliance policies have the assignments shown in the following table.

Name	Assigned to
Policy1	Group3
Policy2	Group2

For each of the following statements, select Yes if the statement is true. Otherwise, select No. NOTE: Each correct selection is worth one point.

Answer Area

Statements	Yes	No
Device1 is compliant.	<input type="radio"/>	<input type="radio"/>
Device2 is compliant.	<input type="radio"/>	<input type="radio"/>
Device3 is compliant.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Statements	Yes	No
Device1 is compliant.	<input type="radio"/>	<input checked="" type="radio"/>
Device2 is compliant.	<input type="radio"/>	<input checked="" type="radio"/>
Device3 is compliant.	<input checked="" type="radio"/>	<input type="radio"/>

NEW QUESTION 310

- (Topic 6)

You have a Microsoft 365 E5 tenant.

The Microsoft Secure Score for the tenant is shown in the following exhibit.

Microsoft Secure Score

Overview Improvement actions History Metrics & trends

Actions you can take to improve your Microsoft Secure Score. Score updates may take up to 24 hours.

↓ Export 12 items 🔍 Search ⌵ Filter (≡) Group by ▾

Applied filters:

Rank	Improvement action	Score impact	Points achieved
1	Require MFA for administrative roles	+16.95%	0/10
2	Ensure all users can complete multi-factor authentication for...	+15.25%	0/9
3	Enable policy to block legacy authentication	+13.56%	0/8
4	Turn on user risk policy	+11.86%	0/7
5	Turn on sign-in risk policy	+11.86%	0/7
6	Do not allow users to grant consent to unmanaged applicatio...	+6.78%	0/4
7	Enable self-service password reset	+1.69%	0/1
8	Turn on customer lockbox feature	+1.69%	0/1
9	Use limited administrative roles	+1.69%	0/1
10	Designate more than one global admin	+1.69%	0/1

You plan to enable Security defaults for Azure Active Directory (Azure AD). Which three improvement actions will this affect?

- A. Require MFA for administrative roles.
- B. Ensure all users can complete multi-factor authentication for secure access
- C. Enable policy to block legacy authentication
- D. Enable self-service password reset
- E. Use limited administrative roles

Answer: ABC

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/fundamentals/concept-fundamentals-security-defaults>

NEW QUESTION 311

HOTSPOT - (Topic 6)

You have a Microsoft 365 E5 tenant that connects to Microsoft Defender for Endpoint. You have devices enrolled in Microsoft Intune as shown in the following table.

Name	Platform
Device1	Windows 10
Device2	Windows 8.1
Device3	iOS
Device4	Android

You plan to use risk levels in Microsoft Defender for Endpoint to identify whether a device is compliant. Noncompliant devices must be blocked from accessing corporate resources.

You need to identify which devices can be onboarded to Microsoft Defender for Endpoint, and which Endpoint security policies must be configured.

What should you identify? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Devices that can onboarded to Microsoft Defender for Endpoint:

Device 1 only
Device 1 and Device 2 only
Device 1 and Device 3 only
Device 1 and Device 4 only
Device 1, Device 2, and Device 4 only
Device 1, Device 2, Device 3, and Device 4

Endpoint security policies that must be configured:

A conditional access policy only
A device compliance policy only
A device configuration profile only
A device configuration profile and a conditional access policy only
Device configuration profile, device compliance policy, and conditional access policy

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Text, table Description automatically generated with medium confidence

NEW QUESTION 314

HOTSPOT - (Topic 6)

You have a Microsoft 365 subscription that contains three groups named All users, Sales team, and Office users, and two users shown in the following table.

Name	Member of
User1	All users, Sales team
User2	All users, Office users

In Microsoft Endpoint Manager, you have the Policies for Office apps settings shown in the following exhibit.

Home / Policy Management Notifications

Policy configurations

+ Create Copy Reorder priority Remove Total policy configurations: 3

Name	Priority ↑	Recommendation status
Office Users Policy	0	
Sales Team Policy	1	
All users	2	

The policies use the settings shown in the following table.

Policy	Default Shared Folder Location	Default Office Theme
All users	https://sharepoint.contoso.com/addins_all_users	Colorful
Office Users Policy	https://sharepoint.contoso.com/addins_office_users	White
Sales Team Policy	https://sharepoint.contoso.com/addins_sales_team_users_	Dark Gray

What is the default share folder location for User1 and the default Office theme for User2? To answer, select the appropriate options in the answer area.
 NOTE: Each correct selection is worth one point.

The default shared folder location for User1 is:

https://sharepoint.contoso.com/addins_all_users
https://sharepoint.contoso.com/addins_office_users
https://sharepoint.contoso.com/addins_sales_team_users_


The default Office theme for User 2 is:

Colorful
Dark Gray
White

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:



NEW QUESTION 315

DRAG DROP - (Topic 6)

You have a Microsoft 365 subscription that uses Microsoft Defender for Office 365. You need to configure policies to meet the following requirements:

- ? Customize the common attachments filter.
- ? Enable impersonation protection for sender domains.

Which type of policy should you configure for each requirement? To answer, drag the appropriate policy types to the correct requirements. Each policy type may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Policy Types	Answer Area
<ul style="list-style-type: none"> Anti-malware Anti-phishing Anti-spam Safe Attachments 	<p>Customize the common attachments filter: <input type="text"/></p> <p>Enable impersonation protection for sender domains: <input type="text"/></p>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Anti-malware

Customize the common attachments filter. See step 5 below.

* 1. Use the Microsoft 365 Defender portal to create anti-malware policies

In the Microsoft 365 Defender portal at <https://security.microsoft.com>, go to Email & Collaboration > Policies & Rules > Threat policies > Anti-Malware in the Policies section. To go directly to the Anti-malware page, use <https://security.microsoft.com/antimalwarev2>

* 2. On the Anti-malware page, select Create to open the new anti-malware policy wizard. On the Name your policy page, configure these settings:

Name: Enter a unique, descriptive name for the policy. Description: Enter an optional description for the policy.

* 3. When you're finished on the Name your policy page, select Next.

* 4. On the Users and domains page, identify the internal recipients that the policy applies to (recipient conditions)

* 5. On the Protection settings page, configure the following settings: Protection settings section:

Enable the common attachments filter: If you select this option, messages with the specified attachments are treated as malware and are automatically quarantined. You can modify the list by clicking Customize file types and selecting or deselecting values in the list.

* 6. Etc.

Box 2: Anti-phishing

Enable impersonation protection for sender domains. Anti-phishing policies in Microsoft 365

The high-level differences between anti-phishing policies in EOP and anti-phishing policies in Defender for Office 365 are described in the following table:

Feature	Anti-phishing policies in EOP	Anti-phishing policies in Defender for Office 365
Automatically created default policy	✓	✓
Create custom policies	✓	✓
Common policy settings*	✓	✓
Spoof settings	✓	✓
First contact safety tip	✓	✓
Impersonation settings	✓	✓
Advanced phishing thresholds	✓	✓

NEW QUESTION 319

HOTSPOT - (Topic 6)
 HOTSPOT

You have a Microsoft 365 E5 tenant that contains the users shown in the following table.

Name	Member of
User1	UserGroup1
User2	UserGroup2
User3	UserGroup3

The tenant contains the devices shown in the following table.

Name	Owner	Installed apps	Platform	Microsoft Intune
Device1	User1	None	Windows 10	Enrolled
Device2	User2	App2	Android	Not enrolled
Device3	User3	None	iOS	Not enrolled

You have the apps shown in the following table.

Name	Type
App1	iOS store app
App2	Android store app
App3	Microsoft store app

You plan to use Microsoft Endpoint Manager to manage the apps for the users.
 For each of the following statements, select Yes if the statement is true. Otherwise, select No.
 NOTE: Each correct selection is worth one point.

Statements	Yes	No
App1 can be assigned as a required install for User3.	<input type="radio"/>	<input type="radio"/>
App2 can be uninstalled from Device2 by using Microsoft Endpoint Manager.	<input type="radio"/>	<input type="radio"/>
App3 can be installed automatically for UserGroup1.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Statements	Yes	No
App1 can be assigned as a required install for User3.	<input type="radio"/>	<input checked="" type="radio"/>
App2 can be uninstalled from Device2 by using Microsoft Endpoint Manager.	<input type="radio"/>	<input checked="" type="radio"/>
App3 can be installed automatically for UserGroup1.	<input checked="" type="radio"/>	<input type="radio"/>

NEW QUESTION 321

- (Topic 6)

You have a Microsoft 365 E5 subscription.

You need to identify which users accessed Microsoft Office 365 from anonymous IP addresses during the last seven days.
 What should you do?

- A. From the Cloud App Security admin center, select Users and accounts.
- B. From the Microsoft 365 security center, view the Threat tracker.
- C. From the Microsoft 365 admin center, view the Security & compliance report.
- D. From the Azure Active Directory admin center, view the Risky sign-ins report.

Answer: A

NEW QUESTION 324

- (Topic 6)

You have an Azure AD tenant.

You have 1,000 computers that run Windows 10 Pro and are joined to Azure AD. You purchase a Microsoft 365 E3 subscription.

You need to deploy Windows 10 Enterprise to the computers. The solution must minimize administrative effort.

What should you do?

- A. From the Microsoft Endpoint Manager admin center, create a Windows Autopilot deployment profile
- B. Assign the profile to all the computer
- C. Instruct users to restart their computer and perform a network restart.
- D. Enroll the computers in Microsoft Intun
- E. Create a configuration profile by using the Edition upgrade and mode switch templat
- F. From the Microsoft Endpoint Manager admincenter, assign the profile to all the computers and instruct users to restart their computer.
- G. From Windows Configuration Designer, create a provisioning package that has an EditionUpgrade configuration and upload the package to a Microsoft SharePoint Online sit
- H. Instruct users to run the provisioning package from SharePoint Online.
- I. From the Azure Active Directory admin center, create a security group that has dynamic device membershi
- J. Assign licenses to the group and instruct users to sign in to their computer.

Answer: B

NEW QUESTION 325

HOTSPOT - (Topic 6)

You have a Microsoft 365 E5 tenant.

You have a sensitivity label configured as shown in the Sensitivity label exhibit. (Click the Sensitivity label tab.)

Review your settings and finish

Name

Sensitivity1

Display name

Sensitivity1

Description for users

Sensitivity1

Scope

File.Email

Encryption

Content marking

Watermark: Watermark

Header: Header

Auto-labeling

Group settings

Site settings

Auto-labeling for database columns

None

You have an auto-labeling policy as shown in the Auto-labeling policy exhibit. (Click the Auto-labeling policy tab.)

Auto-labeling policy

[Edit Policy](#) [Delete Policy](#)

Policy name
Auto-labeling policy

Description

Label in simulation
Sensitivity1

Info to label
IP Address

Apply to content in these locations
Exchange email All

Rules for auto-applying this label
Exchange email 1 rule

Mode
On

Comment

A user sends an email that contains the components shown in the following table.

Type	File	Includes IP address
Mail body	Not applicable	No
Attachment	File1.docx	Yes
Attachment	File2.xml	Yes

For each of the following statements, select Yes if the statement is true. Otherwise, select No.
 NOTE: Each correct selection is worth one point.

Statements	Yes	No
Sensitivity1 is applied to the email.	<input type="radio"/>	<input type="radio"/>
A watermark is added to File1.docx.	<input type="radio"/>	<input type="radio"/>
A header is added to File2.xml.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Statements	Yes	No
Sensitivity1 is applied to the email.	<input checked="" type="radio"/>	<input type="radio"/>
A watermark is added to File1.docx.	<input type="radio"/>	<input checked="" type="radio"/>
A header is added to File2.xml.	<input type="radio"/>	<input checked="" type="radio"/>

NEW QUESTION 327
 DRAG DROP - (Topic 6)
 DRAG DROP

Your network contains an on-premises Active Directory domain that syncs to Azure Active Directory (Azure AD). The domain contains the servers shown in the following table.

Name	Operating system	Configuration
Server1	Windows Server 2016	File Server Resource Manager (FSRM)
Server2	Windows Server 2016	None

You use Azure Information Protection.

You need to ensure that you can apply Azure Information Protection labels to the file stores on Server1.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

- Authorize Server1.
- Install the Microsoft Rights Management connector on Server2.
- Install a certificate on Server2.
- Install a certificate on Server1.
- Register a service principal name for Server1.
- Run GenConnectorConfig.ps1 on Server1.
- Run GenConnectorConfig.ps1 on Server2.

Answer Area

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Actions

- Authorize Server1.
- Install the Microsoft Rights Management connector on Server2.
- Install a certificate on Server2.
- Install a certificate on Server1.
- Register a service principal name for Server1.
- Run GenConnectorConfig.ps1 on Server1.
- Run GenConnectorConfig.ps1 on Server2.

Answer Area

Install the Microsoft Rights Management connector on Server2.

Authorize Server1.

Run GenConnectorConfig.ps1 on Server1.

NEW QUESTION 332

HOTSPOT - (Topic 6)

Your company has a Microsoft 365 E5 tenant.

Users at the company use the following versions of Microsoft Office:

- Microsoft 365 Apps for enterprise
- Office for the web
- Office 2016
- Office 2019


The company currently uses the following Office file types:

- .docx
- .xlsx
- .doc
- .xls

You plan to use sensitivity labels. You need to identify the following:

- Which versions of Office require an add-in to support the sensitivity labels.
- Which file types support the sensitivity labels.


What should you identify? To answer, select the appropriate options in the answer area, NOTE: Each correct selection is worth one point.



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:



NEW QUESTION 334


HOTSPOT - (Topic 5)

You need to ensure that Admin4 can use SSPR.

Which tool should you use, and which action should you perform? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area




- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area



NEW QUESTION 336

- (Topic 4)

Which role should you assign to User1?

Available Choices (select all choices that are correct)

- A. Hygiene Management
- B. Security Reader
- C. Security Administrator
- D. Records Management

Answer: C

Explanation:

A user named User1 must be able to view all DLP reports from the Microsoft 365 admin center.

Users with the Security Reader role have global read-only access on security-related features, including all information in Microsoft 365 security center, Azure Active Directory, Identity Protection, Privileged Identity Management, as well as the ability to read Azure Active Directory sign-in reports and audit logs, and in Office 365 Security & Compliance Center.

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/users-groups-roles/directory-assign-admin-roles>


NEW QUESTION 340

HOTSPOT - (Topic 3)

You need to ensure that User2 can review the audit logs. The solutions must meet the technical requirements.

To which role group should you add User2, and what should you use? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Role group: ▼

- Reviewer
- Global reader
- Data Investigator
- Compliance Management

Tool: ▼

- Exchange admin center
- SharePoint admin center
- Microsoft 365 admin center
- Microsoft 365 security center

NEW QUESTION 345

- (Topic 2)

You need to meet the technical requirement for large-volume document retrieval. What should you create?

- A. a data loss prevention (DLP) policy from the Security & Compliance admin center
- B. an alert policy from the Security & Compliance admin center
- C. a file policy from Microsoft Cloud App Security
- D. an activity policy from Microsoft Cloud App Security

Answer: D

Explanation:

References:

<https://docs.microsoft.com/en-us/office365/securitycompliance/activity-policies-and-alerts>

NEW QUESTION 350

HOTSPOT - (Topic 2)

You need to meet the technical requirement for the SharePoint administrator. What should you do? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

From the Security & Compliance admin center, perform a search by using:

▼

- Audit log
- Data governance events
- DLP policy matches
- eDiscovery

Filter by:

▼

- Activity
- Detail
- Item
- User agent

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

References:

<https://docs.microsoft.com/en-us/office365/securitycompliance/search-the-audit-log-in-security-and-compliance#step-3-filter-the-search-results>

NEW QUESTION 351

- (Topic 1)

You need to create the Microsoft Store for Business. Which user can create the store?

- A. User2
- B. User3
- C. User4
- D. User5

Answer: C

Explanation:

References:

<https://docs.microsoft.com/en-us/microsoft-store/roles-and-permissions-microsoft-store-for-business>

NEW QUESTION 355

HOTSPOT - (Topic 1)

As of March, how long will the computers in each office remain supported by Microsoft? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Seattle:

▼
6 months
18 months
24 months
30 months
5 years

New York:

▼
6 months
18 months
24 months
30 months
5 years

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

<https://support.microsoft.com/en-gb/help/13853/windows-lifecycle-fact-sheet> March Feature Updates: Serviced for 18 months from release date September Feature Updates: Serviced for 30 months from release date

References:

<https://www.windowscentral.com/whats-difference-between-quality-updates-and-feature-updates-windows-10>

NEW QUESTION 360

- (Topic 1)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your network contains an Active Directory domain named contoso.com that is synced to Microsoft Azure Active Directory (Azure AD).

You manage Windows 10 devices by using Microsoft System Center Configuration Manager (Current Branch).

You configure a pilot for co-management.

You add a new device named Device1 to the domain. You install the Configuration Manager client on Device1.

You need to ensure that you can manage Device1 by using Microsoft Intune and Configuration Manager.

Solution: You create a device configuration profile from the Device Management admin center.

Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

It looks like the given answer is correct. There is an on-premises Active Directory synced to Azure Active Directory (Azure AD) So the co-management path1 - Auto-enroll existing clients 1. Hybrid Azure AD 2. Client agent setting for hybrid Azure AD- join 3. Configure auto-enrollment of devices to Intune 4. Enable co-management in Configuration Manager <https://docs.microsoft.com/en-us/mem/configmgr/comanage/tutorial-co-manage-client>

NEW QUESTION 362

HOTSPOT - (Topic 1)

You need to meet the technical requirements and planned changes for Intune. What should you do? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Settings to configure in Azure AD:

Device settings
Mobility (MDM and MAM)
Organizational relationships
User settings

Settings to configure in Intune:

Device compliance
Device configuration
Device enrollment
Mobile Device Management Authority

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Settings to configure in Azure AD:

Device settings
Mobility (MDM and MAM)
Organizational relationships
User settings

Settings to configure in Intune:

Device compliance
Device configuration
Device enrollment
Mobile Device Management Authority

NEW QUESTION 367

- (Topic 1)

You need to ensure that User1 can enroll the devices to meet the technical requirements. What should you do?

- A. From the Azure Active Directory admin center, assign User1 the Cloud device administrator role.
- B. From the Azure Active Directory admin center, configure the Maximum number of devices per user setting.
- C. From the Intune admin center, add User1 as a device enrollment manager.
- D. From the Intune admin center, configure the Enrollment restrictions.

Answer: C

Explanation:

References:

<https://docs.microsoft.com/en-us/sccm/mdm/deploy-use/enroll-devices-with-device-enrollment-manager>

NEW QUESTION 368

- (Topic 1)

You need to meet the compliance requirements for the Windows 10 devices. What should you create from the Intune admin center?

- A. a device compliance policy
- B. a device configuration profile
- C. an application policy
- D. an app configuration policy

Answer: C

NEW QUESTION 369

HOTSPOT - (Topic 6)

You have a Microsoft 365 E5 subscription.

You plan to implement identity protection by configuring a sign-in risk policy and a user risk policy. Which type of risk is detected by each policy? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Sign-in risk policy:

Leaked credentials
Atypical travel
Leaked credentials
Possible attempt to access Primary Refresh Token (PRT)

User risk policy:

Malicious IP address
Leaked credentials
Malicious IP address
Suspicious browser

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Sign-in risk policy:

Leaked credentials
Atypical travel
Leaked credentials
Possible attempt to access Primary Refresh Token (PRT)

User risk policy:

Malicious IP address
Leaked credentials
Malicious IP address
Suspicious browser

NEW QUESTION 373

- (Topic 6)

You are testing a data loss prevention (DLP) policy to protect the sharing of credit card information with external users.

During testing, you discover that a user can share credit card information with external users by using email. However, the user is prevented from sharing files that contain credit card information by using Microsoft SharePoint.

You need to prevent the user from sharing the credit card information by using email and SharePoint.

What should you configure?

- A. the status of the DLP policy
- B. the user overrides of the DLP policy rule
- C. the locations of the DLP policy
- D. the conditions of the DLP policy rule

Answer: D

NEW QUESTION 376

.....

Thank You for Trying Our Product

We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

MS-102 Practice Exam Features:

- * MS-102 Questions and Answers Updated Frequently
- * MS-102 Practice Questions Verified by Expert Senior Certified Staff
- * MS-102 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * MS-102 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year

100% Actual & Verified — Instant Download, Please Click
[Order The MS-102 Practice Test Here](#)