

# Exam Questions Platform-Developer-I

Platform Developer I

<https://www.2passeasy.com/dumps/Platform-Developer-I/>



#### NEW QUESTION 1

For which three items can 2 trace flag be configured? Choose 3 answers

- A. Flow
- B. Apex Class
- C. User
- D. Apex Trager
- E. Visualforce

**Answer:** BCD

#### NEW QUESTION 2

Cloud Kicks Fitness, an ISV Salesforce partner, is developing a managed package application. One of the application modules allows the user to calculate body fat using the Apex class, BodyFat, and its method, calculateBodyFat(). The product owner wants to ensure this method is accessible by the consumer of the application when developing customizations outside the ISV's package namespace.

Which approach should a developer take to ensure calculateBodyFat() is accessible outside the package namespace?

- A. Declare the class and method using the public access modifier.
- B. Declare the class as global and use the public access modifier on the method.
- C. Declare the class as public and use the global access modifier on the method.
- D. Declare the class and method using the global access modifier.

**Answer:** D

#### NEW QUESTION 3

What are three capabilities of the <ltng : require> tag when loading JavaScript resources in Aura components? Choose 3 answers

- A. Loading files from Documents
- B. One-time loading for duplicate scripts
- C. Specifying loading order
- D. Loading scripts In parallel
- E. Loading externally hosted scripts

**Answer:** BCD

#### NEW QUESTION 4

Universal Containers has a support process that allows users to request support from its engineering team using a custom object, Engineering\_Support\_\_c. Users should be able to associate multiple engineering\_Support\_\_c records to a single Opportunity record. Additionally, aggregate Information about the Engineering\_support\_\_c records should be shown on the Opportunity record.

What should a developer Implement to support these requirements?

- A. Master-detail field from Engineering\_Support\_\_c to Opportunity.
- B. Master-detail field from Opportunity to Engineering\_Support\_\_c
- C. Lookup field from Engineering\_support\_\_c to Opportunity
- D. Lookup field from Opportunity to Engineering\_Support\_\_c

**Answer:** A

#### NEW QUESTION 5

A developer created a custom order management app that uses an Apex class. The order is represented by an Order object and an OrderItem object that has a master-detail relationship to Order. During order processing, an order may be split into multiple orders.

What should a developer do to allow their code to move some existing OrderItem records to a new Order record?

- A. Change the master-detail relationship to an external lookup relationship.
- B. Add without sharing to the Apex class declaration.
- C. Create a junction object between OrderItem and Order.
- D. Select the Allow reparenting option on the master-detail relationship.

**Answer:** D

#### NEW QUESTION 6

Since Aura application events follow the traditional publish-subscribe model, which method is used to fire an event?

- A. ermit()
- B. fireEvent()
- C. fire()
- D. registerEvent()

**Answer:** C

#### NEW QUESTION 7

Which Lightning code segment should be written to declare dependencies on a Lightning component, c:accountList, that is used in a Visualforce page?

A)

```
<aura:application access="GLOBAL" extends="ltng:outApp">
    <aura:dependency resource="c:accountList"/>
</aura:application>
```

B)

```
<aura:component access="GLOBAL" extends="ltng:outApp">
    <aura:dependency resource="c:accountList"/>
</aura:component>
```

C)

```
<aura:component access="GLOBAL">
    <aura:dependency resource="c:accountList"/>
</aura:component>
```

D)

```
<aura:application access="GLOBAL">
    <aura:dependency resource="c:accountList"/>
</aura:application>
```

- A. Option A
- B. Option B
- C. Option C
- D. Option D

**Answer:** A

### NEW QUESTION 8

Which three resources in an Azure Component can contain JavaScript functions?

- A. Controllers
- B. helper
- C. Design
- D. Style
- E. Renderer

**Answer:** ABE

### NEW QUESTION 9

Cloud kicks has a multi-screen flow that its call center agents use when handling inbound service desk calls. At one of the steps in the flow, the agents should be presented with a list of order numbers and dates that are retrieved from an external order management system in real time and displayed on the screen.

What should a developer use to satisfy this requirement?

- A. An Apex controller
- B. An Apex REST class
- C. An outbound message
- D. An invocable method

**Answer:** B

### NEW QUESTION 10

What are two use cases for executing Anonymous Apex code? Choose 2 answers

- A. To delete 15,000 inactive Accounts In a single transaction after a deployment
- B. To schedule an Apex class to run periodically
- C. To run a batch Apex class to update all Contacts
- D. To add unit test code coverage to an org

**Answer:** BC

### NEW QUESTION 10

The Account object in an organization has a master detail relationship to a child object called Branch. The following automations exist:

- Rollup summary fields
- Custom validation rules
- Duplicate rules

A developer created a trigger on the Account object.

What two things should the developer consider while testing the trigger code? Choose 2 answers

- A. Rollup summary fields can cause the parent record to go through Save.
- B. The trigger may fire multiple times during a transaction.
- C. Duplicate rules are executed once all DML operations commit to the database.
- D. The validation rules will cause the trigger to fire again.

**Answer:** AB

### NEW QUESTION 11

What should be used to create scratch orgs?

- A. Developer Console
- B. Salesforce CLI

- C. Workbench
- D. Sandbox refresh

**Answer:** B

#### NEW QUESTION 12

Which two are best practices when it comes to component and application event handling? (Choose two.)

- A. Reuse the event logic in a component bundle, by putting the logic in the helper.
- B. Use component events to communicate actions that should be handled at the application level.
- C. Handle low-level events in the event handler and re-fire them as higher-level events.
- D. Try to use application events as opposed to component events.

**Answer:** AC

#### NEW QUESTION 15

Universal Container is building a recruiting app with an Applicant object that stores information about an individual person that represents a job. Each application may apply for more than one job.

What should a developer implement to represent that an applicant has applied for a job?

- A. Master-detail field from Applicant to Job
- B. Formula field on Applicant that references Job
- C. Junction object between Applicant and Job
- D. Lookup field from Applicant to Job

**Answer:** A

#### NEW QUESTION 18

Which action causes a before trigger to fire by default for Accounts?

- A. Renaming or replacing picklist
- B. Importing data using the Data Loader and the Bulk API
- C. Converting Leads to Contact accounts
- D. Updating addresses using the Mass Address update tool

**Answer:** B

#### NEW QUESTION 19

A developer has a Apex controller for a Visualforce page that takes an ID as a URL parameter. How should the developer prevent a cross site scripting vulnerability?

- A. `ApexPages.currentPage().getParameters().get('url_param')`
- B. `ApexPages.currentPage().getParameters().get('url_param').escapeHtml4()`
- C. `String.valueOf(ApexPages.currentPage().getParameters().get('url_param'))`
- D. `String.escapeSingleQuotes(ApexPages.currentPage().getParameters().get('url_param'))`

**Answer:** B

#### NEW QUESTION 22

A primaryid\_c custom field exists on the candidate\_c custom object. The field is used to store each candidate's id number and is marked as Unique in the schema definition.

As part of a data enrichment process, Universal Containers has a CSV file that contains updated data for all candidates in the system, the file contains each Candidate's primary id as a data point. Universal Containers wants to upload this information into Salesforce, while ensuring all data rows are correctly mapped to a candidate in the system.

Which technique should the developer implement to streamline the data upload?

- A. Create a Process Builder on the Candidate\_c object to map the records.
- B. Create a before Insert trigger to correctly map the records.
- C. Update the primaryid c field definition to mark it as an External Id
- D. Upload the CSV into a custom object related to Candidate\_c.

**Answer:** C

#### NEW QUESTION 24

Universal Containers has a Visualforce page that displays a table of every Container\_c. being ..... Is falling with a view state limit because some of the customers rent over 10,000 containers.

What should a developer change about the Visualforce page to help with the page load errors?

- A. Use Lazy loading and a transient List variable.
- B. Use JavaScript remoting with SOQL Offset.
- C. Implement pagination with an OffsetController.
- D. Implement pagination with a StandardSetController,

**Answer:** D

#### NEW QUESTION 28

In terms of the MVC paradigm, what are two advantages of implementing the layer of a Salesforce application using Aura Component-based development over Visualforce? Choose 2 answers

- A. Self-contained and reusable units of an application
- B. Rich component ecosystem
- C. Automatic code generation
- D. Server-side run-time debugging

**Answer:** AB

#### NEW QUESTION 29

A developer creates a new Apex trigger with a helper class, and writes a test class that only exercises 95% coverage of new Apex helper class. Change Set deployment to production fails with the test coverage warning: "Test coverage of selected Apex Trigger is 0%, at least 1% test coverage is required" What should the developer do to successfully deploy the new Apex trigger and helper class?

- A. Create a test class and methods to cover the Apex trigger
- B. Run the tests using the 'Run All Tests' method.
- C. Remove the failing test methods from the test class.
- D. Increase the test class coverage on the helper class

**Answer:** C

#### NEW QUESTION 32

A business has a proprietary Order Management System (OMS) that creates orders from their website and fulfills the orders. When the order is created in the OMS, an integration also creates an order record in Salesforce and relates it to the contact as identified by the email on the order. As the order goes through different stages in the OMS, the integration also updates it in Salesforce. It is noticed that each update from the OMS creates a new order record in Salesforce. Which two actions will prevent the duplicate order records from being created in Salesforce? Choose 2 answers

- A. Ensure that the order number in the OMS is unique.
- B. Use the order number from the OMS as an external ID.
- C. Use the email on the contact record as an external ID.
- D. Write a before trigger on the order object to delete any duplicates.

**Answer:** AD

#### NEW QUESTION 34

A development team wants to use a deployment script to automatically deploy to a sandbox during their development cycles. Which two tools can they use to run a script that deploys to a sandbox? Choose 2 answers

- A. Ant Migration Tool
- B. SFDX CLI
- C. Change Sets
- D. Developer Console

**Answer:** AB

#### NEW QUESTION 37

A Salesforce Administrator used Flow Builder to create a flow named "accountOnboarding". The flow must be used inside an Aura component. Which tag should a developer use to display the flow in the component?

- A. Lightning-flow
- B. Aura:flow
- C. Lightning:flow
- D. Aura:flow

**Answer:** C

#### NEW QUESTION 39

An Opportunity needs to have an amount rolled up from a custom object that is not in a master-detail relationship. How can this be achieved?

- A. Write a trigger on the child object and use a red-black tree sorting to sum the amount for all related child objects under the Opportunity.
- B. Write a Process Builder that links the custom object to the Opportunity.
- C. Write a trigger on the child object and use an aggregate function to sum the amount for all related child objects under the Opportunity
- D. Use the Streaming API to create real-time roll-up summaries.

**Answer:** C

#### NEW QUESTION 44

A Lightning component has a wired property, searchResults, that stores a list of Opportunities. Which definition of the Apex method, to which the searchResults property is wired, should be used?

- A. @AuraEnabled(cacheable=true)public static List<Opportunity> search(String term) { /\* implementation \*/ }
- B. @AuraEnabled(cacheable=true) public List<Opportunity> search(String term) { /\*implementation\*/ }
- C. @AuraEnabled(cacheable=false) public static List<Opportunity> search(String term) { /\*implementation\*/ }
- D. @AuraEnabled(cacheable=false) public List<Opportunity> search(String term) { /\*implementation\*/ }



**Answer:** A

#### NEW QUESTION 48

A developer is creating a page that allows users to create multiple Opportunities. The developer is asked to verify the current user's default } | Opportunity record type, and set certain default values based on the record type before inserting the record. How can the developer find the current user's default record type? ns

- A. Query the Profile where the ID equals `userInfo.getProfileID()` and then use the `profile.Opportunity.getDefaultRecordType()` | |metho
- B. } |
- C. Use Opportunit
- D. `SObjectType.getDescribe().getRecordTypeInfo()` to get a list of record types, and iterate through them until [ `JisDefaultRecordTypeMapping()` is tru
- E. Pencil & Paper |
- F. Use the `Schema.userInfo.Opportunity.getDefaultRecordType()` metho
- G. <Create the opportunity and check the `opportunity.recordType` before inserting, which will have the record ID of the current Dal user's default record type.

**Answer:** B

#### NEW QUESTION 50

A developer is asked to prevent anyone other than a user with Sales Manager profile from changing the Opportunity Status to Closed Lost if the lost reason is blank.

Which automation allows the developer to satisfy this requirement in the most efficient manner?

- A. A record trigger flow on the Opportunity object
- B. An Apex trigger on the Opportunity object
- C. approval process on the Opportunity object
- D. An error condition formula on a validation rule on Opportunity

**Answer:** D

#### NEW QUESTION 52

Universal Container uses Service Cloud with a custom field, `stage_c`, on the Case object.

Management wants to send a follow-up email reminder 6 hours after the `stage_c` field is set to “;Waiting on customer” The .... Administrator wants to ensure the solution used is bulk safe.

Which two automation tools should a developer recommend to meet these business requirements? Choose 2 answers

- A. Scheduled Flow
- B. Einstein Next Best Action
- C. Record\_Triggered Flow
- D. Process Builder

**Answer:** AC

#### NEW QUESTION 56

What can be used to override the Account's standard Edit button for Lightning Experience?

- A. Lightning action
- B. Lightning component
- C. Lightning page
- D. Lightning flow

**Answer:** B

#### Explanation:

A Lightning Component can be used to override the Account's standard Edit button for Lightning Experience. This allows the developer to create a custom page with custom fields and custom functionality that can be used instead of the standard Edit page. It also allows for the creation of custom navigation and buttons to make the user experience more intuitive and efficient.

Reference: <https://trailhead.salesforce.com/en/content/learn/projects/quick-start-lightning-components>

#### NEW QUESTION 59

Which two events need to happen when deploying to a production org? Choose 2 answers

- A. All triggers must have at least 1% test coverage.
- B. All Apex code must have at least 75% test coverage.
- C. All triggers must have at least 75% test coverage.
- D. All test and triggers must have at least 75% test coverage combined

**Answer:** AB

#### NEW QUESTION 60

Universal Containers has implemented an order management application. Each Order can have one or more Order Line items. The Order Line object is related to the Order via a master-detail relationship. For each Order Line item, the total price is calculated by multiplying the Order Line item price with the quantity ordered. What is the best practice to get the sum of all Order Line item totals on the Order record?

- A. Roll-up summary field
- B. Quick action
- C. Apex trigger
- D. Formula field

Answer: A

#### NEW QUESTION 61

A developer is creating a Lightning web component to show a list of sales records.

The Sales Representative user should be able to see the commission field on each record. The Sales Assistant user should be able to see all fields on the record except the commission field.

How should this be enforced so that the component works for both users without showing any errors?

- A. Use WITH SECURITY\_ENFORCED in the SOQL that fetches the data for the component.
- B. Use Security.stripInaccessible to remove fields inaccessible to the current user.
- C. Use Lightning Data Service to get the collection of sales records.
- D. Use Lightning Locker Service to enforce sharing rules and field-level security.

Answer: B

#### NEW QUESTION 63

A Salesforce Administrator is creating a record-triggered flow. When certain criteria are met, the flow must call an Apex method to execute complex validation involving several types of objects.

When creating the Apex method, which annotation should a developer use to ensure the method can be used within the flow?

- A. @future
- B. @RemoteAction
- C. @InvocableMethod
- D. @AuraEnabled

Answer: C

#### NEW QUESTION 65

A developer needs to implement a custom SOAP Web Service that is used by an external Web Application. The developer chooses to include helper methods that are not used by the Web Application in the implementation of the Web Service Class.

Which code segment shows the correct declaration of the class and methods?

A)

```
global class WebServiceClass {
    private Boolean helperMethod() { /* implementation ... */ }
    global String updateRecords() { /* implementation ... */ }
}
```

B)

```
webservice class WebServiceClass {
    private Boolean helperMethod() { /* implementation ... */ }
    global static String updateRecords() { /* implementation ... */ }
}
```

C)

```
global class WebServiceClass {
    private Boolean helperMethod() { /* implementation ... */ }
    webservice static String updateRecords() { /* implementation ... */ }
}
```

D)

```
webservice class WebServiceClass {
    private Boolean helperMethod() { /* implementation ... */ }
    webservice static String updateRecords() { /* implementation ... */ }
}
```

- A. Option A
- B. Option B
- C. Option C
- D. Option D

Answer: C

#### NEW QUESTION 67

Which Apex class contains methods to return the amount of resources that have been used for a particular governor, such as the number of DML statements?

- A. Exception
- B. Messaging
- C. OrgLimits

D. Limits

**Answer:** D

#### NEW QUESTION 71

A developer is integrating with a legacy on-premise SQL database.

What should the developer use to ensure the data being integrated is matched to the right records in Salesforce?

- A. Lookup field
- B. External ID field
- C. Formula field
- D. External Object

**Answer:** B

#### NEW QUESTION 74

Which two sfdx commands can be used to add testing data to a Developer sandbox?

- A. Forced: data:bulk:upsert
- B. Forced: data: object :upsert
- C. Forced: data: tree: upsert
- D. Forced: data:async:upsert

**Answer:** AC

#### NEW QUESTION 76

If apex code executes inside the execute() method of an Apex class when implementing the Batchable interface, which statement are true regarding governor limits? Choose 2 answers

- A. The Apex governor limits might be higher due to the asynchronous nature of the transaction.
- B. The apex governor limits are reset for each iteration of the execute() method.
- C. The Apex governor limits are relaxed while calling the constructor of the Apex class.
- D. The Apex governor limits cannot be exceeded due to the asynchronous nature of the transaction,

**Answer:** AB

#### NEW QUESTION 78

A developer must create a CreditcardPayment class that provides an implementation of an existing Payment class. 

```
Public virtual class Payment { public virtual void makePayment(Decimal amount) { /*implementation*/ } }
```

 Which is the correct implementation?

- A. 

```
Public class CreditcardPayment extends Payment {public override void makePayment(Decimal amount) { /*implementation*/ } }
```
- B. 

```
Public class CreditCardPayment implements Payment {public virtual void makePayment(Decimal amount) { /*implementation*/ } }
```
- C. 

```
Public class CreditCardPayment extends Payment {public virtual void makePayment(Decimal amount) { /*implementation*/ } }
```
- D. 

```
Public class CreditCardPayment implements Payment {public override void makePayment(Decimal amount) { /*Implementation*/ } }
```

**Answer:** A

#### NEW QUESTION 79

A developer created a Lightning web component called statusComponent to be inserted into the Account record page.

Which two things should the developer do to make the component available?

- A. Add `<isExposed> true</isExposed>` to the statusComponent.js-meta ml file.
- B. Add `<target> lightning _RecordPage </target>` to the statusComponent.js-meta ml file.
- C. Add `< masterLabel>Account</master Label>` to the statusComponent.js-meta ml file.
- D. Add `<target> Lightning_RecordPage </target>` to the statusComponent.js file.

**Answer:** AB

#### NEW QUESTION 80

What should a developer do to check the code coverage of a class after running all tests?

- A. View the Code Coverage column in the list view on the Apex Classes page.
- B. View the Class Test Percentage tab on the Apex Class first view in Salesforce Setup.
- C. View Use code coverage percentage for the class using the Overall Code Coverage panel in the Developer Console Tests tab.
- D. Select and run the class on the Apex Test Execution page in the Developer Console.

**Answer:** B

#### NEW QUESTION 85

A developer completed modification to a customized feature that is comprised of two elements: Apex trigger Trigger handler Apex class

What are two factors that the developer must take into account to properly deploy the modification to the production environment?

- A. Apex classes must have at least 75% code coverage org-wide.
- B. At least one line of code must be executed for the Apex trigger.



- C. All methods in the test classes must use @isTest.
- D. Test methods must be declared with the testMethod keyword.

**Answer:** AB

#### NEW QUESTION 88

A developer wrote Apex code that calls out to an external system. How should a developer write the test to provide test coverage?

- A. Write a class that extends HTTPCalloutMock.
- B. Write a class that implements the HTTPCalloutMock interface.
- C. Write a class that implements the WebserviceMock interface.
- D. Write a class that extends WebserviceMock

**Answer:** B

#### NEW QUESTION 90

A developer must implement a CheckPaymentProcessor class that provides check processing payment capabilities that adhere to what defined for payments in the PaymentProcessor interface. `public interface PaymentProcessor { void pay(Decimal amount); }` Which is the correct implementation to use the PaymentProcessor interface class?

- A. `Public class CheckPaymentProcessor implements PaymentProcessor { public void pay(Decimal amount) {} }`
- B. `Public class CheckPaymentProcessor implements PaymentProcessor { public void pay(Decimal amount); }`
- C. `Public class CheckPaymentProcessor extends PaymentProcessor { public void pay(Decimal amount); }`
- D. `Public class CheckPaymentProcessor extends PaymentProcessor { public void pay(Decimal amount) {} }`

**Answer:** B

#### NEW QUESTION 92

The Job\_Application\_\_c custom object has a field that is a Master-Detail relationship to the Contact object, where the Contact object is the Master. As part of a feature implementation, a developer needs to retrieve a list containing all Contact records where the related Account Industry is 'Technology' while also retrieving the contact's Job\_Application\_\_c records.

Based on the object's relationships, what is the most efficient statement to retrieve the list of contacts?

- A. `[SELECT Id, (SELECT Id FROM Job_Applications_r) FROM Contact WHERE Account.Industry = 'Technology'];`
- B. `[SELECT Id, (SELECT Id FROM Job_Applications_r) FROM Contact WHERE Accounts.Industry = 'Technology'];`
- C. `[SELECT Id, (SELECT Id FROM Job_Applications_c) FROM Contact WHERE Accounts.Industry = 'Technology'];`
- D. `[SELECT Id, (SELECT Id FROM Job_Application_c) FROM Contact WHERE Account.Industry = 'Technology'];`

**Answer:** B

#### NEW QUESTION 97

.....

## THANKS FOR TRYING THE DEMO OF OUR PRODUCT

Visit Our Site to Purchase the Full Set of Actual Platform-Developer-I Exam Questions With Answers.

We Also Provide Practice Exam Software That Simulates Real Exam Environment And Has Many Self-Assessment Features. Order the Platform-Developer-I Product From:

<https://www.2passeasy.com/dumps/Platform-Developer-I/>

## Money Back Guarantee

### Platform-Developer-I Practice Exam Features:

- \* Platform-Developer-I Questions and Answers Updated Frequently
- \* Platform-Developer-I Practice Questions Verified by Expert Senior Certified Staff
- \* Platform-Developer-I Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- \* Platform-Developer-I Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year