

Exam Questions Databricks-Certified-Data-Engineer-Associate

Databricks Certified Data Engineer Associate Exam

<https://www.2passeasy.com/dumps/Databricks-Certified-Data-Engineer-Associate/>



NEW QUESTION 1

Which of the following commands will return the location of database customer360?

- A. DESCRIBE LOCATION customer360;
- B. DROP DATABASE customer360;
- C. DESCRIBE DATABASE customer360;
- D. ALTER DATABASE customer360 SET DBPROPERTIES ('location' = '/user');
- E. USE DATABASE customer360;

Answer: C

Explanation:

To retrieve the location of a database named "customer360" in a database management system like Hive or Databricks, you can use the DESCRIBE DATABASE command followed by the database name. This command will provide information about the database, including its location.

NEW QUESTION 2

A data engineer has created a new database using the following command: CREATE DATABASE IF NOT EXISTS customer360;
In which of the following locations will the customer360 database be located?

- A. dbfs:/user/hive/database/customer360
- B. dbfs:/user/hive/warehouse
- C. dbfs:/user/hive/customer360
- D. More information is needed to determine the correct response

Answer: B

Explanation:

dbfs:/user/hive/warehouse - which is the default location

NEW QUESTION 3

Which of the following approaches should be used to send the Databricks Job owner an email in the case that the Job fails?

- A. Manually programming in an alert system in each cell of the Notebook
- B. Setting up an Alert in the Job page
- C. Setting up an Alert in the Notebook
- D. There is no way to notify the Job owner in the case of Job failure
- E. MLflow Model Registry Webhooks

Answer: B

Explanation:

<https://docs.databricks.com/en/workflows/jobs/job-notifications.html>

NEW QUESTION 4

A data engineer has configured a Structured Streaming job to read from a table, manipulate the data, and then perform a streaming write into a new table.
The code block used by the data engineer is below:

```
(spark.table("sales")
  .withColumn("avg_price", col("sales") / col("units"))
  .writeStream
  .option("checkpointLocation", checkpointPath)
  .outputMode("complete")
  .trigger(
    .table("new_sales")
  )
)
```

If the data engineer only wants the query to execute a micro-batch to process data every 5 seconds, which of the following lines of code should the data engineer use to fill in the blank?

- A. trigger("5 seconds")
- B. trigger()
- C. trigger(once="5 seconds")
- D. trigger(processingTime="5 seconds")
- E. trigger(continuous="5 seconds")

Answer: D

Explanation:

ProcessingTime trigger with two-seconds micro-batch interval df.writeStream \nformat("console") \ trigger(processingTime='2 seconds') \ start()\n<https://spark.apache.org/docs/latest/structured-streaming-programming-guide.html#triggers>

NEW QUESTION 5

Which of the following describes when to use the CREATE STREAMING LIVE TABLE (formerly CREATE INCREMENTAL LIVE TABLE) syntax over the CREATE LIVE TABLE syntax when creating Delta Live Tables (DLT) tables using SQL?

- A. CREATE STREAMING LIVE TABLE should be used when the subsequent step in the DLT pipeline is static.

- B. CREATE STREAMING LIVE TABLE should be used when data needs to be processed incrementally.
- C. CREATE STREAMING LIVE TABLE is redundant for DLT and it does not need to be used.
- D. CREATE STREAMING LIVE TABLE should be used when data needs to be processed through complicated aggregations.
- E. CREATE STREAMING LIVE TABLE should be used when the previous step in the DLT pipeline is static.

Answer: B

Explanation:

The CREATE STREAMING LIVE TABLE syntax is used when you want to create Delta Live Tables (DLT) tables that are designed for processing data incrementally. This is typically used when your data pipeline involves streaming or incremental data updates, and you want the table to stay up to date as new data arrives. It allows you to define tables that can handle data changes incrementally without the need for full table refreshes.

NEW QUESTION 6

A data analysis team has noticed that their Databricks SQL queries are running too slowly when connected to their always-on SQL endpoint. They claim that this issue is present when many members of the team are running small queries simultaneously. They ask the data engineering team for help. The data engineering team notices that each of the team's queries uses the same SQL endpoint.

Which of the following approaches can the data engineering team use to improve the latency of the team's queries?

- A. They can increase the cluster size of the SQL endpoint.
- B. They can increase the maximum bound of the SQL endpoint's scaling range.
- C. They can turn on the Auto Stop feature for the SQL endpoint.
- D. They can turn on the Serverless feature for the SQL endpoint.
- E. They can turn on the Serverless feature for the SQL endpoint and change the Spot Instance Policy to "Reliability Optimized."

Answer: A

Explanation:

When many users are running small queries simultaneously on a SQL endpoint, the database can become overloaded, causing slow query execution times. By increasing the cluster size of the SQL endpoint, the database can handle more simultaneous queries, resulting in faster query execution times.

NEW QUESTION 7

Which of the following data lakehouse features results in improved data quality over a traditional data lake?

- A. A data lakehouse provides storage solutions for structured and unstructured data.
- B. A data lakehouse supports ACID-compliant transactions.
- C. A data lakehouse allows the use of SQL queries to examine data.
- D. A data lakehouse stores data in open formats.
- E. A data lakehouse enables machine learning and artificial Intelligence workloads.

Answer: B

Explanation:

One of the key features of a data lakehouse that results in improved data quality over a traditional data lake is its support for ACID (Atomicity, Consistency, Isolation, Durability) transactions. ACID transactions provide data integrity and consistency guarantees, ensuring that operations on the data are reliable and that data is not left in an inconsistent state due to failures or concurrent access. In a traditional data lake, such transactional guarantees are often lacking, making it challenging to maintain data quality, especially in scenarios involving multiple data writes, updates, or complex transformations. A data lakehouse, by offering ACID compliance, helps maintain data quality by providing strong consistency and reliability, which is crucial for data pipelines and analytics.

NEW QUESTION 8

Which of the following can be used to simplify and unify siloed data architectures that are specialized for specific use cases?

- A. None of these
- B. Data lake
- C. Data warehouse
- D. All of these
- E. Data lakehouse

Answer: E

NEW QUESTION 9

A data engineer only wants to execute the final block of a Python program if the Python variable `day_of_week` is equal to 1 and the Python variable `review_period` is True.

Which of the following control flow statements should the data engineer use to begin this conditionally executed code block?

- A. `if day_of_week = 1 and review_period:`
- B. `if day_of_week = 1 and review_period = "True":`
- C. `if day_of_week == 1 and review_period == "True":`
- D. `if day_of_week == 1 and review_period:`
- E. `if day_of_week = 1 & review_period: = "True":`

Answer: D

Explanation:

This statement will check if the variable `day_of_week` is equal to 1 and if the variable `review_period` evaluates to a truthy value. The use of the double equal sign (`==`) in the comparison of `day_of_week` is important, as a single equal sign (`=`) would be used to assign a value to the variable instead of checking its value. The use of a single ampersand (`&`) instead of the keyword `and` is not valid syntax in Python. The use of quotes around `True` in options B and C will result in a string comparison, which will not evaluate to `True` even if the value of `review_period` is `True`.

NEW QUESTION 10

Which of the following describes the storage organization of a Delta table?

- A. Delta tables are stored in a single file that contains data, history, metadata, and other attributes.
- B. Delta tables store their data in a single file and all metadata in a collection of files in a separate location.
- C. Delta tables are stored in a collection of files that contain data, history, metadata, and other attributes.
- D. Delta tables are stored in a collection of files that contain only the data stored within the table.
- E. Delta tables are stored in a single file that contains only the data stored within the table.

Answer: C

Explanation:

Delta tables store data in a structured manner using Parquet files, and they also maintain metadata and transaction logs in separate directories. This organization allows for versioning, transactional capabilities, and metadata tracking in Delta Lake. Thank you for pointing out the error, and I appreciate your understanding.

NEW QUESTION 10

Which of the following is a benefit of the Databricks Lakehouse Platform embracing open source technologies?

- A. Cloud-specific integrations
- B. Simplified governance
- C. Ability to scale storage
- D. Ability to scale workloads
- E. Avoiding vendor lock-in

Answer: E

Explanation:

<https://double.cloud/blog/posts/2023/01/break-free-from-vendor-lock-in-with-open-source-tech/>

NEW QUESTION 11

Which of the following benefits is provided by the array functions from Spark SQL?

- A. An ability to work with data in a variety of types at once
- B. An ability to work with data within certain partitions and windows
- C. An ability to work with time-related data in specified intervals
- D. An ability to work with complex, nested data ingested from JSON files
- E. An ability to work with an array of tables for procedural automation

Answer: D

Explanation:

Array functions in Spark SQL are primarily used for working with arrays and complex, nested data structures, such as those often encountered when ingesting JSON files. These functions allow you to manipulate and query nested arrays and structures within your data, making it easier to extract and work with specific elements or values within complex data formats. While some of the other options (such as option A for working with different data types) are features of Spark SQL or SQL in general, array functions specifically excel at handling complex, nested data structures like those found in JSON files.

NEW QUESTION 13

Which of the following statements regarding the relationship between Silver tables and Bronze tables is always true?

- A. Silver tables contain a less refined, less clean view of data than Bronze data.
- B. Silver tables contain aggregates while Bronze data is unaggregated.
- C. Silver tables contain more data than Bronze tables.
- D. Silver tables contain a more refined and cleaner view of data than Bronze tables.
- E. Silver tables contain less data than Bronze tables.

Answer: D

Explanation:

<https://www.databricks.com/glossary/medallion-architecture>

NEW QUESTION 14

Which of the following tools is used by Auto Loader process data incrementally?

- A. Checkpointing
- B. Spark Structured Streaming
- C. Data Explorer
- D. Unity Catalog
- E. Databricks SQL

Answer: B

Explanation:

The Auto Loader process in Databricks is typically used in conjunction with Spark Structured Streaming to process data incrementally. Spark Structured Streaming is a real-time data processing framework that allows you to process data streams incrementally as new data arrives. The Auto Loader is a feature in Databricks that works with Structured Streaming to automatically detect and process new data files as they are added to a specified data source location. It allows for incremental data processing without the need for manual intervention.

How does Auto Loader track ingestion progress? As files are discovered, their metadata is persisted in a scalable key-value store (RocksDB) in the checkpoint

location of your Auto Loader pipeline. This key-value store ensures that data is processed exactly once. In case of failures, Auto Loader can resume from where it left off by information stored in the checkpoint location and continue to provide exactly-once guarantees when writing data into Delta Lake. You don't need to maintain or manage any state yourself to achieve fault tolerance or exactly-once semantics. <https://docs.databricks.com/ingestion/auto-loader/index.html>

NEW QUESTION 19

A data analyst has created a Delta table sales that is used by the entire data analysis team. They want help from the data engineering team to implement a series of tests to ensure the data is clean. However, the data engineering team uses Python for its tests rather than SQL. Which of the following commands could the data engineering team use to access sales in PySpark?

- A. SELECT * FROM sales
- B. There is no way to share data between PySpark and SQL.
- C. spark.sql("sales")
- D. spark.delta.table("sales")
- E. spark.table("sales")

Answer: E

Explanation:

<https://spark.apache.org/docs/3.2.1/api/python/reference/api/pyspark.sql.SessionCatalog.html>

NEW QUESTION 20

A new data engineering team has been assigned to an ELT project. The new data engineering team will need full privileges on the table sales to fully manage the project.

Which of the following commands can be used to grant full permissions on the database to the new data engineering team?

- A. GRANT ALL PRIVILEGES ON TABLE sales TO team;
- B. GRANT SELECT CREATE MODIFY ON TABLE sales TO team;
- C. GRANT SELECT ON TABLE sales TO team;
- D. GRANT USAGE ON TABLE sales TO team;
- E. GRANT ALL PRIVILEGES ON TABLE team TO sales;

Answer: A

NEW QUESTION 23

A data engineer is using the following code block as part of a batch ingestion pipeline to read from a composable table:

```
transactions_df = (spark.read
    .schema(schema)
    .format("delta")
    .table("transactions")
)
```

Which of the following changes needs to be made so this code block will work when the transactions table is a stream source?

- A. Replace predict with a stream-friendly prediction function
- B. Replace schema(schema) with option ("maxFilesPerTrigger", 1)
- C. Replace "transactions" with the path to the location of the Delta table
- D. Replace format("delta") with format("stream")
- E. Replace spark.read with spark.readStream

Answer: E

Explanation:

<https://docs.databricks.com/en/structured-streaming/delta-lake.html>

NEW QUESTION 28

In order for Structured Streaming to reliably track the exact progress of the processing so that it can handle any kind of failure by restarting and/or reprocessing, which of the following two approaches is used by Spark to record the offset range of the data being processed in each trigger?

- A. Checkpointing and Write-ahead Logs
- B. Structured Streaming cannot record the offset range of the data being processed in each trigger.
- C. Replayable Sources and Idempotent Sinks
- D. Write-ahead Logs and Idempotent Sinks
- E. Checkpointing and Idempotent Sinks

Answer: A

Explanation:

The engine uses checkpointing and write-ahead logs to record the offset range of the data being processed in each trigger. -- in the link search for "The engine uses " you'll find the answer. <https://spark.apache.org/docs/latest/structured-streaming-programming-guide.html#:~:text=The%20engine%20uses%20checkpointing%20and,being%20processed%20in%20each%20trigger.>

NEW QUESTION 33

A data engineer has been using a Databricks SQL dashboard to monitor the cleanliness of the input data to a data analytics dashboard for a retail use case. The job has a Databricks SQL query that returns the number of store-level records where sales is equal to zero. The data engineer wants their entire team to be notified via a messaging webhook whenever this value is greater than 0. Which of the following approaches can the data engineer use to notify their entire team via a messaging webhook whenever the number of stores with \$0 in sales is greater than zero?

- A. They can set up an Alert with a custom template.
- B. They can set up an Alert with a new email alert destination.
- C. They can set up an Alert with one-time notifications.
- D. They can set up an Alert with a new webhook alert destination.
- E. They can set up an Alert without notifications.

Answer: D

NEW QUESTION 34

A data engineer wants to create a new table containing the names of customers that live in France. They have written the following command:

```
CREATE TABLE customersInFrance
____ AS
SELECT id,
       firstName,
       lastName,
FROM customerLocations
WHERE country = 'FRANCE';
```

A senior data engineer mentions that it is organization policy to include a table property indicating that the new table includes personally identifiable information (PII).

Which of the following lines of code fills in the above blank to successfully complete the task?

- A. There is no way to indicate whether a table contains PII.
- B. "COMMENT PII"
- C. TBLPROPERTIES PII
- D. COMMENT "Contains PII"
- E. PII

Answer: D

Explanation:

Ref: <https://www.databricks.com/discover/pages/data-quality-management> CREATE TABLE my_table (id INT COMMENT 'Unique Identification Number', name STRING COMMENT 'PII', age INT COMMENT 'PII') TBLPROPERTIES ('contains_pii'=True) COMMENT 'Contains PII';

NEW QUESTION 35

A new data engineering team team. has been assigned to an ELT project. The new data engineering team will need full privileges on the database customers to fully manage the project.

Which of the following commands can be used to grant full permissions on the database to the new data engineering team?

- A. GRANT USAGE ON DATABASE customers TO team;
- B. GRANT ALL PRIVILEGES ON DATABASE team TO customers;
- C. GRANT SELECT PRIVILEGES ON DATABASE customers TO teams;
- D. GRANT SELECT CREATE MODIFY USAGE PRIVILEGES ON DATABASE customers TO team;
- E. GRANT ALL PRIVILEGES ON DATABASE customers TO team;

Answer: E

Explanation:

To grant full privileges on the database "customers" to the new data engineering team, you can use the GRANT ALL PRIVILEGES command as shown in option E. This command provides the team with all possible privileges on the specified database, allowing them to fully manage it.

NEW QUESTION 37

A data engineer has three tables in a Delta Live Tables (DLT) pipeline. They have configured the pipeline to drop invalid records at each table. They notice that some data is being dropped due to quality concerns at some point in the DLT pipeline. They would like to determine at which table in their pipeline the data is being dropped.

Which of the following approaches can the data engineer take to identify the table that is dropping the records?

- A. They can set up separate expectations for each table when developing their DLT pipeline.
- B. They cannot determine which table is dropping the records.
- C. They can set up DLT to notify them via email when records are dropped.
- D. They can navigate to the DLT pipeline page, click on each table, and view the data quality statistics.
- E. They can navigate to the DLT pipeline page, click on the "Error" button, and review the present errors.

Answer: D

Explanation:

To identify the table in a Delta Live Tables (DLT) pipeline where data is being dropped due to quality concerns, the data engineer can navigate to the DLT pipeline page, click on each table in the pipeline, and view the data quality statistics. These statistics often include information about records dropped, violations of expectations, and other data quality metrics. By examining the data quality statistics for each table in the pipeline, the data engineer can determine at which table the data is being dropped.

NEW QUESTION 38

A data engineer needs to apply custom logic to identify employees with more than 5 years of experience in array column employees in table stores. The custom logic should create a new column exp_employees that is an array of all of the employees with more than 5 years of experience for each row. In order to apply this custom logic at scale, the data engineer wants to use the FILTER higher-order function.

Which of the following code blocks successfully completes this task?

```

SELECT
    store_id,
    employees,
    FILTER (employees, i -> i.years_exp > 5) AS exp_employees
FROM stores;

SELECT
    store_id,
    employees,
    FILTER (exp_employees, years_exp > 5) AS exp_employees
FROM stores;

SELECT
    store_id,
    employees,
    FILTER (employees, years_exp > 5) AS exp_employees
FROM stores;

SELECT
    store_id,
    employees,
    CASE WHEN employees.years_exp > 5 THEN employees
        ELSE NULL
    END AS exp_employees
FROM stores;

SELECT
    store_id,
    employees,
    FILTER (exp_employees, i -> i.years_exp > 5) AS exp_employees
FROM stores;

```

- A. Option A
- B. Option B
- C. Option C
- D. Option D
- E. Option E

Answer: A

NEW QUESTION 43

A data engineer runs a statement every day to copy the previous day's sales into the table transactions. Each day's sales are in their own file in the location "/transactions/raw".

Today, the data engineer runs the following command to complete this task:

```

COPY INTO transactions
FROM "/transactions/raw"
FILEFORMAT = PARQUET;

```

After running the command today, the data engineer notices that the number of records in table transactions has not changed. Which of the following describes why the statement might not have copied any new records into the table?

- A. The format of the files to be copied were not included with the FORMAT_OPTIONS keyword.
- B. The names of the files to be copied were not included with the FILES keyword.
- C. The previous day's file has already been copied into the table.
- D. The PARQUET file format does not support COPY INTO.
- E. The COPY INTO statement requires the table to be refreshed to view the copied rows.

Answer: C

Explanation:

<https://docs.databricks.com/en/ingestion/copy-into/index.html> The COPY

INTO SQL command lets you load data from a file location into a Delta table. This is a re- triable and idempotent operation; files in the source location that have already been loaded are skipped. if there are no new records, the only consistent choice is C no new files were loaded because already loaded files were skipped.

NEW QUESTION 44

A data engineer has a Python notebook in Databricks, but they need to use SQL to accomplish a specific task within a cell. They still want all of the other cells to use Python without making any changes to those cells.

Which of the following describes how the data engineer can use SQL within a cell of their Python notebook?

- A. It is not possible to use SQL in a Python notebook
- B. They can attach the cell to a SQL endpoint rather than a Databricks cluster
- C. They can simply write SQL syntax in the cell
- D. They can add %sql to the first line of the cell
- E. They can change the default language of the notebook to SQL

Answer: D

NEW QUESTION 47

A data engineer has been using a Databricks SQL dashboard to monitor the cleanliness of the input data to an ELT job. The ELT job has its Databricks SQL query that returns the number of input records containing unexpected NULL values. The data engineer wants their entire team to be notified via a messaging webhook whenever this value reaches 100.

Which of the following approaches can the data engineer use to notify their entire team via a messaging webhook whenever the number of NULL values reaches 100?

- A. They can set up an Alert with a custom template.
- B. They can set up an Alert with a new email alert destination.
- C. They can set up an Alert with a new webhook alert destination.
- D. They can set up an Alert with one-time notifications.
- E. They can set up an Alert without notifications.

Answer: C

Explanation:

To achieve this, the data engineer can set up an Alert in the Databricks workspace that triggers when the query results exceed the threshold of 100 NULL values. They can create a new webhook alert destination in the Alert's configuration settings and provide the necessary messaging webhook URL to receive notifications. When the Alert is triggered, it will send a message to the configured webhook URL, which will then notify the entire team of the issue.

NEW QUESTION 49

A data engineer needs to create a table in Databricks using data from a CSV file at location /path/to/csv.

They run the following command:

```
CREATE TABLE new_table

____

OPTIONS (
  header = "true",
  delimiter = "|"
)

LOCATION "path/to/csv"
```

Which of the following lines of code fills in the above blank to successfully complete the task?

- A. None of these lines of code are needed to successfully complete the task
- B. USING CSV
- C. FROM CSV
- D. USING DELTA
- E. FROM "path/to/csv"

Answer: B

NEW QUESTION 52

A data engineer has realized that they made a mistake when making a daily update to a table. They need to use Delta time travel to restore the table to a version that is 3 days old. However, when the data engineer attempts to time travel to the older version, they are unable to restore the data because the data files have been deleted.

Which of the following explains why the data files are no longer present?

- A. The VACUUM command was run on the table
- B. The TIME TRAVEL command was run on the table
- C. The DELETE HISTORY command was run on the table
- D. The OPTIMIZE command was run on the table
- E. The HISTORY command was run on the table

Answer: A

Explanation:

The VACUUM command in Delta Lake is used to clean up and remove unnecessary data files that are no longer needed for time travel or query purposes. When you run VACUUM with certain retention settings, it can delete older data files, which might include versions of data that are older than the specified retention period. If the data engineer is unable to restore the table to a version that is 3 days old because the data files have been deleted, it's likely because the VACUUM command was run on the table, removing the older data files as part of data cleanup.

NEW QUESTION 56

A data engineer has a Python variable `table_name` that they would like to use in a SQL query. They want to construct a Python code block that will run the query using `table_name`.

They have the following incomplete code block:

```
(f"SELECT customer_id, spend FROM {table_name}")
```

Which of the following can be used to fill in the blank to successfully complete the task?

- A. `spark.delta.sql`
- B. `spark.delta.table`
- C. `spark.table`
- D. `dbutils.sql`
- E. `spark.sql`

Answer: E

NEW QUESTION 61

An engineering manager wants to monitor the performance of a recent project using a Databricks SQL query. For the first week following the project's release, the manager wants the query results to be updated every minute. However, the manager is concerned that the compute resources used for the query will be left running and cost the organization a lot of money beyond the first week of the project's release.

Which of the following approaches can the engineering team use to ensure the query does not cost the organization any money beyond the first week of the project's release?

- A. They can set a limit to the number of DBUs that are consumed by the SQL Endpoint.
- B. They can set the query's refresh schedule to end after a certain number of refreshes.
- C. They cannot ensure the query does not cost the organization money beyond the first week of the project's release.
- D. They can set a limit to the number of individuals that are able to manage the query's refresh schedule.
- E. They can set the query's refresh schedule to end on a certain date in the query scheduler.

Answer: E

Explanation:

If a dashboard is configured for automatic updates, it has a Scheduled button at the top, rather than a Schedule button. To stop automatically updating the dashboard and remove its subscriptions:

Click Scheduled.

In the Refresh every drop-down, select Never.

Click Save. The Scheduled button label changes to Schedule. Source: <https://learn.microsoft.com/en-us/azure/databricks/sql/user/dashboards/>

NEW QUESTION 64

A data engineer has a Job that has a complex run schedule, and they want to transfer that schedule to other Jobs.

Rather than manually selecting each value in the scheduling form in Databricks, which of the following tools can the data engineer use to represent and submit the schedule programmatically?

- A. `pyspark.sql.types.DateType`
- B. `datetime`
- C. `pyspark.sql.types.TimestampType`
- D. Cron syntax
- E. There is no way to represent and submit this information programmatically

Answer: D

NEW QUESTION 65

A single Job runs two notebooks as two separate tasks. A data engineer has noticed that one of the notebooks is running slowly in the Job's current run. The data engineer asks a tech lead for help in identifying why this might be the case.

Which of the following approaches can the tech lead use to identify why the notebook is running slowly as part of the Job?

- A. They can navigate to the Runs tab in the Jobs UI to immediately review the processing notebook.
- B. They can navigate to the Tasks tab in the Jobs UI and click on the active run to review the processing notebook.
- C. They can navigate to the Runs tab in the Jobs UI and click on the active run to review the processing notebook.
- D. There is no way to determine why a Job task is running slowly.
- E. They can navigate to the Tasks tab in the Jobs UI to immediately review the processing notebook.

Answer: C

Explanation:

The job run details page contains job output and links to logs, including information about the success or failure of each task in the job run. You can access job run details from the Runs tab for the job. To view job run details from the Runs tab, click the link for the run in the Start time column in the runs list view. To return to the Runs tab for the job, click the Job ID value.

If the job contains multiple tasks, click a task to view task run details, including: the cluster that ran the task

the Spark UI for the task logs for the task

metrics for the task

<https://docs.databricks.com/en/workflows/jobs/monitor-job-runs.html#job-run-details>

NEW QUESTION 68

A data engineer has been given a new record of data:

```
id STRING = 'a1'
```

```
rank INTEGER = 6 rating FLOAT = 9.4
```

Which of the following SQL commands can be used to append the new record to an existing Delta table `my_table`?

- A. `INSERT INTO my_table VALUES ('a1', 6, 9.4)`

- B. my_table UNION VALUES ('a1', 6, 9.4)
- C. INSERT VALUES ('a1' , 6, 9.4) INTO my_table
- D. UPDATE my_table VALUES ('a1', 6, 9.4)
- E. UPDATE VALUES ('a1', 6, 9.4) my_table

Answer: A

NEW QUESTION 69

A Delta Live Table pipeline includes two datasets defined using STREAMING LIVE TABLE. Three datasets are defined against Delta Lake table sources using LIVE TABLE.

The table is configured to run in Development mode using the Continuous Pipeline Mode.

Assuming previously unprocessed data exists and all definitions are valid, what is the expected outcome after clicking Start to update the pipeline?

- A. All datasets will be updated once and the pipeline will shut dow
- B. The compute resources will be terminated.
- C. All datasets will be updated at set intervals until the pipeline is shut dow
- D. The compute resources will persist until the pipeline is shut down.
- E. All datasets will be updated once and the pipeline will persist without any processin
- F. The compute resources will persist but go unused.
- G. All datasets will be updated once and the pipeline will shut dow
- H. The compute resources will persist to allow for additional testing.
- I. All datasets will be updated at set intervals until the pipeline is shut dow
- J. The compute resources will persist to allow for additional testing.

Answer: E

Explanation:

You can optimize pipeline execution by switching between development and production modes. Use the Delta Live Tables Environment Toggle Icon buttons in the Pipelines UI to switch between these two modes. By default, pipelines run in development mode.

When you run your pipeline in development mode, the Delta Live Tables system does the following:

Reuses a cluster to avoid the overhead of restarts. By default, clusters run for two hours when development mode is enabled. You can change this with the pipelines.clusterShutdown.delay setting in the Configure your compute settings.

Disables pipeline retries so you can immediately detect and fix errors. In production mode, the Delta Live Tables system does the following:

Restarts the cluster for specific recoverable errors, including memory leaks and stale credentials.

Retries execution in the event of specific errors, for example, a failure to start a cluster. <https://docs.databricks.com/en/delta-live-tables/updates.html#optimize-execution>

NEW QUESTION 70

A data engineer that is new to using Python needs to create a Python function to add two integers together and return the sum?

Which of the following code blocks can the data engineer use to complete this task?

A)

```
function add_integers(x, y):  
    return x + y
```

B)

```
function add_integers(x, y):  
    x + y
```

C)

```
def add_integers(x, y):  
    print(x + y)
```

D)

```
def add_integers(x, y):  
    return x + y
```

E)

```
def add_integers(x, y):  
    x + y
```

- A. Option A
- B. Option B
- C. Option C
- D. Option D
- E. Option E

Answer: D

Explanation:

https://www.w3schools.com/python/python_functions.asp

NEW QUESTION 74

A data engineer wants to create a data entity from a couple of tables. The data entity must be used by other data engineers in other sessions. It also must be saved to a physical location.

Which of the following data entities should the data engineer create?

- A. Database
- B. Function
- C. View
- D. Temporary view
- E. Table

Answer: E

Explanation:

In the context described, creating a "Table" is the most suitable choice. Tables in SQL are data entities that exist independently of any session and are saved in a physical location. They can be accessed and manipulated by other data engineers in different sessions, which aligns with the requirements stated. A "Database" is a collection of tables, views, and other database objects. A "Function" is a stored procedure that performs an operation. A "View" is a virtual table based on the result-set of an SQL statement, but it is not stored physically. A "Temporary view" is a feature that allows you to store the result of a query as a view that disappears once your session with the database is closed.

NEW QUESTION 78

A data engineer has developed a data pipeline to ingest data from a JSON source using Auto Loader, but the engineer has not provided any type inference or schema hints in their pipeline. Upon reviewing the data, the data engineer has noticed that all of the columns in the target table are of the string type despite some of the fields only including float or boolean values.

Which of the following describes why Auto Loader inferred all of the columns to be of the string type?

- A. There was a type mismatch between the specific schema and the inferred schema
- B. JSON data is a text-based format
- C. Auto Loader only works with string data
- D. All of the fields had at least one null value
- E. Auto Loader cannot infer the schema of ingested data

Answer: B

Explanation:

JSON data is a text-based format that uses strings to represent all values. When Auto Loader infers the schema of JSON data, it assumes that all values are strings. This is because Auto Loader cannot determine the type of a value based on its string representation. <https://docs.databricks.com/en/ingestion/auto-loader/schema.html> For example, the following JSON string represents a value that is logically a boolean: JSON "true" Use code with caution. Learn more However, Auto Loader would infer that the type of this value is string. This is because Auto Loader cannot determine that the value is a boolean based on its string representation. In order to get Auto Loader to infer the correct types for columns, the data engineer can provide type inference or schema hints. Type inference hints can be used to specify the types of specific columns. Schema hints can be used to provide the entire schema of the data. Therefore, the correct answer is B. JSON data is a text-based format.

NEW QUESTION 79

Which of the following Structured Streaming queries is performing a hop from a Silver table to a Gold table?

A.

```
(spark.readStream.load(rawSalesLocation)
  .writeStream
  .option("checkpointLocation", checkpointPath)
  .outputMode("append")
  .table("newSales")
)
```

B.

```
(spark.read.load(rawSalesLocation)
  .writeStream
  .option("checkpointLocation", checkpointPath)
  .outputMode("append")
  .table("newSales")
)
```

C.

```
(spark.table("sales")
  .withColumn("avgPrice", col("sales") / col("units"))
  .writeStream
  .option("checkpointLocation", checkpointPath)
  .outputMode("append")
  .table("newSales")
)
```

D.

```
(spark.table("sales")
  .filter(col("units") > 0)
  .writeStream
  .option("checkpointLocation", checkpointPath)
  .outputMode("append")
  .table("newSales")
)
```

E.

```
(spark.table("sales")
  .groupBy("store")
  .agg(sum("sales"))
  .writeStream
  .option("checkpointLocation", checkpointPath)
  .outputMode("complete")
  .table("newSales")
)
```

A.

Answer: E

NEW QUESTION 82

A data engineer has a single-task Job that runs each morning before they begin working. After identifying an upstream data issue, they need to set up another task to run a new notebook prior to the original task.

Which of the following approaches can the data engineer use to set up the new task?

- A. They can clone the existing task in the existing Job and update it to run the new notebook.
- B. They can create a new task in the existing Job and then add it as a dependency of the original task.
- C. They can create a new task in the existing Job and then add the original task as a dependency of the new task.
- D. They can create a new job from scratch and add both tasks to run concurrently.
- E. They can clone the existing task to a new Job and then edit it to run the new notebook.

Answer: B

Explanation:

To set up the new task to run a new notebook prior to the original task in a single-task Job, the data engineer can use the following approach: In the existing Job, create a new task that corresponds to the new notebook that needs to be run. Set up the new task with the appropriate configuration, specifying the notebook to be executed and any necessary parameters or dependencies. Once the new task is created, designate it as a dependency of the original task in the Job configuration. This ensures that the new task is executed before the original task.

NEW QUESTION 87

A data engineer has a Job with multiple tasks that runs nightly. Each of the tasks runs slowly because the clusters take a long time to start.

Which of the following actions can the data engineer perform to improve the start up time for the clusters used for the Job?

- A. They can use endpoints available in Databricks SQL
- B. They can use jobs clusters instead of all-purpose clusters
- C. They can configure the clusters to be single-node
- D. They can use clusters that are from a cluster pool
- E. They can configure the clusters to autoscale for larger data sizes

Answer: D

Explanation:

Cluster pools are a way to pre-provision clusters that are ready to use. This can reduce the start up time for clusters, as they do not have to be created from scratch. All-purpose clusters are not pre-provisioned, so they will take longer to start up. Jobs clusters are a type of cluster pool, but they are not the best option for this use case. Jobs clusters are designed for long-running jobs, and they can be more expensive than other types of cluster pools. Single-node clusters are the smallest type of cluster, and they will start up the fastest. However, they may not be powerful enough to run the Job's tasks. Autoscaling clusters can scale up or down based on demand. This can help to improve the start up time for clusters, as they will only be created when they are needed. However, autoscaling clusters can also be more expensive than other types of cluster pool <https://docs.databricks.com/en/clusters/pool-best-practices.html>

NEW QUESTION 89

A data engineer needs access to a table new_table, but they do not have the correct permissions. They can ask the table owner for permission, but they do not know who the table owner is.

Which of the following approaches can be used to identify the owner of new_table?

- A. Review the Permissions tab in the table's page in Data Explorer
- B. All of these options can be used to identify the owner of the table
- C. Review the Owner field in the table's page in Data Explorer
- D. Review the Owner field in the table's page in the cloud storage solution
- E. There is no way to identify the owner of the table

Answer: C

NEW QUESTION 93

In which of the following file formats is data from Delta Lake tables primarily stored?

- A. Delta
- B. CSV
- C. Parquet
- D. JSON
- E. A proprietary, optimized format specific to Databricks

Answer: C

Explanation:

<https://docs.delta.io/latest/delta-faq.html>

NEW QUESTION 96

A data architect has determined that a table of the following format is necessary:

employeeId	startDate	avgRating
a1	2009-01-06	5.5
a2	2018-11-21	7.1
...

Which of the following code blocks uses SQL DDL commands to create an empty Delta table in the above format regardless of whether a table already exists with this name?

- ```
CREATE TABLE IF NOT EXISTS table_name (
 employeeId STRING,
 startDate DATE,
 avgRating FLOAT
)

CREATE OR REPLACE TABLE table_name AS
SELECT
 employeeId STRING,
 startDate DATE,
 avgRating FLOAT
USING DELTA

CREATE OR REPLACE TABLE table_name WITH COLUMNS (
 employeeId STRING,
 startDate DATE,
 avgRating FLOAT
) USING DELTA

CREATE TABLE table_name AS
SELECT
 employeeId STRING,
 startDate DATE,
 avgRating FLOAT

CREATE OR REPLACE TABLE table_name (
 employeeId STRING,
 startDate DATE,
 avgRating FLOAT
)
```
- A. Option A
- B. Option B
- C. Option C
- D. Option D
- E. Option E

- A. Option A
- B. Option B
- C. Option C
- D. Option D
- E. Option E

Answer: E

### NEW QUESTION 100

.....

## THANKS FOR TRYING THE DEMO OF OUR PRODUCT

Visit Our Site to Purchase the Full Set of Actual Databricks-Certified-Data-Engineer-Associate Exam Questions With Answers.

We Also Provide Practice Exam Software That Simulates Real Exam Environment And Has Many Self-Assessment Features. Order the Databricks-Certified-Data-Engineer-Associate Product From:

**<https://www.2passeasy.com/dumps/Databricks-Certified-Data-Engineer-Associate/>**

## Money Back Guarantee

### **Databricks-Certified-Data-Engineer-Associate Practice Exam Features:**

- \* Databricks-Certified-Data-Engineer-Associate Questions and Answers Updated Frequently
- \* Databricks-Certified-Data-Engineer-Associate Practice Questions Verified by Expert Senior Certified Staff
- \* Databricks-Certified-Data-Engineer-Associate Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- \* Databricks-Certified-Data-Engineer-Associate Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year